

Index

A, B

accelerometer, 120-132
additional weight, 34-38
advantages and disadvantages, 124
aliasing effect, 134, 148-149
amplification factor at resonance
 frequency, 205
analog signal processing, 133
analytic function, 160
analyzer, 14, 17, 20
bending motion, 404, 418-422, 441,
 452
bending tests of composite materials,
 267
bending wave, 403, 425
Bromwich-Wagner contour, 158

C

cable noise, 123
calibration
 by comparison method, 129
 of a pair of transducers, 132
 of displacement transducers, 316
capacitive exciter, 46
carrier frequency, 120-125
Cauchy's integral, 157-160, 181-184

Cauchy-Riemann condition, 157
causal signal and Fourier transform,
 163
causality and linearity, 160
causalized Hilbert transform, 175
ceramic plate, 68
choice of transducer, 77, 81, 125
Christoffel's tensor, 6
circle fit technique, 195-198
coherence function, 139-141
comparative table for quartz and
 barium titanate, 64
comparison with other theories, 414
condenser type transducer, 82
conduct bending tests, 262
confrontation theory experiment for a
 composite material, 279
confrontation theory – experiment for
 metals, 277
confrontation theory – experiment,
 277
constitutive equations, 58, 62-65
contact bench, 342-343
contactless, 93
control system, 52-53
cooling system, 49
coupling coefficients, 58, 66
critical incidence angle, 382

cross-section warping, 211
Curie's symmetry principle, 56

D, E

damping
 capacity, 3, 7, 11, 384-387
 coefficient, 315-324
 ratio measurement, 312
deformation modes, 57-58
detection of hidden non-linearities, 203
dielectric matrix, 64
differential transformer transducer, 93
digital signal processing, 134
discrete Fourier transform, 135
discriminator, 82-87
double pendulum, 305, 312-326, 331
dynamic mechanical analyzer DMA, 20
eigenvalue equation, 296
elasticimeter, 255-258
electrical type, 120-121
electromagnetic exciters, 54
electromechanical shaker, 338
electronic
 circuit, 86, 93-95
 equipment, 422
 set-up, 258-261, 272-273
equations of motion, 326, 331, 336-337
experiments on composite, 276
experiments on metals, 275
extensional waves in rods, 292

F

Fei's correction, 167-171
ferroelectric
 ceramics, 62, 68, 74-75
 plate, 55, 67-68, 74
 transducers, 62, 67, 417-420
ferroelectricity, 61

fixed reference transducers, 79
foam rubber, 41
force transducer, 110-115
 calibration, 130
formulae used to interpret torsion tests, 242
frequency Hilbert transform, 142, 155-157
frequency response of accelerometer, 127
frequency spectrum, 399-416, 425-427, 446-452
 for metals, 278
 of some composites materials, 279
front velocity, 439
function of complex variable, 157

H, I, J

hammer, 130, 139-146
hidden non-linearities, 155-156, 174-175, 181
Hilbert transform
 computer code, 164
 expressed in real and imaginary parts, 159
 obtained directly by Guillemin's method, 184
 of time, 201-202
inductance transducer, 89-95
influence of
 flatness, 402
 slenderness, 291
 material and the geometry, 412
interest, 77-78, 116
jaws, 25-28
 for realizing sample clamping, 307

K, L, M

knife edges, 33
Kramer-Kronig's relationships, 162
Lagrange's equations of motion, 331

Le Rolland-Sorin's double pendulum, 30-33
 length correction, 30-37
 longitudinal waves, 415, 425
 can propagate, 368
 magnetic
 circuits, 48
 transducer, 55
 mass attachment, 25
 material damping
 coefficient, 187-188
 versus bandwidth, 206
 material symmetry, 336, 348
 mechanical frame, 306
 mechanical parts of the double pendulum, 305
 metallic materials, 238
 metravib instrument, 18
 Morgan pulse propagation, 22
 mounting, 91-93, 102, 113
 performance, 126
 mutual inductance, 92

N, O, P

Newton-Raphson's method, 234
 non-causality principle, 156
 non-linearities, 156, 162, 173, 181
 non-linearity detection, 156
 Nyquist frequency, 150
 oblique incidence
 and energy propagation, 379, 389
 of an ultrasonic wave, 380
 off-axis samples, 5
 Onobiono's theory, 225-226
 optimized Hilbert time window, 179
 orthotropic material, 5, 6
 pendulum knife edge, 312
 phase velocity and wave, 376
 phasemeter, 15
 physical interpretation, 410, 438, 443
 Hilbert transform, 160

piezoelectric
 exciter, 46
 transducers, 71
 pink noise, 142
 platform
 installation, 315
 supporting the two pendulums, 308
 polar representation of transfer function, 194
 position of the knife edge, 310-312
 power
 amplifier, 44-45, 50-53, 71
 exciters, 69
 preamplifier, 120-121
 provisional calculations, 3
 Prony's complex exponential series, 199

R, S

random vibration tests, 53
 rational fraction polynomials, 198
 Rayleigh-Ritz, 112-117
 relationship between material damping and structural damping, 197
 resonance frequency
 relative bandwidth, 195
 of a transducer, 125
 sample
 holder, 10, 11, 17, 20, 22, 28, 35-37
 pseudo-clamping, 307
 with curved cross section, 343
 sensitivity, 87-88, 95-104
 servo-hydraulic actuator, 17
 shear moduli
 by elementary theory, 217
 higher approximation equation of motion, 219
 signal
 conditioner, 79, 81, 86, 91

- processing, to obtain the
 - correlation function, 371
 - Simon's correction, 165, 171
 - sinusoidal signals, 142
 - slenderness, 10
 - special elasticimeter for curved
 - beams, 337
 - special transducers, 398, 416-417, 428
 - special ultrasonic lens, 343
 - spectrum for a bending wave, 405
 - strain gauge force type transducer, 111
 - structural damping coefficient, 197
 - successive operations, 259
 - symmetrical mounting, 91
- T, U, V, W, Y**
- taut threads, 38-39
 - test bench, 25
 - time duration measurement, 312
 - time Hilbert transform and analytic signal, 380
 - time window, 134-137, 150
 - torsion
 - test bench, 211
 - tests, 212, 223-226, 241
 - torsional
 - motion, 398, 408-411, 419-420, 427
 - stiffness, 347
 - vibration of a hollow cylinder, 339
 - waves, 413-415
 - Touratier's theory, 410-416, 427-429, 441-445
 - transducer, 339-343, 354
 - performances, 133
 - selection, 123
 - transverse isotropic material, 5, 8
 - ultrasonic benches, 342
 - using Reissner-Hellinger's
 - variational principle, 407
 - vibration modes, 67
 - viscoelastic
 - characterization of a material,
 - phase velocity, 379
 - dispersion, 375-377
 - materials, 211
 - wave front velocity, 439
 - Wheatstone bridge, 81-96, 110
 - white noise, 142
 - Young's modulus by bending, 259, 268