

## Index

### A

- amplitude, 1-27, 30, 34, 38-45, 48-51, 54, 57-63, 68-69, 73, 75, 78-80, 84-104, 108, 111, 115, 122-123, 126-127, 130-132, 136, 139-140, 145, 148-152, 155, 157, 160-177, 180, 182, 189, 195-196, 203, 208-213, 222, 225-228, 233-238, 246, 249, 251, 255, 262, 268, 271, 274, 285, 289, 290, 294, 296, 301-308, 313-318, 349-350, 354-355, 366-368, 376, 386-387, 397
- complex, 4, 6, 85, 99, 121, 172, 244, 275, 349, 352
- peak, 54-55, 176
- anechoic chamber, 14, 22-25, 140, 194, 201, 204, 219, 220-226, 229-230, 275, 280, 315, 317
- angle, 45, 95-101, 123, 131, 144, 167-169, 172, 222, 226, 236, 239, 243, 254-255, 274, 286, 289-290, 317, 323-324, 330, 345, 391, 395
- of phase, 97-98, 101, 132, 144, 153, 294
- polar, 98-99, 101, 247, 395
- solid, 24, 27, 94, 98, 123-127, 237
- antenna, 13, 22-27, 45, 48, 55-58, 62-63, 68-70, 74-79, 83-84, 88-89, 97, 108-109, 115, 121-130, 135-136, 139, 141-148, 156, 161-162, 165-168, 177-184, 194, 200, 206, 211-214, 221-224, 233-243, 246-269, 272-275, 283-285, 288-291, 295-298, 316-317, 322, 324, 330, 349, 352-354, 357
- biconic, 206, 315
- effective area, 254, 264
- efficiency, 122-123, 127-128, 142-143, 178-179, 259, 272-275, 357
- reference, 123, 129, 296-297
- autoregressive model, 347

### B

- balance, 57, 84, 136, 139, 148, 178, 242-243, 253, 259-260, 272, 295
- power, 136, 148, 177-182, 214, 234, 240, 242, 256, 260, 289
- transmission, 243, 266, 354
- Bienaymé–Chebychev, 212

**C**

- calibration, 2, 22-28, 94, 121, 128-130, 136, 157, 164, 170-175, 188-189, 194, 198, 200, 204-218, 222-225, 229, 251, 256-268, 302, 307, 336, 372
  - process, 22, 25, 94, 164, 188, 194, 200, 204, 206, 212, 215, 225, 256-259, 262, 267
  - results, 204, 206
- capacitance, 20-21, 32-37, 42, 57, 67, 71, 72
- cavity, 25, 29, 30-48, 51-64, 67-73, 76-79, 85, 94, 104, 107, 125-128, 138-142, 148, 161-164, 179, 182, 184, 193-194, 198, 200-204, 212, 214, 224, 233, 236, 253-254, 266, 280, 303-306, 323, 324, 381
  - electromagnetic, 25, 30, 35, 80, 83, 229, 233, 253, 330
  - Fabry-Perot, 30, 59, 60-64, 161
  - one-dimensional, 29
  - oversized, 57, 67, 70, 140, 303, 323, 382
  - rectangular, 24, 44, 50-55, 62, 67-68, 75, 162, 209, 227, 316, 384
- celerity, 4-5, 16, 31, 35, 44, 78, 138, 141, 143
- cell, 16-21, 51, 73, 186, 312, 316-317
  - coaxial, 280, 286, 316-317
  - modal, 30, 51, 63, 68-69, 73, 76, 153, 185, 202
  - TEM, 2, 14-25, 280, 286, 312-315
- circuit, 9, 12, 20, 34-35, 38-39, 43-44, 62, 67, 79, 144, 148-149, 160, 177-178, 224, 240-241, 279, 289
  - equivalent, 10, 12, 20, 42, 123, 239, 288
- coefficient, 6, 15, 18-19, 36, 38, 71, 87, 93, 111, 115, 122, 126-129, 139, 145, 148, 166, 212, 245, 263, 266, 271, 273, 291, 299, 300, 315, 338-342, 345-347, 353-354, 388
  - correlation, 149, 150-151, 156, 168, 169, 338-344
- conductance, 39, 67, 78, 148
  - internal, 37-38, 40
- conductive polymer, 280, 311-314, 317
- constant, 55, 60, 87, 180-181, 206, 211, 214, 235-238, 249, 253, 265, 268, 273, 300, 338, 355, 356
  - propagation, 33, 38
  - time, 38, 54, 57, 181-182, 216
- correlation, 27, 135-136, 145, 149-152, 156, 159, 160, 167-172, 221, 267, 274, 318, 322-323, 330, 336-345, 348
  - linear, 323, 330, 337-339, 345, 348
  - measurements, 341
  - spatial, 135, 257, 264, 330
- coupling, 19-21, 23, 30, 36-37, 41, 57, 60-63, 68, 75, 139, 148, 154, 158, 161, 165-166, 187-190, 222-226, 229, 234-236, 280, 285, 287, 292, 295, 298-299, 302, 305, 308, 312, 314, 322, 349, 353
  - electric, 19-23, 312
  - magnetic, 312, 315
- critical value, 116-120, 327-329, 333
- crystal detector, 181, 183

**D**

- deviation, 27, 63, 69, 72-73, 84, 87-90, 103, 106, 111-113, 116, 118, 120, 131, 164, 168, 170-176, 188, 195, 198-199, 207-208, 210, 215, 229, 257, 262-263, 273, 318, 325, 334, 337, 342-343, 347, 350, 367, 368, 372, 375, 385
  - absolute, 102
  - mean, 167
  - mean statistical, 208

- device, 3, 17, 24, 28-31, 44, 69, 84, 85, 123, 128-129, 132, 139, 141-145, 148, 152, 158-159, 162, 187-189, 196, 200, 206-207, 210-212, 215-226, 229, 233, 236, 249-262, 265-275, 280-283, 286, 291-295, 297-303, 306-309, 312-318
    - radiating, 256, 269
    - under test, 28, 139, 141, 158-159, 189, 196, 206, 210-211, 215-226, 229, 233, 249-262, 265-272, 275, 280-283, 286, 293-295, 298-303, 307-309, 312-315, 318
  - diffraction, 11, 300
  - dimensions, 8, 14, 17, 20-24, 28-29, 42, 44, 48-53, 69, 70-71, 78, 83, 137-138, 142, 147, 152-154, 162, 185-188, 198, 202, 206-207, 226, 236, 271, 275, 287-288, 308, 311-312, 316-317, 322, 329, 381, 384
  - directivity, 9, 121, 123, 127, 130, 226, 233, 236-241, 248-251, 255, 269, 271-272, 275, 289
    - partial, 239
  - distribution, 25-27, 30, 45, 49-53, 62-63, 68-73, 77-80, 83-93, 97-98, 108, 111-112, 115-119, 130-131, 137-140, 142, 149, 152, 157-159, 162-170, 173-177, 184-185, 188, 194-204, 207, 210-213, 215-218, 224-230, 235-236, 239, 241, 244-248, 257, 261-263, 266, 271-276, 279, 280, 287-292, 295, 302-303, 306-310, 317, 322-336, 339, 342, 345-346, 349-354, 368-369, 375-378
    - $\chi^2$  probability, 90
    - exponential probability, 93, 120
    - normal, 88-89, 103, 106, 112, 118, 120, 170, 212, 227, 257, 261, 263, 273, 325-326, 337, 342-343, 350-354, 368, 372-375, 378
    - normal probability, 90, 98, 176, 372, 386
    - probability, 27, 69, 86, 91, 103, 108, 112, 116-119, 173, 198, 327, 337, 342, 363, 367-369, 373, 375
    - Rayleigh probability, 84
    - uniform probability, 368, 375
  - disturbance, 72-73, 76, 195, 217, 221, 272-273, 279, 295
- E**
- effective area, 127-128, 179, 223, 242-243, 255, 290-296
    - mean, 127
  - electric
    - dipole, 60, 62, 111, 123, 234, 242, 395-397
    - monopole, 189, 283, 303
    - permittivity, 2, 4-5, 126
    - electric field
      - tangential, 249, 313
  - electromagnetic
    - radiation, 234-237, 243-244, 247-251, 259-260, 275
    - reciprocity, 23
  - energy, 18, 30, 33, 40-41, 48, 55-63, 67-69, 73, 76, 78, 83, 86-87, 124, 126, 129, 136, 139, 155, 158, 177, 180-181, 189, 211, 215, 224, 234, 240, 252-256, 264, 283, 291, 306, 311, 349, 368
    - coherent, 349, 355
    - electric, 40-41, 55-58, 140-141, 145, 259
    - electric energy density, 140-141
    - magnetic, 40, 55
    - thermal, 55, 63, 139
  - equation, 5-6, 9, 11, 21, 31-38, 41-47, 50, 57, 60-61, 64, 71-73, 85-94,

- 98-109, 112, 114, 119, 125-129, 140-146, 150-151, 163, 170-176, 179, 181-188, 196, 200, 244, 270, 273, 282, 284, 290-291, 294-298, 300-302, 304, 308-309, 312, 316, 332, 347, 365-368, 371-372, 377-378, 386-393, 397
- propagation, 244, 246, 270
- wave, 4-7, 31-32, 41, 45-46, 72, 244, 246, 395
- ergodicity, 199
- ergodism, 131, 177, 369-371
- estimate, 1, 13, 57, 78, 84, 104, 106, 112, 119, 128, 145, 166-176, 179, 183, 188, 195-200, 211-212, 216, 219, 221, 225, 229, 236, 239, 249, 256-258, 261-273, 276, 294, 297-298, 303-304, 308-309, 318, 323-327, 332-348, 352, 356, 364-365, 370, 372, 382
- of the mean amplitude, 84, 104, 128, 166-172, 175, 188
- statistical, 195
- uncertainty, 345
- expected value, 90, 93, 100, 106, 114, 126, 149, 256, 339, 340, 342, 343, 347, 365
- F**
- field, 2-27, 35, 45-51, 54-73, 77-80, 83-108, 111-112, 121-127, 130-131, 135-153, 156-189, 193-229, 233-255, 264, 266, 270-274, 279-281, 284-292, 295, 299-309, 312-314, 317, 322-336, 342, 345, 349-354, 363, 383-387, 390, 395-398
- coherent, 349
- disordered, 26, 131
- far-field, 8-9, 13-16, 21-22, 27, 60, 123, 221, 230, 235-239, 248, 251, 397
- near-field, 8, 15-16, 27, 234-235, 249, 251, 397
- probe, 88-89, 111, 147, 149, 165-166, 170, 172, 174, 178-179, 188, 195, 202-203, 206, 211, 221, 279, 287, 303, 325, 330, 335, 345
- total, 200, 203, 226-228, 385-387, 390
- Fourier
- integral, 64, 66, 373-374
- transformation, 64, 68
- frequency, 5-6, 10, 13, 16, 22-26, 32-37, 40-45, 48, 50-58, 61, 67-79, 84-85, 97, 107, 125-126, 131-132, 135-149, 152, 155-167, 176-189, 194, 196, 200-219, 229, 234, 239, 240, 250-269, 273, 275, 280-282, 285, 289, 292, 297, 299-308, 312-318, 323-324, 330-335, 338, 345, 349, 354-357, 382, 384, 395-398
- central, 157
- hopping, 159, 161, 166, 184
- minimum, 159
- modal, 36, 67, 178
- resonance, 25, 36, 75, 79, 136, 159, 202, 289, 295
- sweeping, 263, 306, 318
- function, 6-9, 14, 22, 32-36, 41-44, 51-54, 59, 61-66, 69, 72, 75, 85-87, 91-93, 96, 98, 108-110, 113, 116-119, 123-126, 131, 135-136, 143-144, 150-152, 156, 160, 164-171, 174-177, 181-183, 196-197, 201-203, 207, 215-216, 222, 227-228, 235, 244-251, 262, 264, 267-270, 274, 289, 303, 318, 322, 326-329, 332, 336-352, 355, 364, 368-378, 383, 387-388
- autocorrelation, 132, 340-344, 347-348, 369-372
- basic, 41
- characteristic, 373

Dirac, 64, 369  
 distribution, 108, 111, 115-116,  
 196, 200, 207, 227, 275, 325-  
 328, 369  
 Green, 323  
 likelihood, 326  
 probability density, 83, 86-87, 91-  
 92, 100, 103, 108, 110, 118,  
 131, 182, 197, 225, 227, 254,  
 274, 323-326, 332, 340, 347,  
 350, 364, 375, 385-386, 389  
 random, 160, 366, 369, 370, 372  
 sampled, 370, 372  
 spherical harmonic, 27, 247  
 step, 54, 93, 181  
 transfer, 67, 79, 178, 352  
 functions, 4-5, 9, 25, 31, 32, 34, 38,  
 43-44, 62, 64, 73, 77-79, 85, 99,  
 100, 107, 113, 126, 131, 152, 176,  
 244-248, 251, 270, 350, 367, 374

## G, H

gain, 121, 123, 222, 239, 241-243,  
 251, 274  
 diversity, 234, 272-275, 357  
 histogram, 27, 86, 108-111, 115-116,  
 119, 120, 156, 165, 330, 334, 369

## I

illumination, 193, 196, 220-223, 226,  
 230, 308, 317  
 immunity, 1-5, 9, 13-14, 17, 20-23,  
 57, 123, 155, 159-161, 164, 175,  
 193, 195, 204, 206, 210, 213, 216,  
 218, 220, 229, 293, 303, 357  
 radiated, 194, 201-202, 206, 217,  
 220-223, 229, 233, 256, 321,  
 336  
 impedance, 2, 7-10, 13, 16, 18, 21,  
 32, 35, 38-39, 55, 62, 123-127,  
 179, 222, 235, 239, 240, 255,  
 259-260, 266, 280-283, 288-289,

293, 296-297, 300-302, 305, 381,  
 398  
 internal, 11, 123, 240  
 transfer, 280-283, 292-294, 297-  
 302  
 wave impedance, 16, 62, 141, 235,  
 237, 290  
 inductance, 32-37, 42, 67, 299  
 mutual, 19, 21  
 transfer, 299-300  
 input impedance, 123-124, 242, 262,  
 266  
 insertion losses, 256-268  
 interferences, 13, 60, 62, 73, 78, 79,  
 94, 97-98, 101-104, 131, 139,  
 140, 151, 153, 167, 182, 198, 281  
 electromagnetic, 2, 280  
 modal, 30, 73, 78-79, 139, 162,  
 182-183  
 interval, 98, 106, 119, 167, 168, 207,  
 216, 251, 342-345, 355, 364, 368,  
 391-392  
 confidence, 107, 198, 207, 258,  
 261, 268, 327, 343-345  
 tolerance, 23

## L

line, 21-22, 29, 30-33, 36-39, 41-43,  
 53, 60-62, 74-75, 110, 120, 124,  
 132, 144, 183, 189, 198, 223, 243,  
 282, 300-301, 304-313, 338, 353,  
 357  
 coaxial, 29, 38, 58, 73  
 lines theory, 38  
 loading effect, 211, 213

## M

magnetic, 2-22, 35, 40-41, 46-49, 55-  
 56, 59, 62, 77, 83, 96, 122, 127,  
 140, 142, 147, 152, 169, 234-235,  
 244, 250, 270-271, 281, 286, 299-  
 302, 312, 313, 315, 395, 398

permeability, 2, 4, 56, 142, 147, 300  
 maximum likelihood, 104, 326-327, 332, 352  
 mean, 40, 84, 86, 89, 92, 100-106, 110, 114-115, 120, 126-128, 137-141, 156, 158, 164, 167, 170-177, 183-184, 187, 195-198, 207-212, 217, 225-229, 239, 241, 252, 257-268, 273, 283, 294-298, 303, 310, 314, 318, 325-329, 332, 335, 337, 343, 346-348, 356, 365-372, 375, 385-390  
 empirical, 226, 264, 273  
 estimate, 103, 110, 171, -172, 337, 356  
 moving, 314  
 true, 337  
 measurements points, 195  
 method, 22, 58, 86, 108, 118, 136-141, 152, 156, 160-162, 172, 177-182, 186, 193, 195-196, 211, 218, 226, 245, 251-252, 256-257, 260, 263, 266, 268, 280, 285-287, 300, 302, 307-309, 315-318, 322, 326-327, 332-335, 345-346, 351, 354  
 minimum sphere, 248  
 modal period, 63  
 mode density, 25, 29, 30, 44, 49, 63-64, 68-72, 78, 52, 53, 76, 138, 195, 198, 202, 204, 207, 209, 215, 324, 335  
 mode stirring, 135-140, 145, 153-158, 162-167, 184, 187, 196, 233, 254, 302-303, 306, 308, 323-324, 327, 349  
 efficiency, 63, 140  
 improvement, 187  
 mechanical, 153, 157-158, 161, 164  
 modes, 25, 30, 44-56, 67-70, 73-79, 83, 107, 132, 136-138, 148, 152, 157-159, 161, 177, 181, 193, 204,

211, 215, 220, 248, 253-254, 270, 302, 322-324, 355, 382, 384  
 symmetrical, 50  
 TE, 46, 248  
 TM, 30, 47-49, 55, 246, 248  
 moment, 86-87, 102, 105, 110, 113, 115, 126-127, 140-142, 170-174, 182, 227-228, 257, 262-263, 290, 294-298, 336, 340, 344, 347, 350, 365-367, 370-377, 387, 389, 390, 392, 397  
 first, 89, 92-93, 99, 113, 195, 337  
 magnetic, 15  
 second, 92, 195, 199, 352

## N

normal incidence, 286, 315-317  
 number, 6-7, 11, 13, 32-38, 47, 53, 56, 60-61, 64-67, 71, 94-97, 102-104, 107, 122, 125, 130-131, 151, 153, 156, 165, 169, 188, 195-206, 212, 225-230, 247-251, 254-263, 271-275, 283, 289, 308, 317, 322-324, 327, 329-330, 339, 345-348, 355, 357, 363-365, 382-383, 396  
 random, 85, 97, 368

## P

plane wave spectrum, 26, 30, 63-68, 94, 125-127, 207-208, 226, 244, 254-255, 274, 294, 296, 317, 323-324, 335  
 polarization, 1, 4, 7, 9, 22, 62, 86, 94-101, 127, 131-132, 144, 152-153, 174, 193, 196, 198, 221, 226, 238, 239, 243, 251-255, 271, 286, 294, 309, 317, 323-324, 349  
 isotropic, 49, 63  
 plane, 1, 4, 7, 9, 95-96  
 power, 20-22, 25, 27, 33, 40, 55-58, 62, 69, 74-80, 84, 88-93, 107-109, 112, 115, 121-132, 136, 139-145,

148, 156, 164-168, 174-184, 197, 200, 206, 211-217, 221, 222-225, 229, 233-234, 237-243, 249, 250, 251-263, 266, 269-270, 273-276, 281, 285-298, 302-309, 315, 328, 349, 351-354, 363, 385, 388-390

active, 21

collected, 136, 293-296

injected, 122, 129, 136, 148, 180, 212

radiated, 21, 57, 122-123, 128, 148, 233, 237, 239-240, 243, 246, 249, 254-258, 268-269, 273, 275, 295

reference, 129, 287, 295, 302-309, 312, 315

reflected, 124, 179, 180

total, 239, 246, 252, 255-259, 265, 267, 273, 388-390

total radiated, 93, 233-240, 249-263, 266-275

transmitted, 58, 122-123, 128, 212, 243, 253, 261, 272

Poynting vector, 21, 121, 249, 250, 290

probability, 24, 27, 68-69, 83-88, 91-92, 100-113, 116-119, 127, 131, 165, 173, 182, 195-198, 206, 225-228, 254, 261, 271, 274-275, 323-328, 332, 334, 337, 340-347, 350, 363-369, 373, 375, 385-386, 389

joint, 371

rigorous, 365

propagation direction, 1, 4, 7, 9, 10, 67, 95, 198, 235, 286

## Q

quality  
 antenna, 214  
 mean, 141

## R

radiated emissivity, 234, 253, 269, 271, 275, 321

radiation  
 diagram, 247, 251, 289  
 intensity, 236-239  
 resistance, 127, 240, 290

random variable, 44, 69-70, 77, 79, 80, 83-90, 98-99, 103, 108, 126, 140, 151-152, 170-173, 195-197, 227, 257, 261, 263, 271, 290, 294-295, 323-328, 332, 336, 339, 341, 350-351, 363-375

continuous, 69, 368, 373

regime, 201, 204, 207, 209, 233-234, 239, 253, 257, 260, 331-332, 357

transient, 357

region, 235, 237, 249  
 Fraunhofer, 221, 235-237, 249  
 Fresnel, 221, 235-236, 249, 251, 395  
 Rayleigh, 235-236

reproducibility, 1-2, 20, 23, 27-30, 128, 155, 188, 194, 200, 207, 229, 258-261, 265-268, 276, 285, 302, 316, 345

resistance, 20, 38, 89, 124, 139, 240, 260, 288, 290-292, 295, 305, 311

per unit length, 38

radiation, 127, 240, 290

surface, 55, 139, 313, 381

resolution filter, 267

resonators, 29, 35, 37, 43, 56, 67-68, 78

## S

sample, 27, 30, 87, 90, 92, 101-110, 115-119, 128, 131, 145, 152, 156-157, 165, 168, 171, 185, 188, 195, 197-198, 199, 210, 224, 251, 273, 275, 280, 287, 292-298, 307-318,

322-323, 326, 329-330, 333, 336-348, 351, 354-355, 370, 372, 374  
 effective, 346, 348  
 size, 104-107, 116-118, 131, 165, 185, 188, 197-199, 275, 294, 318, 329, 339, 340-341, 344, 348  
 shielding, 14, 17-19, 25, 28, 164, 279-287, 292, 297-300, 302, 307, 312-313, 315-318, 321  
 attenuation, 28, 281-282, 297-302, 307, 316, 318  
 effectiveness, 164, 279, 280-281, 284, 292, 297-298, 307, 312-315, 321  
 source, 8, 12, 17-18, 21-26, 32-41, 44, 48, 56, 58, 60, 68, 70, 84, 122-123, 141, 179, 214, 230, 234-240, 244-251, 253, 256,-257, 260-263, 266-271, 275, 279, 281, 289, 296, 338  
 isotropic, 237, 239  
 space variable, 4-7, 31-32, 34, 64-65, 85, 125  
 stationary state, 94, 195, 371-372  
 statistical  
 data, 164  
 gauge, 328-329  
 independence, 132, 168-169, 322  
 parameters, 94, 116  
 stochastic  
 behavior, 25, 188, 225, 233, 255, 302, 336  
 collocation, 322  
 systematic error, 20-21, 302

## T

table, 107, 116-120, 187, 218, 327-328, 348  
 Massey, 327-329  
 Stephens, 328-329

test, 1-2, 13-14, 17, 22-28, 69-70, 84, 88, 107, 115-120, 131, 135-137, 143, 155-158, 165-167, 175, 184-188, 193-196, 200-206, 211-226, 229, 249, 251-256, 259-263, 265-271, 274-276, 280, 287, 292-298, 301-304, 307-313, 315-318, 325-330, 333-336, 346, 351-354, 357  
 adjustment, 377  
 immunity, 14, 17, 20-23, 57, 123, 155, 159-161, 164, 175, 193, 195, 204, 210, 213, 216-220, 229, 303, 357  
 Kolmogorov–Smirnov, 84, 104, 115, 116, 120, 166, 327-334  
 level, 213, 216-226  
 normative, 207  
 statistical, 104, 111, 145, 184, 188, 215, 336, 349  
 statistical adjustment, 327  
 theorem, 35  
 central limit, 84, 101, 131, 170, 176, 227, 256, 264, 273, 347, 373, 378  
 Norton, 296  
 threshold, 14, 23, 109, 145, 158, 166, 169, 183-188, 194-195, 200-202, 204-210, 219, 313-314, 339, 340-343  
 risk, 116-117, 166  
 susceptibility, 217-220  
 time reversal, 252, 356  
 tolerance, 23-24, 200-201, 228

## U

uncertainty, 23-30, 102, 104-107, 145, 170-176, 179, 188, 198, 206, 212, 225, 229, 256-261, 265-268, 273-276, 298, 303, 316, 336-337, 342-345, 348  
 margin, 23, 27, 30, 170, 179, 188, 265, 266, 344



natural, 27-28, 157, 307, 316-318  
 natural uncertainty margin, 27-28,  
 307, 316-318  
 relative, 175  
 statistical, 136, 258, 261, 264, 322-  
 323, 336, 355  
 systematic, 28

## V

variable, 4, 6, 31, 33, 37, 42, 64, 77,  
 83-93, 98, 100-103, 106, 108, 110-  
 120, 123, 129, 140, 143-146, 154,  
 170-174, 181, 195-196, 227, 245,  
 247, 254, 282, 288, 296, 323-326,  
 349-350, 354, 363-378, 385-388,  
 391-392  
 variance, 87-88, 93, 99-106, 113-115,  
 166, 171-174, 367-368, 374, 377,  
 391-393  
 vector, 2-18, 22, 46-47, 56-59, 66-68,  
 83, 88, 93-97, 109, 111, 125, 152,  
 173-174, 180-182, 221, 235, 238,  
 244, 247, 250, 255, 270, 352, 395  
 volume, 17, 22, 45, 53-58, 71, 73,  
 126-129, 132, 138-139, 140-143,  
 152-153, 169, 179, 185, 188-189,  
 196, 199, 202, 206-209, 211-213,  
 215, 224, 301, 303, 307, 357, 383,  
 384  
 stirred, 70-71, 136, 185-186  
 working, 152, 169, 170-175, 188,  
 195, 198-200, 202, 206-208,  
 212, 214, 218, 219, 221, 252,  
 258, 293, 302, 309, 345

## W

wave, 1-7, 10-13, 16-26, 30-34, 37-  
 42, 45-48, 54-55, 59-72, 85-86,

94-99, 104, 108, 121-127, 141,  
 144, 151-153, 161-162, 165, 176,  
 180-181, 189, 194, 206, 222, 224,  
 230, 233-239, 242-248, 253, 257,  
 272, 283, 286-290, 294-297, 308-  
 309, 315-317, 322-323, 330, 349-  
 352, 355, 382-383, 395, 396  
 direct, 23  
 front, 24, 253  
 guide, 317  
 incident, 226, 242, 254, 286, 308-  
 309  
 local plane, 8, 13, 16, 22, 24  
 plane, 1-10, 13, 16-18, 20, 23-27,  
 30-31, 55, 59, 62-68, 84, 94,  
 96-97, 99, 101-104, 107, 124-  
 127, 131-132, 140-141, 144-  
 145, 149, 150-151, 153, 167,  
 179, 198, 207-208, 221, 225-  
 226, 242, 244, 254-255, 274,  
 280, 285, 289, 290, 292-296,  
 308, 310, 316-317, 323-324,  
 335, 381, 398  
 reflected, 136, 149, 184, 286  
 resulting, 97  
 spherical, 9, 27, 121, 246, 248, 270  
 stationary, 97  
 transmitted, 243, 286, 308  
 wavelength, 6, 8, 10, 11, 14-17, 22-  
 31, 41-44, 51-52, 54, 56, 60, 70,  
 73, 78, 79, 80, 83, 122, 127, 132,  
 135, 138, 143-144, 149, 151-152,  
 167, 169, 178, 189, 195, 198, 202,  
 204, 226, 229, 233-236, 248, 251,  
 271, 275, 282, 284, 287, 289, 292-  
 293, 296, 299-301, 303-309, 312,  
 316-317, 330, 396-397  
 Weyl formula, 107, 383