

INDEX

- Absorption
 - carbon, 167, 422
 - coefficient, 565–566
 - drug, 487–488, 673–679, 701, 704–705, 710, 724
 - gas-liquid transport, 94
 - light, 351, 357, 565–567, 581, 631, 696
 - scale sensitivity assessment, 90
- Absorptivity, 566
- Accumulation
 - cell culture, 48
 - computational modeling, 281, 283
 - electrostatic charge, 375, 668
 - film coating issues, 638
 - hopper, 647
 - laboratory investigations, 199–200
 - material balance, 655, 669
 - plug flow, 128
 - reactive crystallization considerations, 245–246
 - scale sensitivity assessment, 90
 - thermal, 159–161, 165–166
- Adiabatic
 - definition of, 156
 - temperature rise of synthesis, 156
- Adsorption
 - competitive, 350–351
 - enthalpy and entropy of, 89, 349
 - equilibrium constant, 88–89
 - filtration, 43, 45,
 - isotherm, 349–350
 - key design elements, 348–350
 - of hydrogen, 88, 108
 - of nitrogen, 228
 - particle size determination, 677
 - selective, 353
 - spectroscopy, 387
 - scale-up, 396
- Agitation (*see also* Mixing),
 - batch process with homogeneous reactions, 115–117
 - batch process with multiphase reactions, 117–119
 - bioreactors, 33, 35, 38
 - catalyst reduction process, 107–108
 - characterization of API reactions, 114
 - computational modeling, 285
 - crystallization kinetics and process selection, 228, 231
 - effect on mass transfer coefficient, 102
 - equipment characterization and assessment, 130
 - extraction operations, 199–201
 - fed-batch processes, 124
 - filtration and drying operations, 324, 326, 330–344
 - gas-liquid mass transfer process, 105–107
 - kilo lab and pilot plant, 420, 424–425, 430
 - OPENCHEM, 137, 139
 - pharmaceutical manufacturing, 864
 - process control, 869
 - scale-up,
 - batch crystallization, 239, 241–245
 - chemical reactions, 263, 265–266
 - and assessment, 388, 394–396, 400–402
 - catalytic hydrogenation reactions, 109
 - API reaction systems, 113
 - dos and don'ts, 408, 412–413
 - solid dosage formulations, 676
 - wet granulation process, 757, 759, 763–764, 771, 774
- Aspen,
 - batch distillation, 191–193, 512–513
 - COSMOthermX data comparison, 210–212
 - custom modeler, 191, 512
 - discussion of, 522

Aspen (*Continued*)

- plus, 184, 190, 197–201, 512–513
- properties, 184–185, 193, 201–211, 512–517
- reaction modeler, 512–513
- solubility modeler, 512–515

Azeotrope, 186–191, 211–212, 300, 343–344, 396, 412–413

Batch,

- API Process R&D, 74–84
- AspenTech, 512–513
- biologics, 38, 42–43, 46, 50–53
- chromatography, 348
- continuous process comparison, 94–97, 127–129, 437–453
- crystallization, 213, 216–219, 225–228, 232, 237–245
- distillation, 189–201, 305
- dosage formulations, 686–695
- dry granulation, 728, 738–742
- drying, 335
- exothermicity, 159–160
- fed-batch, 120–127
- filtration, 319–330
- freeze-drying, 803–807, 812
- gas disengagement, 131
- homogeneous reactions, 115–117
- kilo lab & pilot plant manufacturing, 417, 420, 424–432
- manufacturing, 17–19, 855–875
- milling, 373, 375
- mixing, 130, 249, 252, 255–267
- modeling, 635, 645–650, 659
- monitoring, 631
- multiphase reactions, 117–119
- OPENCHEM, 141–142, 151
- pervaporation, 305–312
- process scale-up, 389–403, 407–416
- quality by design, 553, 555, 560, 872–875
- runaway scenario, 155
- secondary production, 837–850
- simulation and scheduling tools, 522–541
- solid solutions, 834–835
- wet granulation, 774–777

Boiling Point,

- as a safety barrier, 176–177
- crystallization, 218, 246
- distillation, 194–195
- drying, 332–334, 341
- filtration, 331
- laboratory investigation, 193–194
- membrane systems, 302
- MTT (maximum temperature for technical reasons), 156–157
- phase diagrams, 186, 188–189
- strip and replace batch distillation, 191–192
- scale-up dos and don'ts, 412

Boltzmann,

- factor, 459
- weight, 460
- distribution, 582, 586, 593
- equation, 814

Bourne reactions, 92, 263–264

Calorimetry,

- adiabatic, 172–175, 178
- DSC (differential scanning calorimetry), 367, 462, 496, 805
- exothermicity, 158–161
- for reaction kinetics and characterization, 80–85
- scale-up dos and don'ts, 408, 410, 413
- U determination, 165

Centrifugation (*see also* Filtration),

- cake wash, 331
- filtration 319–320, 322, 325–330
- large scale protein manufacturing, 38–39
- scale-up in bio-manufacturing, 33

Cell culture (*see also* Proteins), 29, 31–38

- discussion of, 29
- filtration, 45–47
- mass transfer models, 48
- scale-up, 31–33
- large scale, 33–38

CFD (Computational fluid dynamics),

- biologics, 42
- freeze-drying, 813–814
- mixing modeling, 271–282, 285–287, 291–294
- mixing scale-up, 257–267
- OpenChem, 151
- process modeling, 636–637
- reducing costs, 24

Chemical potential (*see also* Free energy),

- controlled release, 709
- crystalline form, 215
- definition of, 184
- drug solubility, 457, 460–462, 467–475

Chromatography

- scale up in bio-manufacturing, 32
- large scale protein manufacturing, 40–43
- design and economics, 347–362
- process greenness, 391
- process metrics, 392
- scale-up dos and don'ts, 415
- process simulation and molecular thermodynamics, 506
- API process engineering, 564–568
- quality by design, 876

Coating,

- controlled release, 711
- film, 635–637, 654–659
- fluidized bed, 848
- modeling, 653–670, 781–798
- scale-up, 695–700

Condensation,

- strip and replace batch distillation, 191
- batch distillation simulation, 194
- pervaporation, 300, 305
- uncertainty and variability analysis, 530
- freeze-drying process, 803

Conductive,

- dryers, 335
- heat transfer, 258, 824–825
- safety concerns, 375, 384

- Conformations,
 COSMO-RS, 460–462, 473–474
 polymorph screening, 491–503
- Continuous processing,
 case studies, 437–454
 introduction to, 17, 19
 mixing scale-up, 258
 penicillin, 75
 secondary production, 837–850
- Controlled release (*see also* Coating, Dosage),
 equations for, 712–720
 discussion of, 703–705
 profiles and mechanisms for, 705–712
- Cost (manufacturing cost) 16–18, 69, 391, 424, 529
- Control volume, 635–637, 655–658, 668–669
- Cooling,
 biologics, 33
 conformational polymorph screening, 491–492, 496–499
 crystallization, 220–229, 232–240, 245–246
 extraction, 195
 failure, 121, 155–160, 168, 172–177
 freeze-drying, 802–807
 hot melt extrusion, 822, 826–830
 kilo lab & pilot plant, 420, 424
 mixing scale-up, 258–260
 multivariate analysis, 853, 858, 862–864
 process safety and reaction hazard assessment, 155–177
 process scale-up, 381, 384–386, 400–401
 scale-up dos and don'ts, 410–414
 secondary production, 846–847
 solid oral drug products, 654–655
 wet granulation, 776
- Convective,
 blending, 696
 dryers, 335
 heat transfer, 40, 258
 mass transfer, 40–41
- COSMO-RS, 457–475
- Cosmotherm X, 185, 192, 95, 201, 203–212, 463, 465
- Crushing and grinding,
 milling, 368–370, 374
 breakage in wet granulation, 771
- Crystallization,
 antisolvent, 236–237, 245
 continuous, 238, 438, 453
 cooling, 232–236, 245
 COSMO-RS, 461
 definition of, 213
 design objectives and constraints, 213–220
 development assessment, 387–391
 drug solubility, 472
 drying, 332–335
 evaporative, 237–238, 246
 filtration, 315, 320–322, 330–332
 freeze-drying, 802–807
 kilo lab & pilot plant, 421, 424
 kinetics and process selection, 224–232
 milling, 367, 371–372, 402
 multiple responses, 614
 pervaporation, 305
 reactive, 237, 245–246
 scale-up, 239–246, 380–383, 393, 396, 399–403
 scale-up dos and don'ts, 410, 412, 414–415,
 solubility assessment, 220–223
 solvent selection for polymorph screening, 491–502
 thermodynamics, 510
- Crystals (*see also* Crystallization)
 Crystalline form, 215–216
 particle size, 216–219
 physicochemical properties, 677–678
 incoming powder and outgoing granule properties, 735
 ice (freeze-drying), 801–806
- CSTR (continuous stirred-tank reactor),
 definition of, 442
 pros and cons, 442–445
 in series, 129
 scale-up, 258–259
- Cyclone separation, 368, 370, 845
- Damkohler number, 90–93
- Design space,
 hot extrusion, 819–835
 large scale chromatography 348, 359–361
 multivariate analysis, 853–856, 872–876
 prediction of API reaction systems, 114–119, 124–134
 quality by design, 68–69, 547–548, 553
 wet granulation, 648–649
- Desorption,
 freeze-drying, 801–14
 membrane systems, 300
 reaction kinetics, 90, 94
- Diffusion,
 drug comparison, 704
 controlled release, 706, 708
 diffusion-controlled systems, 712, 715
- Dissolution,
 controlled release, 706–709, 715–724
 crystallization, 216, 220–223, 232–236
 dry granulation, 743
 filtration, 329–331
 kinetics, 110
 milling, 365–367
 mixing scale-up, 261
 modeling, 139, 143, 152, 638, 649
 polymorphic systems, 477, 487–488
 profile, 665–666, 743
 quality by design, 549, 556
 rate of, 118
 rate coefficient, 716
 reaction modeling, 85
 scale-up dos and don'ts, 413
 solid-liquid transport, 91
 solid dosage formulations, 673–677, 684–690,
 695–698
 solid solutions, 820, 828–829
 wet granulation, 761, 765, 775–777

- Distillation,
 API reaction systems, 113–114, 117–118
 batch process monitoring, 864
 continuous reactors, 95
 design of, 183–212
 drying, 332
 membrane systems, 300, 30, 311–313
 process modeling, 506, 510–513
 process scale-up, 396–398
 scale-up dos and don'ts, 408, 413–416
 sustainable pharma processes, 63
- DOE (Design of experiment),
 dosage formulations, 680, 693
 pharmaceutical manufacturing, 856–857
 quality by design, 555–560
 secondary production, 849–850
 solid solutions, 821, 830
- Dosing,
 API reaction systems, 121, 124–125, 130
 controlled release, 703, 710, 720
 crystallization, 241
 dosage forms, 663, 841, 845
 safety and reaction hazard assessment, 159–161, 165–166
 solid dosage formulations, 695
- Dryers (*see also* Drying),
 conductive, 335
 contact, 335
 convective, 335
 filter, 323–325, 329, 335
 freeze-dryers, 812–813, 816
 non-agitated filter, 325
 pan, 335–336
 rotary cone (conical), 336–337, 425
 spray, 337–339
 static, 340
 tray, 335–336, 338–339, 425
 tumble, 335–339, 344
- Dry Granulation (*see* Granulation)
- Drying (*see also* Dryers),
 curves, 333
 freeze-drying, 801–814
 long drying times, 334, 337–338, 344, 801, 809
 modeling, 340
 operations, 332–341
 spray, 338, 402, 637, 699, 802, 820–821
- DynoChem, 341–342, 396, 575–577
- Endothermic, 158, 170
- Energy balance,
 dosage forms, 668–669
 drying, 340–341
 calorimetry, 80
 crystallization, 241
 pervaporation, 308
 tablet film-coating, 655–656
- Energy dissipation,
 local, 131
 crystallization, 242–245
- mixing scale-up, 251–262
 modeling of multiphase mixing, 272, 275, 277, 285–286, 293–295
- Enthalpy,
 adsorption, 89
 discussion of, 160
 decomposition, 169–170
 crystallization, 215, 221, 241
 drying, 332, 334, 341
 chromatography, 349
 drug solubility and reaction thermodynamics, 468–470, 473
 polymorphic systems, 477, 484
 thermodynamics for modeling, 506, 515–516, 656
 dosage forms, 669–671
 risk assessment, 825
- Entropy,
 adsorption, 89
 crystallization, 215
 chromatography, 349
 drug solubility and reaction thermodynamics, 461–462
 polymorphic systems, 477–478
 thermodynamics for modelling, 507
- Enzymes (*see also* Proteins, Cell Culture),
 biologics, 31–33, 38, 53
 controlled release, 706
 mixing scale-up, 263
- Equilibrium,
 Liquid-liquid,
 vapor-liquid,
 gas-liquid, pervaporation, 308
 granule size and saturation, 775
- ERETIC, 593
- Evaporation (*see also* Evaporators),
 analytical chemistry, 573
 conformational polymorph screening, 496
 crystallization, 225, 237, 246
 drying, 335, 343
 filtration, 331
 membrane systems, 299–300
 process safety and reaction hazard assessment, 172, 177
 qNMR, 592
 solid oral drug products, 654
 spray atomization modeling, 782–783, 788–790
 wet granulation, 776
- Evaporators (*see also* Evaporation),
 film, 453
 rotary, 397, 413
- Example Problems,
 Calculate Mass transfer coefficient in bioreactor, 37
 Calculate filtration area for cell-culture sterilization, 46
 Continuous reaction with L-L extraction, 75
 Continuous resolution – crystallization, 77
 Mass transfer limited hydrogenation, 119
 Mass transfer limited reaction with solid dissolution, 120
 Forward versus reverse addition profile, 124
 Rate-equation based design space, 124
 Heat flow during fed-batch oxidation using H₂O₂, 128
 Kinetic modeling of a catalytic cycle, 138

- Calculate Heat transfer coefficient of stirred tank, 164
- Calculate dosing time to keep T_j constant, 166
- Scale-up of gas-release data, 172
- Distillation of n-heptane-ethanol (binary), 188
- Distillation of EtOH-H₂O from toluene (ternary), 190
- Batch strip-replace, calculate solvent usage, 192
- Constant-level distillation vs strip-replace, 193
- Extraction of acetone from water into toluene, 195
- Multiple single-stage extraction operations, 195
- Multi-stage countercurrent extraction, 199
- Particle size distribution calculation from sieve data, 217
- Optimal cycle time from crystallization, isolation, drying, 219
- Predict crystallization yield and purity from solubility data, 222
- Estimate metastable zone width, 227
- Cooling crystallization and rate of supersaturation, 234
- Heat transfer area to volume, 239
- Calculate T_r - T_j needed for a cooling crystallization, 240
- Scale-up of crystallization mixing, 243
- Sizing of an agitator motor for a stirred-tank vessel, 254
- Scale-down of energy dissipation to lab vessel, 254
- Calculate membrane area to achieve a certain rate of separation, 306
- Calculate filtration area for agitated filter drier, 318
- Compute specific cake resistance, 328
- Selection of drying equipment, 338
- Calculate drying time from characteristic drying curves, 342
- Drying IPA-water wetcake and avoid the IPA solvate, 343
- Scale-up of large-scale chromatography columns, 358
- Process scale assessment, 382
- Calculate carbon loading required on scale-up to remove color, 399
- Residence time and conversion calculation of an ideal PFR, 445
- Solubility prediction of acetaminophen in pure solvent (CosmoTherm), 462
- Solubility of acetaminophen in binary solvent mixtures (CosmoTherm), 465
- Estimate the heat of reaction for reducing nitrobenzene (CosmoTherm), 469
- Estimate equilibrium constant and composition of transamination reaction (CosmoTherm), 470
- Solubility of polymorphic forms (acemetan), 454
- Conformational populations of S-Ibuprofen, 494
- Solubility predictions using Aspen NRTL-SAC, 514
- Modeling in SuperPro Designer with cost analysis example, 523
- Purity vs. Potency, 564
- Response factors in kinetic analysis, 566
- 2³ factorial design, 602
- 3-factor Central Composite Design, 615
- Computing principle components, 622
- Setting Multivariate Raw Material Specs using PCA, 642
- Scale-up of wet granulation models, 651
- Thermodynamic model for film-coating tablets, 657
- Asymmetric membrane coated tablets and osmotic pressures, 720
- Drug Release rate from compressed tablets, 722
- Influence of drug solubility and dissolution on drug release profile, 724
- Lyophilization drying time, 808
- Excipient,
 - crystallization, 216–218
 - controlled release, 704
 - dry granulation, 728, 733–734
 - freeze-drying, 801, 804, 808
 - hot melt extrusion, 826
 - milling, 365, 374–375
 - polymorphic systems, 488
 - process modeling, 512–513
 - quality by design, 549–550, 874–875
 - secondary production, 838–843
 - solid oral drug products, 635, 638, 643, 646
 - solid dosage formulations, 678–701
 - wet granulation, 757, 775–776
- Exothermic,
 - continuous reactor systems, 438–441, 445, 447, 450
 - reaction hazard assessment, 155–162, 166, 169–176, 179
 - scale-up assessment, 381–386, 394
 - scale up dos and don'ts, 410–413
- Extraction,
 - Liquid-liquid, 185, 197–201, 249, 393
- Factorials, 607–609
- Fans, 423
- Filtration (*see also* Filters and Centrifugation),
 - biologics, 33, 39, 43–47, 52–54
 - crystallization, 183, 214, 219–220, 232
 - design of, 315–332
 - kilo lab & pilot plant, 421–426
 - milling, 366–367
 - nanofiltration, 299, 305, 309–311
 - process scale-up, 389, 399, 396, 399, 401
 - scale-up dos and don'ts, 414
 - simulation and scheduling, 526–532
- Filters (*see also* Filtration),
 - dryers, 323–329, 335–338, 344, 389–392, 421–425, 435–436
 - leaf, 322–323, 328
 - Nutsche, 418, 824–425, 523–528, 534–536
 - plate, 425
 - pressure, 219, 392–393, 421
- Fluidized bed, 370–371, 403
- Flux,
 - filtration, 317–319, 327–328, 401
 - heat, 30, 158
 - mass, 789, 795–796
 - reaction, 143
 - solute, 310, 718
 - solvent, 309–311
 - spray, 758–764, 773–779
 - volume, 309–310, 717–719
- Free Energy,
 - adsorption, 349
 - conformer, 491–493
 - diagram, 824
 - difference, 478–480
 - dosage formulations, 677
 - Gibbs free energy (*see* Chemical potential)
 - reaction/compound/solvation, 457, 467–475
 - surface, 804

- Freeze-drying (*see* Drying)
- Friction,
 biologics, 33, 43
 dry granulation, 733–736, 740, 743–744, 753
 filtration, 317
 large scale chromatographic separations, 361
 milling, 375
 mixing scale-up, 254
 solid oral drug processes, 653
 solid solutions, 823–825
 wet granulation, 766, 771
- Froude number, 649–650, 775
- Gibbs free energy (*see* Chemical potential)
- Granulation,
 dry, 638, 683–686, 727–753, 841–845
 wet, 636–637, 640–652, 757–777, 838–839, 845–847
- Grinding (*see* crushing and grinding)
- Growth,
 biologics, 30, 32–34, 37, 42, 48–49
 crystal, 76–77, 226–245, 491–492, 807
 granule, 761–776
 industry, 4–5, 31
 inertial, 768
 non-inertial, 768
- Heat capacity,
 calorimetry, 80
 crystallization, 241
 lab scale synthesis, 160
 lab scale decomposition, 169, 174
 milling, 368
 polymorphic systems, 477, 479–480
 scale-up, 162
 solubility assessment, 221
- Heat exchangers (*see* also Heat transfer coefficients),
 pervaporation, 304
 scale-up, 381
 kilo lab & pilot plant manufacturing, 424
 microreactors, 441
 continuous reactor systems, 449–453
- Heat of formation, 158
- Heat of fusion,
 COSMO-RS, 461–462
 polymorphic systems, 478, 486–490
- Heat of reaction,
 crystallization, 241, 245–246
 drug solubility and reaction thermodynamics, 457, 468–472
 homogeneous reactions, 116
 reaction hazard assessment, 158–159
 reaction kinetics, 80
- Heat transfer,
 API reaction systems, 113–116, 119, 123–124, 128–129
 biologics, 38
 case studies of continuous reactor systems, 437–454
 crystallization, 237–241, 245–246
 distillation, 185, 191–194
 drying, 333–344
 freeze-drying, 807–814
 kilo lab & pilot plant, 424
 membrane systems, 300
 mixing modeling, 270, 287
 mixing scale-up, 257–260, 266
 process safety and reaction hazard assessment, 162–166, 172
 OpenChem, 151, 155, 158–159
 process scale-up, 381, 393–394
 reaction kinetics and characterization, 90, 95, 110
 scale-up dos and don'ts, 408–415
 solid oral drug products, 652–656
- Heat transfer coefficient,
 continuous reactor systems, 446–452
 crystallization, 237–240
 definition of, 129
 drying, 340–344
 exothermicity, 158–159
 freeze-drying, 808, 811–814
 mixing scale up, 257
 overall, 129, 134, 162–165, 237–240, 446, 451–452, 808
 reaction scale-up, 162–166
 solid oral drug products, 656
- Heterogeneous (*see* also Multiphase),
 API process R&D, 76
 azeotrope, 186–190
 catalysis, 86–92, 101–102, 107–108, 141
 erosion, 707, 716
 reaction kinetics, 81
 reactions,
 nucleation, 758, 804, 806
- Homogeneous,
 azeotrope, 186, 189, 208
 inhomogeneous, 827–828
 nucleation, 804, 814
 reactions, 115–124, 130
 suspension, 291–293
- Human growth hormone, 30
- Humidity,
 dosage forms, 668–671
 dry granulation, 734, 738
 drying, 333, 340, 343
 experimental design, 597
 freeze-drying, 803
 kilo-lab & pilot plant, 422–423
 process safety and reaction hazard assessment, 158
 quality by design, 554–558
 solid dosage formulations, 673, 679–680, 691, 695–697
 solid oral drug products, 637, 654–659
- Hydrogenation,
 API reaction systems, 117–121, 130
 catalytic, 101–110
 kilo lab & pilot plant, 422, 424
 LC and GC, 569
 process safety and reaction hazard assessment, 158–160
 process scale-up, 384, 391
 reaction kinetics, 81–82, 86–94
 scale-up dos and don'ts, 412

- Inhibition, 232, 502
- Kelvin, 221, 349, 493, 808
- Kelvin-Helmholtz instability, 793
- Kilo lab & pilot plant,
 development, 16
 manufacturing, 417–436
 scale-up, 408–409, 449
- Kinetic energy,
 mixing scale-up, 261–262
 solid dosage forms, 668
 turbulent, 262, 272–273, 277, 286, 294–295
 wet granulation, 767–768
- Kinetics,
 API reaction systems, 113–134
 crystallization, 213–237
 drying, 806, 808
 growth, 228–237
 hydrogenation, 102–110
 process safety and reaction hazard assessment, 158, 170–171, 177–179
 reaction, 29–98
 release, 705, 708, 712–715
- Knudsen,
 flow, 814
 number, 814
- Laminar flow,
 biologics, 44
 continuous reactor systems, 435, 440–441, 452
 mixing scale-up, 253–257
 solid solutions, 825
 spray atomization, 793–795
- Langmuir-Hinshelwood, 87, 513, 717
- Laplace's law, 666
- Latent heat of vaporization, 656–657, 782
- Leaching, 270, 303, 384
- Liquid-liquid extraction (*see* Extraction)
- Liquid-solid separation (*see* Crystallization)
- Mass balance,
 analytical chemistry, 563–565, 568–570, 576–578
 biologics, 49
 catalytic hydrogenation, 102
 controlled release, 714
 crystallization, 222
 dosage forms, 671
 drying, 336
 large-scale chromatography, 349, 357
 membrane systems, 308, 312
 process scale-up, 388–391
 qNMR, 592
 reaction kinetics, 94, 98
 scale-up dos and don'ts, 409, 411
- Mass transfer coefficient,
 API reaction systems, 129, 134
 biologics, 32, 36–37, 48
 catalytic hydrogenation, 102–106, 109
 desorption, 814
 gas-liquid-solid flow, 282
 membrane systems, 302
- Material balance,
 distillation, 188–194
 drying, 807
 simulation, 522–523
 solid oral drug products, 655–659
- Mechanical separation (*see* Centrifugation, Cyclone separation, Filtration)
- Mechanical size reduction (*see* Crushing and grinding)
- Membrane systems, 299–313
- Melting point,
 crystallization, 215–216, 221
 drug solubility, 461–462
 DSC calibration, 170
 milling, 368
 molecular thermodynamics, 506, 515
 polymorphic systems, 477–483, 487
 solid dosage formulations, 675–678
- Milling,
 design of, 365–377
 dry granulation, 728, 732–752
 kilo-lab & pilot plant, 421–422, 426
 process scale-up, 402–403
 secondary production, 838–841, 844–845
 solid dosage formulations, 677–678, 683–684, 695
 solid oral drug products, 636–638
 wet granulation, 769, 776
- Mixing (*see* also Agitation, Mixer, Reynolds number),
 API reaction systems, 114–130
 batch and continuous processing, 75–77
 biologics, 29–35, 43
 case studies, 438–450
 crystallization, 216, 228–232, 239–246
 distillation, 184, 194, 198–200
 dry granulation, 727–728, 735–738, 751
 drying, 341
 filtration, 324, 326, 331
 hot melt extrusion, 822–830
 macromixing, 116–117, 130, 258, 289
 micromixing, 121–124, 130
 mesomixing, 121, 124
 modeling, 269–295
 OpenChem, 151
 process scale-up, 391–400
 qNMR, 586–587
 reaction kinetics, 80, 90–96
 scale-up, 249–267
 scale-up dos and don'ts, 407–415
 secondary production, 837, 841, 846
 solid dosage formulations, 677, 682–683, 687, 695–697
 spray atomization, 781–782
 wet granulation, 758–759, 764, 774–775
- Mixers (*see* also Mixing),
 continuous, 851
 high-shear, 648
 micro, 441–442
 static, 75, 93, 258–259, 265, 440–442, 449–452
- Momentum balance, 272

- Multivariate,
 - analysis, 621–631, 853–876
 - biologics, 48–53
 - dry granulation, 744
 - hot melt extrusion, 832–835
 - OpenChem, 148
 - quality by design, 69, 548–551, 555–559
 - solid oral drug products, 635–644
- Multiphase (*see also* Heterogeneous),
 - modeling, 262–294
 - processes, 117–128
- Newtonian Fluids, 240, 257
- Non-Newtonian Fluids, 257, 260, 783, 793
- Nusselt number, 258
- Ohnesorge number, 784, 794–796
- Osmotic pressure,
 - controlled release, 708–711, 717–722
 - dosage forms, 665, 650
- Packed beds,
 - biologic chromatography, 40–43
 - large-scale chromatographic separations, 348, 350, 356
- Packing,
 - column, 32, 43, 198, 573
 - crystal, 492
 - molecular, 676
 - powder, 759
- PAT (Process analytical technology),
 - case studies, 449
 - dosage form, 695–698
 - hot melt extrusion, 819, 822, 831–835
 - kilo lab & pilot plant, 418, 424
 - manufacturing, 856
 - quality by design, 67, 545–546
 - scale-up, 357, 398–403
 - secondary production, 837, 842–843, 848–849
- Permeability,
 - controlled release, 705, 710, 717–719
 - dosage forms, 665, 670
 - filtration, 316
 - large-scale chromatography, 359
 - membrane systems, 301–302, 309–310
 - process scale-up, 385–388
 - solid dosage formulations, 675–679, 685
- Pervaporation, 299–309
- PFR (Plug flow reactor), 439–454
- Phase diagrams, 185–199, 208–212
- Pilot Plant (*see* Kilo lab & pilot plant)
- Polymorphism,
 - definition of, 215
 - polymorphic systems, 477–489
 - screening, 491–502
 - solid dosage formulations, 675–676
- Potential energy, 369, 492
- Power number,
 - crystallization, 242,
 - mixing scale-up, 252–254
 - reactor modeling, 279–280, 284–285, 649–651
- Prandtl number,
 - dispersion, 280–281
 - turbulent, 272–273
- Pressure drop,
 - biologics, 33, 41–47
 - catalytic hydrogenation, 105–106
 - crystallization, 219
 - filtration, 316–319
 - large-chromatography, 348, 357–359
 - membrane systems, 304
 - reaction kinetics, 93
 - wet granulation, 764
- Process Safety, 79, 82, 109, 114, 127, 135, 155–182, 374, 378, 380, 383, 416, 419, 422–423, 430–432, 436, 438, 447
- Proteins (*see also* Cell culture, Enzymes),
 - biologics, 29–40, 47
 - freeze-drying, 801–802
- Quality by design (QbD), 68–69, 545–561, 854, 872–876
- qNMR, 586, 590–593
- Radiation, 3, 593, 812–814, 817
- Raoult's law, 184–185
- Rate constant
 - chemical, 393
 - reaction, 82, 91, 139, 152, 264, 575
 - crystal growth, 228–230
 - dissociation, 125, 716
 - first-order, 445, 594
 - dissolution, 723
- Real-time release, 68, 850
- Recycle, 59, 76, 97, 307, 310, 311, 313, 356, 358, 360, 361, 362, 372, 375, 403, 734
- Residence time
 - Distribution, 41, 258, 267, 287, 293, 371, 442–443, 454, 825–826, 830, 836, 841, 851
 - Solids (milling), 369, 371, 746, 750–751
 - Reactor, 41, 95–96, 123, 128, 151–152, 171
 - Particle, 238
- Reversible, 30, 215, 513
 - Irreversible, 30–31, 103, 215, 361, 513, 724, 802
- Reynolds number,
 - discussion of, 91, 253–257, 294–295
 - fluid, 91, 393, 452, 637, 793–795
 - impeller, 253, 256–257, 267, 295
 - pseudo, 650–651
 - particle, 294–295
 - bubble, 295
- Rotameter, 788–789
- Rotor-Stator, 267, 369, 372–374, 378, 403, 405, 454
- Scale-down, 16, 83, 167, 181, 199, 200, 213, 251, 257, 270, 287, 400, 402, 403, 408, 417, 693, 820
- Scale-Sensitivity, 79, 80, 82, 90, 404
- Schmidt number, 91
- Sensible heat, 123, 300, 307, 355–356

- Separation (*see* Crystallization, Chromatography, Centrifugation, Cyclone separation, Filtration)
- Shape factors,
 crystallization, 228–229, 236
 mixing scale-up, 251
- Shear Rate, 242, 255, 257, 267, 270, 293, 344, 373, 403, 777, 784–785
 Average, 251, 255–256
 Maximum, 251, 254–256
 Infinite, 796–797, 793
- Shear Stress, 257, 261–262, 267, 272, 295, 683, 740, 753, 755, 771, 775–776, 821, 823, 825, 830
- Sherwood number, 91
- Solubility,
 Aqueous, 476, 487, 488, 675, 675–676, 710, 819, 829, 835
 Drug, 457, 458, 460, 462, 464, 466, 470, 472, 474, 476–477, 484, 487–488, 499, 508–509, 707, 712, 715–717, 720, 722, 724–725, 835
 Solvent, 227, 508, 517
- Solvent extraction (*see* Liquid-liquid extraction)
- Solvent Recycle, 97, 356, 362
- Static mixer (*see* Mixers)
- Steady State, 141, 294, 333, 341, 449, 505, 512, 713, 739, 772, 775–777, 808–810, 814, 870
 Quasi-steady state: 809
 Unsteady, non steady, 74, 294, 803, 809–810, 812, 814
 Pseudo steady state state, 775–776, 808
 NMR studies (NOE), 585
- Sterilization,
 bioprocesses, 34, 38, 45, 48
 freeze-drying, 802
 solid dosage, 848
- Stokes' number,
 viscous, 768
 deformation, 766, 770–771, 773
- Supersaturation (*see* Crystallization)
- Tabletting, 216, 727, 734, 746, 757, 778
- Thermal conductivity, 162
- Tip speed,
 agitator, 50
 crystallization, 241–242, 244
 drying, 344
 impeller, 32
 milling, 373–375
 mixing scale-up, 249, 251, 254–256, 259, 261–262
 process scale-up, 393, 415
 wet granulation, 771, 774–775
- Turbulent flow, 31, 36, 44, 253–254, 257, 272, 274, 295, 841
- Unsteady-state, 74, 294, 812
- van't Hoff, 221–222, 227, 234–235
- Vapor-Liquid equilibrium (VLE) (*see* Equilibrium)
- Viscoelastic, 678, 746, 827
- Void fraction, 814
- Washing (*see* Filtration and Leaching)
- Weber number, 784, 793–796
- Wet granulation (*see* Granulation)
- Zero-order,
 controlled release, 705–709, 718–719, 722
 definition of, 170, 177–179
 reaction kinetics characterization, 81, 85