

Index

- activity coefficient models, 12, 253, 255, 268, 269
- acute toxicity, 452, 453, 462, 464
- adaptive constraint relaxation, 131, 132, 153
- adaptive constraint relaxation with feasibility approach (ACRFA), 131, 133, 134, 136–139, 142–145, 149–153
- adiabatic thermal efficiency, 430, 431
- algorithm parameters, 27, 107, 114, 137, 149
- Alt-NSGA-II-aJG, 65, 106, 110, 111, 113, 116–124
- altruism, 106, 110, 124
- American Society for Testing and Materials (ASTM), 431
- antibiotic production, 66, 70
- anti-Langmuir isotherm, 380–382, 386
- approximation, 157–163, 165, 167–171, 173, 175, 177–179
- approximation - offline, 168, 169
- approximation - online, 158, 159, 168–171, 174, 175, 178, 179
- Aspen Plus, 4, 14, 15, 73, 74, 427, 429, 430–436, 456
- attachment of solute molecules, 371, 379, 381, 382, 389
- augmented Lagrange function, 232
- auxiliary variable, 185, 192, 197
- average absolute constraint violation (AACV), 143, 145, 150–152
- azeotropes, 260, 282, 285, 287
- baking, 66–68
- ball mill, 193, 194, 196, 209
- bare module cost, 458
- BARON, 52, 238–240
- batch plant, 37, 41, 62, 132
- benchmark problems, 7, 28, 115, 116, 136, 137
- benzene-hexafluorobenzene system, 277–282, 284, 286
- BET, 380–382, 386
- bilinear programming formulation, 19
- binary-coded GA, 160
- binary-coded NSGA-II, 12, 105–107, 303
- binary separation, 381, 387
- biodiesel, 66, 79, 81
- bioethanol, 13, 14, 66, 79, 81, 139–152, 423–445
- biofuel, 46, 66, 78, 139, 423, 424
- biogenetic-NSGA-II-aJG, 106
- bio-synthesis factory, 66, 69
- biotechnology, 8, 9, 36, 37, 57, 66, 67
- blob analysis, 414, 417, 418
- boiling point, 295, 304
- branch and bound (BB), 40, 46, 47, 55, 219
- bubble cap trays, 427
- bypass, 19, 23, 28, 29
- candidate point, 161–163
- capital cost, 60, 66, 299, 303, 340, 351, 449, 451, 456, 457, 459
- carbon-intensive, 294

- catalytic cracking, 12, 294, 296
 CCPNSGA II, 195, 198, 199
 cell mass, 40, 81, 139, 140, 142, 145, 146, 149
 cell recycling, 139–145, 152
 cell separator, 139, 146
 cell viability, 11, 218, 220–222, 233, 237, 240
 CEPCI, 457, 458
 chance constrained programming, 11, 40, 184–187
 chi² test, 112
 chromatography, 13, 369–373, 387, 388, 396
 chronic toxicity, 452, 453, 462, 464
 circulation load, 195, 204
 CO₂ absorber, 82, 84
 CO₂ emissions, 9, 12, 36, 37, 49, 59, 62, 72–76, 79
 cognitive parameter, 251
 compensating effect, 378, 379
 composite curves, 298–301, 322–325, 328
 composition of the mobile phase, 372, 389, 391
 compromise programming, 85
 computational effort/time, 38, 132, 152, 165, 167, 400, 409
 concave Pareto front, 6
 CONOPT, 42, 52
 consequential emission, 295, 300
 CONSTR problem, 111, 114, 116, 121–123
 constrained test functions, 106, 113, 114, 116, 121–124, 136, 137
 constraint handling, 107, 112, 129–132, 137, 141, 153
 ε -constraint method, 9, 18, 19, 25–33, 40, 42, 45–57, 62–65, 68, 70, 72, 74, 75, 77, 80, 81, 84, 85, 224–226, 336, 434
 constraint programming, 40
 constraints, 3, 5, 7, 9–11, 13, 130, 137
 constraint violation, 130–132, 137, 143, 152, 153
 controller tuning methods, 14, 480, 491, 494, 498
 convergence, 18, 26, 106, 113, 118, 124, 137, 149, 198, 230, 232, 234, 251, 274, 387, 435, 436
 conversion, 35, 37, 49–52, 56–63, 66, 67, 78–82
 convex Pareto front, 6
 cooling water, 299, 315, 318, 428, 443, 445
 CPLEX, 53, 56, 78, 80
 cradle-to-gate, 348
 crossover, 108, 110
 crossover probability, 114, 172, 276, 304, 321, 342, 464
 crowding distance, 134–136
 crystallization, 13, 37, 39, 42, 399–403, 412, 419
 crystallization process control, 399, 400, 416–418
 crystal size distribution (CSD), 399–402, 414–418
 cumene process, 14, 451, 455–462, 464–471
 current density, 76, 82, 83
 cutting plane, 219
 cycle time, 37, 39, 45, 49, 393
 damage index (DI), 452, 453, 459, 462, 464–471
 damage radius (DR), 453, 454, 459–464
 data reconciliation, 12, 267–291
 DECHEMA, 277
 decision making/makers, 12, 31, 39, 56, 71, 75, 206, 218, 295, 336, 357, 361, 432
 decision variables, 3, 5–8, 13
 decomposition approaches, 219
 deficit, 298, 328
 degree of polymerization, 57
 demand, 19–21, 30, 33
 dependent variables, 23–25
 depreciable capital, 459
 derivative properties, 250
 detector, 373
 deterministic equivalent, 11, 186–188, 190, 209–211
 deterministic methods, 4, 7, 9, 11, 379

- DICOPT, 58, 62, 238–240
 diesel, 176, 293–296, 305, 319
 differential algebraic equations, 194
 differential evolution, 7–12, 18, 130, 131, 133, 135, 141, 217, 219, 228, 229, 267, 269, 274
 differential evolution with tabu list, 267, 269, 274
 digital image, 404
 dilution rate, 140–151
 disconnected Pareto front, 6
 distillation, 8, 12, 14, 37, 39, 43, 44, 49, 50, 54, 57, 62, 64, 175, 176, 309, 318, 338, 347, 425, 457, 460
 dominated solutions, 435
 Dow CEI, 451
 Dow F&EI, 450, 451
 drug design, 66, 68
 duplicate non-dominated solutions, 119, 121

 ecodesign, 12, 336, 354, 361–363
 Eco indicator (EI), 99, 37, 42, 46, 47, 52, 53, 80
 economic assessment/objective, 340, 341, 343, 345, 346, 350, 354, 449–451, 455, 456, 464, 467, 471
 electrical efficiency, 61, 86
 electric power, 295, 297, 436, 443
 emissions, 36, 37, 43, 53, 57, 59, 62, 66, 72–82, 85, 293–329, 348, 349, 352–354, 361, 423, 450, 464
 enantiomers, 13, 370
 energy, 3–5, 8–12, 14
 energy consumption, 39, 42, 46, 50–53, 56, 62, 64, 293, 295, 298
 energy efficiency, 49, 76, 82, 85, 294, 296, 297
 energy integration, 12, 295, 347, 433, 457
 energy saving strategies, 293
 enhancement, 401, 404
 enthalpy, 298, 299, 303, 316, 317, 328, 349
 environmental objective, 56, 80, 81, 304, 315, 335, 336, 338, 341, 344, 345, 354, 362, 363, 450, 467, 471
 environmental burden, 80, 347, 348, 352, 353, 363, 451
 environmental impact, 4, 37, 41, 44–47, 52–55, 61, 62, 64, 66, 71, 76–82, 341, 344, 347, 348, 355, 360, 362, 363, 449, 450
 equality constraint, 19, 21, 26, 27, 107, 129–132, 136–143, 149, 152, 153
 equation(s) of state (EOS), 249, 253, 255, 260, 271, 318, 429
 equilibrium based approach, 427, 429
 equilibrium constant, 371, 380, 381, 386, 392
 equilibrium dispersive model, 374
 error-in-variable, 268, 270
 estimation of the transport properties, 384
 ethanol, *see* bioethanol
 ethanol loss, 425, 428, 431–433, 439, 445
 ethanol productivity, 78, 79, 81, 140, 141, 143, 144, 146–152, 429
 ethanol purity, 428, 430–439, 441–446
 Euclidean distance, 112, 113, 136, 137, 171, 275
 evolutionary algorithms, 112, 130, 199, 218, 219, 229, 230, 249, 250, 260, 264
 evolutionary strategies, 335
 excess enthalpy, 249, 253–255, 258–262
 exergetic efficiency, 49, 63, 66, 73, 76, 77, 79
 expectation term, 184, 185

 feasibility approach, 10, 130–133, 136, 137, 142, 153, 276, 462
 feature extraction, 400, 401, 413, 414, 418
 feed solution, 378, 382, 389, 392
 feedstock, 55, 79–81, 139, 145, 295, 296, 423, 424
 fermentation process, 67, 68, 130, 131, 139–141, 143–153
 filtering techniques, 404
 fitness value, 161, 251, 387
 fluidized catalytic cracking (FCC), 57, 58, 63, 111, 175, 176, 294–297, 304–306, 309–315
 flux balance analysis, 48, 68, 222
 fmincon, 28, 84

- FMOOP, 226
 food industry, 8, 9, 36, 37, 57, 66
 FOPDT, 480, 481, 491, 495–500
 FORTRAN, 113, 435
 framework, 46, 71, 163, 186, 188, 219, 295, 303, 304, 315, 354, 363, 491
 fuel blending, 57
 fuel cell, 8, 36, 37, 76, 82, 83
 fuel cell system, 82–86
 fuel cost, 66, 72, 75, 79
 fuzzy approach/optimization, 11, 44, 66–68, 76, 218, 226
 fuzzy mathematical programming, 184

 GAMS, 4, 42, 47, 52, 53, 56, 58, 62, 78, 80, 235, 238–240
 gasification, 47, 65, 66, 73, 74, 76, 78, 82, 294
 gasoline, 29, 58, 176, 293, 296, 424
 gasoline-ethanol mixture, 431
 gas separation, 57, 59
 gate-to-gate, 347
 Gaussian correlation function, 170
 Gaussian curves, 405
 generalized M-Pareto-optimal solution, 227
 general rate model, 373
 generating method, 218
 generational distance (GD), 110, 112–114, 116–124, 137–139
 genetic algorithm, 7, 10, 13, 132, 133, 157, 160, 172, 250, 269, 337, 341, 342, 355, 357, 363, 379, 387, 445, 483
 genetic perturbation, 218
 GFMOP, 218, 219, 222, 223, 226–228, 240
 Gibbs free energy, 69, 271
 Gibbs-Helmholtz equation, 255
 global optimal solutions, 435
 global optimization methods/techniques, 4, 18, 172, 187, 269
 global warming potential (GWP), 37, 50, 73, 77, 80, 353, 363, 450
 glucose concentration, 79, 140, 141, 143
 glucose conversion, 78, 79, 140, 141, 143, 144, 147, 148

 goal attainment, 38, 41, 51, 78, 79, 141, 223, 226–228
 grand composite curve, 62, 298, 299, 316, 326
 gray level, 400, 403–406, 409, 418, 419
 green degree (GD), 37, 53, 64, 450
 greenhouse gases, 57, 74, 293
 grid search approach, 484
 grinding operation, 44, 186, 193, 194

 Hammersley sequence sampling, 198
 harmonic search, 250
 hazard identification and ranking system, 452
 hazard potential, 450, 454, 459, 460, 461, 466
 HAZOP, 450, 454
 HDA process, 336, 346–355, 361
 heat capacity, 250, 262, 349
 heat exchanger networks, 37, 39, 47, 52, 298, 315
 heat integration, 54, 61, 75, 78, 294–298, 300, 303–305, 310, 315
 heat of mixing, 253–261
 heat recovery, 37, 49, 56, 75, 295–301, 314, 328
 heat transfer area, 299
 heavy cycle oil, 297
 Henry's constant, 381, 383, 384, 386, 391, 392
 HETP, 384–386
 heuristic, 427
 high pressure steam, 297, 299, 456
 homogeneous azeotrope, 282, 285
 Hydrogen (H₂) production, 36, 37, 59, 76, 82–86
 hybrid methods (for constraint handling), 130
 hydrocarbon inventory, 57, 60, 450
 hydrocyclones, 193, 194, 196
 hygroscopic, 431
 hyper volume, 106, 110
 hypothetical case, 162
 Hysys, 4, 15, 50, 303, 304, 318, 451, 456, 463–465

- ideal adsorbed solution theory, 378, 382
- image analysis, 400, 401, 418
- image histogram, 400, 404–406
- IMPACT 2002+, 37, 42, 53, 76
- indirect optimization method, 217
- individual chance constrained, 186
- inequality constraint, 129–133, 136, 137, 142, 149, 153
- inertia, 251
- inherent environmental toxicity hazard (IETH), 53, 450
- inherent safety index (ISI), 451–455, 459
- injection molding, 39, 57, 64
- integrated differential evolution, 9, 18, 26
- integrated inherent safety index (I2SI), 14, 451, 452, 459, 464, 471, 472
- inter-class variance, 405, 409, 410, 419
- intermediate generations, 106, 113, 118, 122
- inter-stage extraction, 78, 81, 139, 145, 152
- interval uncertainty, 161–163, 173
- inverse generational distance (IGD), 113–124
- inverse method, 378, 386
- ISDU, 481, 482, 489, 490, 498–500
- isotherms, 375, 377–382, 386
- ITAE, 481, 482, 490, 495, 498
- joint chance constrained programming, 186
- Joule Thomson coefficient, 249
- jumping gene adaptations, 10, 18, 39, 52, 105, 107, 124, 132
- jumping gene probability, 107, 108, 110, 114, 121
- jumping gene variants, 105–107, 110
- kinetic model, 139, 217, 222, 240
- kinetic parameters, 38, 40, 43, 70, 139–141, 146, 147
- kriging, 158, 168, 170–172, 175, 178
- lactic acid production, 66, 67
- Langmuir isotherm, 379–382, 386, 390, 392
- Latin hypercube sampling, 169, 172
- learning period, 28
- lexicographic goal programming, 41
- life cycle assessment, 347, 361, 363
- linear isotherm, 381
- linear physical programming, 48
- linear programming, 3, 18, 19, 45, 53, 187, 217
- LINGO, 56, 63
- liquid liquid extraction, 44, 253, 254, 261
- L_2 norm, 409–412
- local methods, 4
- logarithmic transformation, 217
- log mean temperature difference, 465
- lower level problem, 164, 168
- lower level sub-problem, 164, 173
- low pressure steam, 299, 352, 436
- lumped kinetic model, 373
- main fractionator, 297, 305, 316, 318
- make-span, 67, 71
- mass balance, 20, 129–132, 146, 153, 339, 377
- mass transfer, 373–375, 427, 429
- material loss, 451, 456, 464–471, 475
- mathematical model, 146, 294, 339, 377
- Matlab, 4, 28, 33, 54, 55, 69–71, 83, 84, 172, 176, 258, 341, 401, 469
- maximum number of generations (MNG), 107, 108, 110, 112, 114, 133, 136, 164, 274, 276, 304, 321, 322, 463, 464
- Maxwell–Stefan theory, 429
- membrane bioreactor, 37, 50
- membrane separation process, 14
- metabolic adjustment, 218, 233
- metabolic reaction networks, 11, 12, 66, 67, 217–220, 240
- meta-heuristics, 157, 269, 274
- metamodel, 158, 159, 168, 170–172, 174, 178
- MIHDE, 219, 225, 228–235, 238–240
- minimum area rectangle, 414, 417
- minimum error, 251, 400, 405, 406, 410–413
- minimum temperature difference, 317
- min-max problem, 225, 226, 228, 407

- mixed-integer linear programming, 218
- mixed-integer nonlinear programming, 219, 221
- mixed optimization, 407, 409
- mobile phase, 371–380, 382, 384, 388–392
- mobile phase flow rate, 392
- model characterization, 377, 383
- Monte Carlo, 175, 363
- morphological image processing, 400, 410
- M-Pareto-optimal solution, 226–228
- MS Excel, 15, 25, 26, 33, 71, 139, 142, 146, 276, 303, 341
- multi-criteria optimization, 4
- multi-level utilities, 299
- multi-modal Pareto-optimal front, 114, 118
- multi-objective differential evolution (MO DE), 60, 61, 75, 81, 130–139, 142–145, 149–153
- multi-objective evolutionary algorithm (MO EA), 59, 61, 73, 79, 80
- multi-objective genetic algorithm (MO GA), 10, 11, 38–41, 45, 46, 49, 51, 57, 59, 62, 64, 67, 70, 77, 79, 84, 157–160, 163, 172, 335, 337, 363
- ε -multi-objective optimization problem, 225
- multi-objective particle swarm optimization (MO PSO), 76, 84, 130, 251, 257
- multi-objective simulated annealing (MO SA), 44, 52, 58, 59, 63, 106, 337
- multiple choice decision-making (MCDM), 336, 337, 357, 363
- multiplier updating method, 232
- multivariate probability distribution, 186
- mutant individual, 134, 229, 230
- mutation, 108, 110, 134, 135, 198, 199, 229, 230, 274, 387, 462
- mutation probability, 114, 172, 276, 304, 342, 462
- naphtha pyrolysis, 57, 59
- National Fire Protection Association (NFPA), 453, 460, 461, 473, 474
- natural gas, 41, 47, 57, 59–61, 63, 66, 73–75, 77, 78, 80, 82, 349, 350
- net present value/worth (NPV), 41, 42, 47, 49, 56, 63, 71, 72, 74, 80, 81, 336, 340, 341, 346, 449
- NFPA ranking for flammability (NF), 460, 473, 474
- NFPA ranking for health (NH), 461, 473, 474
- NFPA ranking for reactivity (NR), 460, 473
- NIMBUS, 47, 71
- no free lunch (NFL) theory, 336
- noise, 401, 403, 404, 410
- non-dominated set, 159–161
- non-dominated solutions, 5–7
- non-dominated sorting, 135, 136
- non-dominated sorting genetic algorithm, *see* NSGA-II
- non-random two-liquid model (NRTL), 12, 253–261, 265, 271, 290, 429
- normal boundary intersection (NBI), 56, 61
- normalized normal constraint (NNC), 52, 56, 57, 61, 62, 67
- NSGA-II, 7, 10, 12, 13, 14, 18, 39, 42–64, 69–76, 79–83, 130–132, 198, 199, 250, 303, 304, 320, 337, 342, 354, 355, 363, 365, 379, 387, 390, 407, 451, 462, 464, 471, 483, 484, 488
- NSGA-II-aJG, 48, 58–61, 65, 68, 85, 106, 108–113, 116–124, 132
- NSGA-II-JG, 45, 58, 60, 63, 69, 106, 107, 109, 111
- NSGA-II-mJG, 106, 107, 109, 111
- NSGA-II-saJG, 105, 106, 109, 111, 116–124
- NSGA-II-sJG, 39, 106, 109, 110, 111, 116–124
- number of function evaluations, 28
- nylon-6, 57, 59, 111
- on-site, 301
- operating cost, 4, 14, 37, 43, 46, 47, 51, 63, 65, 72, 75, 78, 294, 299, 300, 340, 387, 425, 431–436, 439, 443, 445, 450

- optimal compromise solution, 409–412
 optimality, 190, 209, 221, 223–228, 251, 269, 409
 optimal threshold, 400, 404, 405, 411, 412
 optimization under uncertainty, 178, 184, 195, 206, 209
 orthographic projection, 402
 Osyczka problem, 114, 116, 123, 136–139
 Otsu method, 400, 404–406, 410–413

 parameter estimation, 12, 37, 38, 40, 249–251, 253, 258, 268–272, 277, 282
 Pareto domain, 481–485, 488–491, 495, 498
 Pareto front, 119, 136, 160, 199, 200, 205, 218, 251, 257, 260, 282, 335–337, 341–345, 357, 407, 409–412
 Pareto-optimal front, 6, 7, 10, 15
 Pareto-optimal solution, 5, 10, 13, 14
 Pareto, Vilfredo, 5
 partial pressure, 436, 439
 particle swarm optimization (PSO), 7, 12, 130, 157, 250–261, 269, 445
 partition, 161
 p-diisopropyl benzene (PDIB), 455–457, 464–466
 peak width, 384, 385
 penalty factors (for hazard potential calculations), 454, 460, 472, 474
 penalty function approach/method, 10, 63, 112, 129–132, 141, 231
 percentage solids, 195
 performance comparison, 106, 114, 121, 137, 145
 performance criteria, 35, 42, 449, 479, 481, 483, 490, 491, 497, 498
 performance metrics, 106, 107, 110, 116–118, 122, 124
 permeate, 426–433, 436–440, 443, 445
 pervaporation, 37, 39, 44, 51, 81
 petrochemical, 3, 5, 8, 9, 36, 37, 51, 57, 58, 267, 318, 455
 petroleum refineries, 9, 11, 17, 32, 36, 37, 57, 58, 159, 249, 293, 294, 296, 303, 315

 pharmaceuticals, 3, 5, 8, 9, 13, 36, 37, 57, 66, 67, 71, 249
 phase equilibria, 249–251, 253, 255, 257, 259–260
 phase equilibrium data, 249, 254, 268, 269, 274, 290
 phase equilibrium data modeling, 12, 268, 269
 phthalic anhydride reactor, 57, 60
 PI controller, 479–481, 488–491, 495, 498
 pinch analysis, 62, 85, 86, 295, 297, 298, 300, 303, 304, 315, 320
 pixels, 404–406, 409, 414, 416, 418
 polyethylene, 57, 58, 132
 polymer filtration, 57, 58
 polymerization, 8, 9, 36–38, 41, 57, 59, 62, 111, 131, 203, 249
 pooling problems, 9, 17–19, 23, 25–28, 30–33
 pooling (problem) network, 19, 21–23, 29
 pooling problems - p-formulation, 19, 20
 pooling problems - r-formulation, 19–23, 27, 32, 33
 population balance, 194
 population size (NP), 28, 114, 133, 136, 137, 143, 152, 167, 172, 233, 274, 304, 342, 355, 464
 potential environmental impact (PEI), 43, 53, 75, 450
 power generation, 8, 9, 36, 37, 66, 72, 74, 301
 power plant, 66, 75, 77, 82, 350
 preference-based method, 218
 preliminary design, 346, 450, 451, 459, 460, 464
 pressure drop, 37, 45, 46, 53, 55, 388, 396, 427, 431
 principal component analysis (PCA), 56, 451, 484–488
 principal component grid algorithm, 488
 probability distribution, 186, 197–200, 405
 process control, 452, 454, 456, 479
 process design, 35, 38, 41, 42, 44, 55–57, 157, 233, 249, 268, 287, 297, 361–363, 429, 449–452, 459, 465, 471
 process gain, 480, 488, 491

- process operation, 39
 process simulator, 4, 253, 260, 303, 315, 354, 433, 435
 process systems engineering, 184, 267, 268
 production capacity, 140, 143, 149, 346, 450, 464, 465
 production rate, 18, 48, 68, 82, 83, 86, 147, 218, 233, 464
 productivity, 37, 40–42, 50, 52, 55, 57, 60, 61, 65–69, 71, 78–82, 140, 141, 143, 146–150, 195, 206, 235, 240, 388–397
 product quality, 18, 19, 27, 28–32, 58, 66, 400, 418
 product recovery, 388, 424, 425
 profit, 18, 28–33, 35, 37, 41, 51–54, 57, 58, 62, 76, 80, 81, 294, 296, 303, 336, 340, 346, 388, 449
 projection, 162, 402, 403, 486, 488
 protein recovery, 48, 66, 68, 132
 purchase cost (C_p), 351, 457, 458
 purity, 45, 50, 58, 64, 79, 81, 347, 355, 369, 388, 389–397, 399, 425, 427–433, 435–446, 465

 quality, 18–23, 25, 27–33
 quality ratio, 29–31
 quantile, 186, 187, 190, 211

 rate-based approach, 429–430, 445
 reactive distillation, 37, 50
 real coded GA, 160
 real coded NSGA-II, 106, 111, 387
 reconciled data, 268, 272, 282–285
 recourse variables, 184, 185
 recycle flow rate, 37, 456, 464, 467
 reformer, 294
 regenerator, 296, 297, 304, 308, 309, 314, 320
 regulatory on/off minimization, 219
 relative integral time, 481, 482, 488, 489, 491, 493, 494, 496, 498
 renewable energy, 8, 36, 37, 66, 72, 78–82
 repair algorithm, 130, 132
 resilience, 50, 218, 221, 222, 238, 240, 242
 retentate, 427, 430, 432, 442–443

 retrofitting, 50, 66, 75, 77
 retrograde condensation, 260
 riser, 296, 297, 305, 309
 robust MOGA (RMOGA), 157–174, 176–179
 robust solution, 166, 167, 172, 174
 rod mill, 193–196
 rough set method, 38, 45

 safety, 449–455, 459, 464, 471
 safety weighted hazard index (SWeHI), 452–454, 459, 464
 scalarization methods, 335, 336
 scheduling, 45, 48, 49, 52, 54, 57, 63, 66, 67, 132
 screw compressor, 431
 search space, 3, 6, 10, 19, 21, 32
 segmentation, 400, 401, 404, 406, 409–413, 418
 selectivity, 35, 44, 45, 57, 60–65, 68, 392, 394, 396, 455, 466
 self-adaptive strategy, 27
 settling time, 481, 490, 497–500
 sharpness index, 194,
 simulated annealing, 7, 13, 106, 157, 250, 264, 269, 337, 408, 409, 418, 419
 simulated moving bed reactor (SMBR), 37, 40, 45, 50
 simulation based chance constrained programming, 198, 206
 single objective optimization (SOO), 7, 18, 131, 164, 218, 293, 294, 335, 360, 386, 400, 401, 404, 406–408, 418, 434
 size distribution, 195, 205
 size of stack, 82, 84
 social parameter, 251
 solvent consumption, 387–390
 Solver tool in MS Excel, 4, 26, 33, 142–153
 source, 18–21, 23, 25
 special representation, 130
 spread, 7, 10, 61, 106, 110, 112–114, 116–124
 SQP, 51, 59
 SQP-Biegler, 435–436

- SRN problem, 111, 114, 116, 121–123
stationary phase, 371–376, 379–382,
387–393
steam reformer, 57, 58, 84, 111
steam stripper, 13, 14, 423, 445
stochastic algorithm/method, 4, 7, 18, 26,
27, 66, 82, 116, 131, 136, 153, 250,
269, 291, 379
stochastic programming, 184
stopping/termination criterion, 27, 28,
106, 107, 110–118, 121–124
Strength Pareto Evolutionary Algorithm
(SPEA), 47, 50, 59, 67, 73, 130
stripper, 423, 425–437, 440–446
styrene reactor, 57, 60, 61, 63, 65, 131
superficial velocity, 384, 385
supply chain, 17, 37, 40–47, 51, 53, 56,
65, 78–82, 85, 183, 185
surplus, 298, 328
sustainability, 336, 346–348, 363

tabu list, 12, 28, 81, 269, 274
tabu radius, 28
tabu search, 7, 27, 41
target individual, 134, 135, 274, 276
targeting, 293, 294, 299, 303, 315, 332,
333
Taylor series, 190, 192, 212
termination criterion, *see* stopping
criterion
termination generation (G_T), 116–124
test functions, 115, 116, 137
thermal cracker, 57, 61
thermal processing, 66
thermodynamic models, 250, 253,
268–272, 282, 290
thermodynamics, 249, 253, 255, 269, 271,
298, 373
thermophysical properties, 249, 250, 253,
260, 262
thresholding, 399, 400, 401, 404, 406,
411–413, 418
time constant, 480, 488, 491, 498
time of injections, 392
TNK problem, 111, 114, 116, 121–123,
172, 173

tolerance limit (TL), 131, 137, 142, 143,
150, 152
TOPSIS, 336–337, 341, 342, 344, 345,
356–359, 363
total absolute constraint violation (TACV),
132–136
total annual cost, 42, 46, 49, 52–56, 60,
65, 84, 340, 363
total capital cost (TCC), 14, 451, 457, 459,
464–471
total site, 294, 298–304, 310–315, 318,
320, 326–332
tradeoff, 4–6, 8, 9, 12–14, 18, 32, 39, 190,
221, 259, 294, 344, 393, 431, 449, 479
treatment cost, 44, 51, 432
trial individual, 133–135, 274–276
tuning method, 14, 479–481, 491, 495,
498

uncertainty, 3, 158–179, 218, 363
unconstrained test functions, 106,
114–120, 124
UNIQUAC model, 271
upper level problem, 164, 167, 173
utilites, 37, 39, 47, 61, 62

vacuum compressors, 427, 430
van Deemter equation, 385
vapor condensation, 427, 433, 436,
vapor-liquid equilibrium, 12, 249–264,
269, 277, 291, 292, 429
vapor-liquid interface, 441
vapor-permeation membrane, 425, 430
vapor pressure, 253, 254, 261, 271, 277,
295, 460, 461
velocity, 67, 250–253, 261–263, 374, 390
Viennet problem, 136–139
Visual Basic for Applications (VBA), 276,
303, 316, 464
void fraction, 374, 382, 457

water consumption, 38, 51, 52, 54, 57, 82
water purification, 37
weak perspective projection, 402, 403
weighted infinite-norm problem, 221
weighted min-max method, 224, 226

- weighted sum (WS) method, 7, 39–41, 46–49, 57, 58, 63, 64, 68, 79–86, 252, 256, 257, 336, 357, 404, 407, 409, 481
- Williams-Otto process, 338
- Wilson binary parameters, 277
- working capital, 459
- worst-case analysis, 11, 158, 178
- xylose concentration, 149
- yield, 35, 52, 56–61, 65, 67, 69, 71, 83, 146, 175, 211, 218, 303, 304, 309, 310, 314, 315, 388–397
- ZDT problems, 111, 114–121