
INDEX

- Absolute units, 61, 100
Acceleration head, 105–106, 129, 145
Accumulation, 62, 65, 68, 117, 190, 198,
 204, 207, 210–211, 216, 224, 228,
 233, 239, 255
 heat, 68, 204, 207, 216
Actions, 29, 112–113, 116, 121, 125, 132,
 186, 214, 295, 297
 contingency, 29
 preventative, 29, 54
 remedial, 113, 186, 214
Additional help, 37
Additional resources, 37
Anticipated results, 29, 237, 242–245,
 250–251, 254
Arrhenius constant, 283

Balances, 59–60, 62–64, 67–69, 71, 163,
 199, 224–225, 282, 288
 heat, 60, 67–69, 71, 85, 163, 199, 225,
 282
 material, 85, 163, 224, 282
 principles of, 60, 62
Bernoulli's theory, 73, 93–94
Best efficiency point (BEP), 94
Binary systems, 263
Blowing, 3, 149–150, 228
Boiling point, 25, 37, 70–71, 79, 105,
 157–158, 162, 232–233, 265,
 276, 307–308, 310
Brainstorming, 28
Bulk density, 173, 175, 179, 189–192, 195

Calculating gas density, 65, 67
Calibration, 219, 224, 254
Capacity, 102, 104, 111–112, 117–118,
 124–126, 129, 131, 135–136, 139,
 141, 146, 166, 171, 179, 190–191,
 195, 199, 204, 227, 232, 252–256,
 258, 298–302, 305, 307
blower, 301
compression, 111
curve, 102, 301
volumetric pump, 104
Carraher, Charles E., 274
Catalyst, 10, 18, 21, 23, 40–43, 57, 71,
 80–81, 102, 106–107, 139, 173–181,
 185, 188–189, 207–212, 215–217,
 244–246, 255–258
 attributes, 180, 258
concentration, 41, 43, 57, 209–212,
 216–217
efficiency, 21–23, 207–208, 245, 255–257
flow, 41, 139
rate, 40, 246
systems, 180
Cause-effect relationship, 27
Centrifugal operating characteristics, 95
Change of state, 69
Chernobyl, 241
Chloride, 282–286, 288–291, 312–313
 balances, 284, 288
 buildup, 284–286, 290–291
 concentration, 284–286, 288, 290
 production, 284–286, 288–289, 312

- Commodity chemicals, 16
 Compressibility, 65–66, 100, 103–105, 113,
 123, 130, 140, 146, 236–237,
 242–243
 Compression, 98–101, 103, 108–109, 111,
 114, 123, 127–128, 132–133, 136,
 142–143, 145–146, 298–299, 301,
 303, 312–313
 adiabatic, 100, 146, 301, 313
 calculating, 98
 capacity, 111
 exponent, 100–101, 108–109, 111, 114,
 123, 127–128, 132–133, 142–143,
 145–146, 301, 303, 313
 head, 99
 isentropic, 99
 isothermal, 99
 path, 99
 polytropic, 99–101, 108, 123–133, 136,
 145, 303, 312
 calculating, 100–101
 exponent, 100–101, 108, 123, 132–
 133, 145
 ratio, 100, 103, 108, 114, 123,
 127, 132, 143, 145–146,
 299, 301, 303,
 312
 Compressor, 93–95, 98–104, 107–118,
 123–133, 136–145, 233,
 298–300, 302,
 304
 capacity, 117, 125, 299
 centrifugal, 98–99, 101, 110–112
 constant, 299
 curve, 95, 112, 117, 299
 cycle, 107, 111
 head, 102
 horsepower
 calculating, 101, 136
 requirements, 104, 107, 126, 128,
 136–138, 143–145
 output, 131
 performance, 109–110, 114–115
 positive displacement, calculations for,
 107–109, 111
 reciprocating, 101, 112, 299
 shutdowns, 132, 140, 143–144
 volumetric efficiency of, 103–105,
 107–108, 123–124
 Confidence level, 21, 31–36, 51–53,
 179, 201
 Converting to mass units, 61, 65, 67
 Daily monitoring system, 2, 15–17, 23, 39,
 71, 84, 128, 166, 168, 306
 finding problems using, 16–17
 following mechanical equipment using,
 23
 steps to implementing an effective, 23
 Data. *See also* Databases
 conflicting, 229
 verification, 219–221, 223, 227
 human, 229
 technical resources for, 220, 221, 223
 Databases, 13, 16, 261
 component, 261
 historical, 16
 Delta data graphs, 16–17, 23
 Design of experiments, 259
 Diffusion drying, 169, 172, 175
 Dimensional analysis, 61
 Distillation column, 265, 270
 Downcomer, 148–152, 155
 Driving force, 168–170, 172, 175, 181,
 195–196, 287, 312
 Efficiency, 94, 96, 98, 100–101, 103–105,
 107–110, 114, 116–117, 123–124,
 131, 133–140, 142–143, 145,
 153, 207–208, 243–245, 249,
 255–257, 279, 300, 303,
 306, 312
 hydraulic, 96, 98
 polytropic, 101, 114, 116, 123–124, 136,
 140, 142–143
 steam turbine, 110, 133–135, 137–138
 volumetric, 103–105, 107–108,
 123–124, 145
 factors determining, 104
 for a positive displacement
 compressor, 107–108
 Ejectors, 293
 Encircling line, 64, 68
 Enthalpy, 69–70, 109–110, 133–137, 145,
 158, 310
 Entropy, 99, 109–110, 133–135
 Entropy, constant, 99, 109–110, 133–134
 Equal molal overflow, 162, 271

- Equilibrium, 60, 77–82, 147, 167, 169–170, 173, 175–176, 181, 190–191, 194–196, 212, 261–267, 271, 273–275, 279
- Equilibrium constant, 79, 81, 263–267, 271, 279
- Equilibrium limited, 77–78
- Equipment design, 60, 80–81
- Estimating condensation point, 269, 277–278
- Feet of head, 96
- First out indicators, 138–142, 144
- Flash calculations, 261
- Flooding, 149–150, 154, 160, 163, 165–166, 282
- Flory-Huggins relationship, 274
- Flow, 3, 5, 7, 18, 27, 29, 94–98, 101–116, 118–121, 123–126, 128–132, 136, 139, 141–143, 145, 149–150, 152, 154, 158–159, 161–162, 167–168, 170, 173, 182–183, 199–200, 202–204, 206–207, 210–211, 215, 217, 220–225, 227–228, 230, 233–238, 243, 272, 277, 280, 282, 284–285, 287–293, 295–296, 298–301, 304–305, 307–308, 310–313
- constant volumetric, 110
 - curve, 111, 118
 - instruments, 200, 282, 312
 - measurement, 222, 225, 289
 - measuring devices, 224, 312
 - meter, 29, 63–65, 85, 111, 124–126, 132, 158, 161, 202, 206, 220–221, 223–224, 228, 234–238, 243, 287, 289–290, 298–299
 - path, 87, 94–95, 102, 170, 224, 227
 - volumetric, 76, 104, 109–110, 124, 199, 238, 305, 312
- Fluid flow, 60, 72–73, 77, 96, 104, 168, 215
- Fouling, 8, 154, 171, 181, 183–186, 246, 253–254, 257
- Fractionation, 147–150, 153–154, 158–159, 163, 165, 225, 243–244, 261, 265–266, 270–272, 279–280, 307, 309–310
- process, 265, 307
- simulation programs for, 262–263, 265, 270–271
- using sieve trays, 147
- Gas chromatograph (GC), 158
- Geiger counter, 223
- Head, 1, 94–102, 104–108, 110–111, 114–115, 118–120, 123, 126, 129, 136, 142–143, 145, 149, 154, 156, 163–164, 238, 300–301, 304, 306, 312
- calculations, 107
 - vs. capacity curve, 94–98, 118
 - compression, 99
 - curve, 7, 94–98, 118, 301, 306
 - deviation, 306
 - polytropic, 114–115, 123, 126, 136, 142–143, 145, 300–301, 304
- Heat
- duty, 183, 254
 - exchangers, 81, 230, 233, 298
 - generation, 42, 45, 56, 98, 203
 - ratios, 130, 300, 305
 - removal equation, 42–43, 45–46
 - transfer coefficient, 44, 46, 57, 157, 167–169, 171, 181, 183, 195–196, 199, 203–204, 217, 233, 246, 253–255, 257, 307
- Heat content, 68–69, 71, 207, 308, 310
- Heat of polymerization, 40, 43, 57, 71
- Henry's Law, 176
- Henshaw, Terry L., 106
- Horsepower, 94–98, 101, 103–104, 107–108, 112, 114–115, 124, 126, 128, 131, 136–138, 142–145, 304
- hydraulic, 97
- load, 103, 108, 124, 126, 128, 136, 138, 143–145
- requirements, 96, 101, 107–108, 112, 126, 304
- Horsepower, vs. suction pressure load, 108
- Hot tap, 291–292, 294–295, 297
- Hydraulic gradient, 149
- Hydrogen bonding, 265

- Hypotheses, 42–43, 47, 49–50, 55, 59, 83–88, 90, 93, 116, 118, 120–121, 125, 131–133, 138, 140–142, 144, 151–152, 160, 167, 170, 174, 188–190, 192, 198, 231–233, 235–236, 238, 250–251, 281–282, 286–287, 289, 293–295, 300, 302–304, 306, 310
confirmed with plant tests, 24, 28–29, 37, 241, 247–250
developing, 151
directionally correct, 24, 35–36
and key questions, 84–85
possible, 42, 88, 120–121, 125, 131, 138, 140, 144, 174, 188, 303
- Impeller**, 93–96, 98, 112, 298–303
- Instrument**, 19, 25, 41, 85, 110–113, 116–117, 121, 125, 131–132, 141–142, 144, 157–158, 160, 173, 175, 182, 185, 189, 200–202, 209, 219–221, 223–224, 226–238, 242–243, 250, 254, 269, 282, 286, 288, 290–291, 294, 302, 309, 312
display element in, 220–223
orifice flow, 220–223
primary device, 226
primary element in, 220–221, 223
verification, steps in, 220–225, 227
- Instrumentation**, 25, 29, 152–153, 156–157, 174, 219–224, 226, 228–229, 232, 234, 237, 242, 254, 288, 300, 307
data, validating, 223
sources of errors in primary elements, 221–222
- Ion exchange bed**, 284–287, 289–290, 312–313
- Isentropic expansion**, 109–110, 133–135
- Joule Thompson cooling effect**, 109
- Kinetic constant**, 210, 245
- Kinetic relationships**, 285
- Kinetics**, 60, 84, 210, 215
first order, 210, 215
- Leakage**, 3, 103, 105, 107–109, 115–116, 118, 121, 123–126, 131–132, 141, 145, 160, 175, 185, 189, 202, 209, 231, 236, 286–287, 294, 302–306, 309
discharge, calculating, 108–109
factor, 123–124
internal, 115–116, 118, 121, 125, 132, 141, 303–304
- Level**, 5, 8, 43, 51–53, 62–65, 78, 85, 87–92, 149–151, 154, 156–157, 164, 173–174, 177, 179, 193, 198–199, 201, 206, 210, 213, 215–216, 219–221, 223–224, 227–230, 232–234, 238–239, 243, 252–255, 257–258, 267, 273–274, 283–286, 288–292, 297
absolute, 227, 258, 289–290
measurement, 223, 227
saturation, 267
- Light key**, 271–273, 279–280
- Loss**, 7, 34, 41–43, 60, 63, 72–75, 77, 86, 90, 94, 96, 99, 103, 105–106, 110–112, 117, 124–126, 128–129, 135–136, 145, 150–151, 154, 156, 159, 179, 207–208, 234, 244, 249, 257, 293, 302, 305
acceleration, 106, 129
frictional, 72–73, 75, 94, 105, 110, 128–129, 145
- Lower explosive limit (LEL)**, 191–193, 195
- Lumped parameter constant**, 168–172, 195, 199, 204, 287, 312
- Malaria**, 87–88
- Mean time between failures**, 48, 52–53
- Model**, 7, 168–169, 171, 181, 198–199, 201, 210–211, 215
dynamic, 7, 198–199
fast response, 199, 201, 210–211, 215
- Mollier diagram**, 99
- Net positive suction head**, 96–98, 104–106, 111–112, 119
- Optimum technical depth**, 2, 16, 30–33, 126, 179, 198
- Partial pressure**, 79, 195, 267, 269, 274, 276–277, 280, 282

- Phase rule, 226, 228, 232, 234, 263
 classical chemistry, 226
- Pitot tube, 224
- Plant test, 289–290, 300, 306
- Pocket, 103–104, 107–108, 123–124, 145
 clearance, 103–104, 108, 123, 145
 compressor unloading, 124
 rotating, 103, 107–108
- Polymer, 78–80, 84–86, 90–91, 169–170,
 173–181, 187–196, 199, 208, 214,
 234–237, 246, 250–252, 263,
 273–275, 279–280
 morphology, 181
 particles, 170, 175, 193
 and solvent calculations, 263, 273–275
- Polymerization, 10–11, 14, 40–41, 43–44, 57,
 71, 84, 106, 174, 187, 192, 199,
 207–208, 210, 215, 217, 250–251
 kinetics, 210
 operations, 251
 process, 84, 251
 reaction, 40, 199, 208, 210, 215
- Pressure drop, 60, 73–77, 90, 105,
 116–122, 128–129, 140, 150,
 154–157, 221–222, 243–244,
 246, 289, 292–293, 295–296,
 305, 310–311, 313
- Pressure measurement, 111, 223, 293
- Pretest calculations, 242, 244, 257–258
- Primary element error, 221
- Prime movers, 88, 93–94, 100–102,
 and Bernoulli's theory, 93–94
- Problem(s). *See also* Problem solving
 intuitive or instinctive reactionary
 approach, 1–3, 5, 39, 55, 143, 145,
 198, 254
 limitations, 9–12
 lumped parameter, 21, 167–172,
 177–178, 199, 204, 287
 methodical, components, 2
 mind modes, 1
 operator role, 9, 36–37, 71, 85, 88–90,
 115, 151, 153, 163–164, 165, 167,
 181, 197–198, 207, 229, 233–234,
 238, 244, 248, 255–256, 258,
 283, 300
 quantitative, 8, 118, 215–216, 243
 statistical, 19, 21–22, 35–36, 52
 structured, 26, 55
- systematic, 2, 3–4, 6
 specification template, 26
 verification, 25, 37, 48, 55, 113, 124,
 159, 201, 208
- Problem solver, defined, 15
- Problem solving
 “black box,” 171
 disciplined learned
 defined, 24
 application, 40, 48, 55
 psychological advantage, 54
 steps, 24
 effective, 9, 89
 engineering, 9–12, 157
 examples
 baled elastomers, 55
 boiling point, 268, 275–278
 chloride removal unit, 282
 coffee maker, 4–6
 compressor (C-5A), 129–131
 compressor (C-100L), 112–114, 117
 copolymer production, 234
 cut extension cord, 2–4
 ethylene refrigeration, 230, 298
 fractionation, 158–159
 high vacuum system, 291
 hopper car fires, 187, 192, 195
 loss of reaction, 207–208
 multiple engineering disciplines, 47
 Panama Canal, 87–88
 polymerization reactor, 40, 174
 reboiler circuits, 153
 reciprocating compressor (C-100A),
 123–124, 126
 rotary filter screen tears, 47–48
 steam desuperheater, 25, 37
 synthetic rubber stabilizer, 250
 temperature runaway in batch
 reactor, 200–201, 204
 vapor-liquid equilibrium, 78, 82
 voids in plastic pellets, 10–14
 volatility of water dissolved in
 propane, 265, 279
- Process
 chemistry, 90
 kinetically limited, 84, 89, 167–168,
 170–171
 upsets, transient, 23, 97, 199–200,
 207–209, 213–215

- Product liability, 31
- Pump, 2–3, 41–42, 93–98, 101–107, 109, 111–112, 118–122, 128–129, 145–146, 154, 161, 238, 242
- calculations, 96–97, 104–105, 122
- centrifugal, 93–97, 104, 106, 111–112, 118
- curve, 96–97, 112, 118, 120–122, 238
- displacement, 96, 104–106, 112
- double action, 102, 104–105, 128
- hydraulic horsepower, 97
- positive displacement, 96, 112
- reciprocating, 93, 101–107, 112, 128–129, 145, 146
- determining NPSHA, 105–106
- volumetric flow rate estimates, 104
- rotary, 101, 103, 105
- single action, 104
- temperature change, 98
- Rate(s), 11, 27, 40–41, 59–60, 63, 65, 72, 85–86, 90, 111–112, 114, 116–118, 120–122, 141, 143–144, 150, 152, 158–160, 162–163, 165–166, 172, 177–180, 188, 192–195, 205, 244, 247, 252–258, 270–271, 282, 284–288, 295, 310
- mass rate, 59
- mol rate, 59
- volume rate, 59
- Rate limitation, 77, 80–81
- Ratio, reflux, 270
- Reaction, 60, 62–63, 68–71, 77–78, 80–81, 84–86, 89–90, 116, 121, 125, 132, 141, 152, 160, 167, 169, 175, 185–186, 189, 195, 198–210, 212–217, 225, 231, 236, 245–246, 253, 255–256, 258, 283–284, 286–288, 292, 294, 302, 309, 312
- exothermic, 40, 60, 68, 71, 86, 200–201, 246
- kinetics, 17–18, 60
- loss of, 207–208
- rate of, 40, 46, 60, 80–81, 199, 203, 217
- Reboiler, 153–159, 161–163, 165, 225, 282, 307
- Reed, Walter, 87
- Reference temperature, 69–71
- Response, 165, 198–199, 201, 210–211, 215
- fast, 199, 201, 210–211, 215
- slow, 199, 215
- Rutherford, Ernest, 87
- Safety, 29, 31, 45, 90, 121–122, 130, 137, 139, 151, 190, 200–201, 205, 224, 245–246, 248–249, 255–256, 258
- factor, 45, 121–122, 130, 205
- release systems, 245
- Scheel, Lyman F., 99
- Seymour, Raymond B., 274
- Solubility parameter, 275, 280
- Sonic velocity, 75, 304–305
- Specification sheets, 168, 236, 242–243, 288
- Stability, 90, 94–95, 149–151, 153, 156–157, 160–161, 163–164, 247, 259
- chemical compound, 247
- limit, 90, 94–95, 259
- Stabilization, 251
- Stabilizer, 250–252
- Startup, 22, 27, 30, 138, 144, 152, 197–198, 233, 243, 284, 286, 290, 292–294, 297, 299–300, 306, 311
- Steam, 24–25, 27, 37, 70, 75, 96, 109–110, 112, 115–116, 118, 129–138, 145, 155–157, 163, 222, 225, 233, 282, 291–297, 304, 306, 312
- pressure, 110, 130–132, 135–138, 156–157, 292–293, 297
- turbine efficiency, 110, 133–135, 137–138
- Steam condensate, 155–156
- Stegomyia (mosquito), 87
- Super Bowl (1972), 36
- Technologies, 60, 84, 87
- equipment, 84, 87
- process, 60, 84, 87
- Temperature
- absolute, 43–44, 57, 62, 65, 100, 143, 170, 183, 196
- ambient, 46, 50–51, 62, 193, 222, 231, 250
- control, 40–43, 86
- driving force, 157
- measurement, 184, 226

- runaway, 40–42, 45–46, 200–203, 205–206, 255
- Texas Rangers, 89
- Thermal gravimetric analyzer (TGA), 180
- Thermocouples, 182, 184–186, 223, 226, 230–232, 234
- Thermodynamic equation, 99
- Thermosiphon, 154–155
- Thermowell, 226, 231–234
- “thinking outside the box,” 29
- Time/cost relationship, 34
- Tower, 147, 150–154, 156–166, 171, 225, 243–244, 270–273, 279–280, 282–283, 307–311, 313
- absorption, 147
 - binary, 273
 - extraction, 147
 - fractionation, 147, 158, 307, 309
 - vacuum, 151, 154
- Tray, 147–155, 158–161, 163–166, 243–244, 246, 253, 270–273, 280, 282, 310
- design, 147–148, 153
 - efficiency, 153, 243–244, 270
 - flooding, 154, 244
 - fractionating, 148–150
 - leakage, 160
 - loading, 163–166
 - sieve, 147–149, 151–152
 - slope, 151
 - stability diagram, 149–151, 153, 160, 163–164
- Tri-ethylene glycol (TEG), 282–287
- Trigger points, 19, 21–23, 168, 242, 245–246, 255–257
- criterion for, 22–23
 - negative, 23
 - pretesting, 242, 245–246, 255–257
 - setting, 21–23
 - suggested variables for, 23–24
- Tube metal temperatures, 182–186, 226
- Turbine, 96, 109–110, 112, 115–116, 118, 129–138, 145, 304, 306
- capacity, 136
 - efficiency, 109–110, 133–138, 145
 - steam, 96, 109–110, 112, 115–116, 118, 129–135, 137–138, 304, 306
- Unsteady states, 197–200
- Vacuum, 73, 151, 154, 277, 282–283, 291–293, 298–299
- Valves, 99, 101, 103–105, 107, 111–112, 125–128, 139, 141, 152, 230, 255, 299
- check 103–105, 107, 112
 - kickback, 299
 - ribbon, 99, 107, 111
- Vapor-liquid equilibrium, 78, 82, 147, 263, 271
- Vapor pressure, 79, 81, 96, 98, 118–119, 122, 128, 173, 190, 196, 263–264, 266–269, 274, 276–280
- Venturi meter, 223, 286–287, 289, 291, 310–312
- calculations, 289
- Volatility, 84, 157, 265–266, 271–274, 279–280, 308
- Weeping/dumping, 150–151
- X-rays, 147, 153, 155, 164
- Yellow fever, 87
- Zero point, 220, 228–229, 233, 238