

Subject Index

a

- absorption coefficient 266 ff
- acetamidocinnamate 1040, 1044
- acetamidocinnamic acid 1401
- acetoacetate 248
- acetophenone 248
- acids and anhydrides 442 ff
- acids, unsaturated 872 ff
- acridine 474 ff
- acryl chloride 171
- acryl hydrazones 75
- acyclic allyl alcohols 655
- actinide 111
- activation of the C-X bond 533 ff
 - 1,2-insertion 538
 - by σ -bond metathesis 537
 - by oxidative addition 538
 - by S_N2 attack of the hydride ligand 538
- activation, heterolytic 378, 389, 392
- acyl-hydrazones 75
- adiabatic temperature, maximum 1535
- 1,2-addition 402
- 1,4-addition 402, 718 f
- agglomeration 218, 219
- aggregate, fluorous 1383
- aggregation 218
- agostic 36
- alcohol 1230
 - as promoter 492, 506
 - homologation 506
 - two-phase hydrogenation 1344
 - unsaturated 875
- alcohol with exocyclic double bonds 646
- aldehyde 51, 60 ff, 167, 168, 229, 413 ff, 437 ff, 1229, 1344
 - α,β -unsaturated 1365
 - benzaldehyde 171, 187
 - cinnamaldehyde 415, 416
 - diamine-modified Ru catalysts 422
 - reductive amination 437 ff
- aldimine 1231
- aldol cycloreduction 716
- aldol reaction 609
- aldolization 717
- aliphatic 229
- alicyclic olefins 229
- aliphatic carbonyl 248
- alkane, dehydrogenation 137
- alkene 3, 46, 51, 58, 65, 111, 113 ff, 119, 132, 134 ff, 136, 155, 164, 174, 201, 220, 226, 229 ff, 233 f, 237 f, 338, 375, 389, 390, 853 ff, 1234, 1334, 1386, 1394
 - acrylate 868
 - acrylonitrile 78
 - α -acylaminoacrylic 17
 - association 22
 - butadiene rubbers 99
 - methylcinnamic acids 15
 - 2-*cis*-hexene 85
 - 3-*cis*-hexene 85
 - cluster 201
 - complex formation 87
 - conjugated 87
 - coordination 7
 - crotonitrile 78
 - cyclohexene 75, 99
 - cyclooctene 73, 99
 - β -dehydroamino acid 18
 - electron-deficient 77
 - electron-poor 388, 389
 - enamides 866 ff
 - enol ester 870
 - ethylene 85
 - α -ethylstyrene 87
 - fatty acid 87
 - 1-hexene 85
 - hydrogenation 202, 205, 632
 - insertion 79, 88
 - isomerization 8, 71 ff

- methacrylonitrile 78
- 1-octene 103
- pentene 75
- α -phenylacryl acid 14
- polyunsaturated 87
- rotation 97
- styrene 80
- terminal 1050, 1054
- tetrasubstituted 1056 ff, 1066
- 2-trans-hexene 85
- trisubstituted 117
- two-phase hydrogenation 1327 ff, 1334
- unfunctionalized 1038, 1042, 1044
- vegetable oils 99
- alkoxide 590, 601
- alkyl
 - carbonate 502
 - halides 502
- alkyl halides 515 ff, 520, 527 ff, 532 ff
- α -alkylated cinnamic acid 1267
- alkylhydride complex 1080
- alkylphosphines 1078
- alkyl-substituted 1063
- alkyne 41, 54, 65, 72, 111, 114, 129, 208, 229, 341, 343, 347, 375, 377, 390 f, 1334, 1337, 1386
 - acetylene 85
 - 1-alkyne 380, 385
 - diphenylethyne 74
 - electron-poor 375
 - 1-heptyne 79
 - hydrogenation 206, 377
 - internal 379, 381, 389
 - 1-octyne 87
 - 2-pentyne 79
 - phenylacetylene 74, 166
 - 1-phenyl-1-propyne 74
 - semihydrogenation 75, 375, 376, 378, 391
 - terminal 377, 379
 - two-phase hydrogenation 1334
- allene 73
- allyl amine 230
- allyl alcohol 222 f, 225, 640
- allylbenzene 1400
- allylcyclohexane 1400
- allyl halides 527
- aryl halides 514 ff, 527 ff, 539
- alternative solvents 1391
- aluminum 1398
- aluminum (III) 588
 - isopropoxide 602, 603
- amide 61
- amidophosphinite 1171
- amido phosphine-phosphinite ligands 1170 f
- amido-directive hydrogenation 654
- amido-itaconates 814
- amine 1232
- amino acid precursors 16
- amino alcohol 1219, 1254
- amino ketones 1177 ff
- amino phosphines 1095
- amino phosphines-phosphinite ligands 1170
- aminocarbene chelate 1091
- amino phosphine-phosphinites (AMPPs) 883
- aminophosphinites 1010 ff
- aminophospholane 1044
- amphiphile, fluoros 1383
- androsterone 608
- aniline 506
- anion
 - coordinating 42
 - non-coordinating 42
 - weakly-coordinating 384, 1385
- anisole 242, 244
- anthracene 138, 1398
- anthracenes 457 ff
- anti-selectivity 698, 701
- APB 1114
- arenes 111, 138 ff, 234, 241, 456 ff, 460, 1334, 1397
 - η^2 -arene 539
 - naphthalenes 138
 - phenanthrene 138
 - parahydrogen 326 ff
 - phosphines 325
 - radical 532, 535 ff
 - stereochemistry 334
 - two-phase hydrogenation 1334, 1352
 - unsaturated 37
 - vinyl 54
- η^6 -arene 1502
- aromatic alkenes 229
- aromatic compounds 244
- aromatics 55
- 2-arylacrylic acids 1404
- aryl bromides 517, 520 ff, 526 ff, 533
- aryl chlorides 517 ff, 526 ff, 532
- aryl fluorides 518 ff
- arylphosphines 1077
- aqueous systems 462, 480
- atomic absorption spectroscopy (AAS) 1380
- atropic acids 1404

- atropisomeric 854
 – BIHEP 857
 – diphosphines 676, 698
 – system 756
 automated synthesis 1258
 avidin 1257
- b**
- BAMP ligands, from diamines 1172
 BAr_F 1031, 1057
 – sensibility in scCO₂ 1365
 base 193
 basic chelating phosphines 526ff, 535ff
 BasPhos 759
 BCCP 5 1167
 BCPC 6 1167
 BCPM 1167
 BCPP 1167
 BDPAP 761
 BDPMI 751, 868
 BDPP 751, 876
 BeePHOS 792
 (S,S)-benazepril 905
 bench-scale process 1284
 benzaldehyde 246
 benzene 241, 244, 457ff, 1337
 benzene derivatives 241
 benzo[b]thiophene 471
 benzofuran 479
 benzothiophene 470ff
 biomembrane 1336
 biphasic hydrogenation 1327ff
 benzotrifluoride (BTF) 1382
 benzyl halides 517, 526ff
 biaryl bisphosphine 853ff
 bicarbonate hydrogenation 499
 BICHEP 757, 864
 BICP 867ff
 – arylenamides 752
 – α -dehydroamino acids 752
 – β -dehydroamino acids 752
 – MOM-protected β -hydroxy enamides 752
 bidentate phosphonites 924
 bidentate phosphorus ligands 883
 BIFAB 758
 bifunctional catalysis 61
 BIHEP 867
 BIHEMP 817, 854, 872
 BIMOP 757
 BINAP 17, 469, 757, 817ff, 864, 1073,
 1386, 1407
 – immobilized 1105
 – Ru-H complex 1093
- BINAPHOS 1366, 1368
 BINAPO 760, 925
 BINOL 762
 BINOL-derived 1086
 BIPNOR 864
 BITIOP 872, 876
 biocatalyst 1471
 – alcohol dehydrogenase (ADH) 1472
 – hydrogenase 1474
 – oxidoreductase 1471f
 biological approach 1421
 biotin 1257
 biphasic catalysts 457ff
 biphasic conditions 473
 biphasic system
 – IL/scCO₂ 1369
 – inverted 1364, 1368
 – liquid-liquid 242, 244, 250, 1386,
 1394ff
 – liquid/supercritical 1364
 – PEG/scCO₂ 1369
 – water/scCO₂ 1368
 BIPHEP 757, 854
 BIPNOR 747
 bisdehydropeptine 676
 bis(diphenylphosphino)ethane (DPPE) 101,
 1380f, 1383, 1386
 2,4-bis(diphenylphosphino)pentane
 (BDPP) 1251
 bisphosphinamidite 907
 bisphosphinite 924, 978, 980
 bis(phospholanyl)benzenes (DuPHOS) 17,
 758, 774, 823, 1050, 1052, 1054
 – α -amino acid derivatives 759
 – β -branched 759
 – enamides 759
 – enol acetates 759
 – itaconic acids 759
 bis(phosphopholanyl)ethanes (BPE) 17,
 758f, 774, 782, 806f, 809
 – BPE-4 760
 – family 823
 BisbenzodioxanPhos 758
 BisP* 867
 bisphosphine rhodium complexes 1074
 bisphosphonic acid substituted 1409
 bite angle 161, 186
 BITIANP 758, 872, 876
 BNAP 756
 Bodenstein principle 259ff
 bond dissociation energies 364
 bonding, hydrogen 52
 BoPhoz 755, 762

- BPPFA 753
 BPPFOH 1177
 – analogue, α,β -unsaturated acids 753
 BPPM 19, 750, 1167
 butadiene 73, 224, 395, 1395
 1,4-butanediol 442
 2,3-butanedione 250
 1-butenyl(trimethyl)ammonium
 bromide 231
 Butiphane 789
 2-butyne-1,4-diol 239
 γ -butyrolactone 442
- c**
- calorimetry 275 ff
 CAMP 16, 746
 – dehydroamino acids 746
 Cannizzaro reaction 609
 carbamate 504, 505
 carbamic acid 1366
 carbene 1253
 carbenium ion 155
 carbon dioxide 489 ff, 1365, 1372, 1381, 1386 f
 – expansion with 1387
 – symmetric phospholane ligands (DuPhos and BPE) 773
 carbon dioxide hydrogenation
 – alcohol as promoter 492, 495, 506
 – base as promoter 490, 492
 – CO₂ 499
 – formate esters 500 ff
 – formic acid 490 ff
 – to formaldehyde 506
 – to formamides 504 ff
 – to formate esters 507
 – to methane 506
 – to methanol 489, 506
 – to oxalic acid 499 f
 – water as promoter 495, 506
 carbon monoxide, synthesis of 489, 503
 carbonate esters 503
 carbon-halogen bond 514
 – reactivity of 513, 530, 532, 534
 carbon tetrachloride 516, 519, 524, 528 ff, 534 ff
 carbonylation
 – of alcohol 500
 – of amines 504
 CarboPhos 760
 carboxylic acid 413 ff.
 – α,β -unsaturated 1366
 – from alkyl halides and CO₂ 507
 carboxylic acids 650
 – unsaturated 650
 cartridge catalyst 1370, 1373
 catalyst
 – actinide 126 ff, 132 ff
 – activation 389
 – air sensitivity 1402
 – availability 1281
 – η^4 -anthracene 460
 – cationic 379
 – chiral 336
 – chromium 376, 397
 – cobalt 402, 475
 – colloidal 342
 – control 671, 691
 – cost 1281
 – Crabtree 1042
 – deactivation 39
 – development time 1282
 – dihydride 3 f
 – divalent palladium 392
 – DuPhos-Rh 797
 – fluoros 385, 1377 ff, 1380, 1383, 1386
 – heterogeneous 140 ff, 388, 456, 463, 467, 484
 – surface organometallic chemistry 141 ff
 – immobilization 1010
 – immobilized 388
 – iridium, see iridium catalyst
 – iron 377
 – isomerization 384
 – lanthanide 126 ff, 129 ff, 131 ff, 632, 638
 – lanthanocene 131
 – Lindlar 375, 388
 – Meerwein-Ponndorf-Verley-Oppenauer (MPVO) 601, 602, 603, 613
 – metallocene 113
 – monohydride 3, 4, 380
 – nanoparticles 406
 – nickel 1105
 – osmium 382
 – palladium 375, 388, 406
 – cluster 388
 – zerovalent 391
 – performance 1281
 – phospholane 808, 815, 820
 – platinum 86, 406
 – polymer-supported 141
 – recycling of 248, 1377, 1382, 1383, 1384, 1415
 – [Rh₂(OAc)₄] 26

- rhodium, see rhodium catalyst
- ruthenium, see ruthenium catalyst
- ship-in-the bottle (SIB) 1431, 1432, 1433
- Shvo 594, 595, 603, 1217
- silica support 141
- silica-grafted 467 ff
- solid supported, see solid supported catalyst
- substrate complex 260 ff
- supported aqueous-phase (SAPC) 1436
- supported hydrogen-bonded (SHB) 1427, 1429 f
- supported liquid-phase catalyst (SLPC) system 1436
- supported palladium 467
- thermal degradation of 1378
- titanocene catalyst 694, 1063
- transfer hydrogenation, see transfer hydrogenation, catalyst
- biphasic conditions 473
- water-soluble 462, 472 ff, 478
- Wilkinson's catalyst 5, 551
- Wilkinson's type 1378, 1381, 1382
- Ziegler-type 107
- zirconium 395
- catalyst deactivation 1395, 1461
- catalyst inhibition 1483
 - decomposition 1508
 - mechanism 1484
 - of the ligand phrase 1508
 - peroxide 1508
- catalyst poisoning 1238
 - in scCO₂ 1371
- catalyst recovery 236, 574, 1415
- catalyst recycling 233, 480
- catalyst scavenger, fluorous 1386
- catalysts separation, fluorous
 - biphasic 1377
- catalytic cycle 1115
- catalytic reductive coupling 727
- CatASium 759, 779
 - [Ir(PCy₃)(py)(nbd)]⁺: Crabtree's catalyst 639
- cationic ligand, immobilization 1406
- CBD 750
- C-C bond formation 713, 736
- cell, flow-through 274 ff
- C-H activation 113
- chelate twist 1082
- chemical reduction 217
- chemical shift 299
 - ¹H 300
 - ³¹P 300, 301
- chemisorption 1425, 1426, 1427, 447
- chemoselective hydrogenation 389, 1286
 - vinyl epoxides 74
 - α,β -unsaturated compounds 74, 77
- chemoselectivity 414
- chemospecific 6
- chiral alcohols 1230
- chiral amine 1234
- chiral pool 1421
- CHIRAPHOS 750
- chloride impurities 1398
- chlorobenzene 514, 517, 520
- cinchona alkaloids 249
- cinchonidine 249, 250
- cinnamaldehyde 245, 415, 1350
- (E)-cinnamate 1383
- cis*-addition 12
 - *cis*-1,2-aminoindanol 1219
 - *cis* hydrogen addition 456, 474
 - *cis*-1,3-pentadiene 73
 - *cis*-1,4-polyisoprene 570
 - *cis*-3-hexenoic acid 1402
 - *cis* stereospecificity 463 ff
- citronella 246
- cluster 89, 199 ff
 - aggregation 200
 - anionic 202
 - aromatic 207
 - biphasic catalysts 205
 - chiral 201
 - fragmentation 200, 203, 212
 - heteronuclear 209
 - high-nuclearity 212
 - hydrosilylation 211
 - inhomogeneous diene hydrogenation 205
 - ionic liquids 205, 206
 - layer-segregated 209
 - silica-supported 202
 - transfer hydrogenation, α,β -unsaturated ketone 211
- CNRPhos 759
- CO₂, see carbon dioxide
- cod (cyclooctadiene) 36
- cofactor 1471 ff
- colloids 217
 - aqueous colloidal solutions 226
 - suspension 251
 - zerovalent transition-metal colloids 217
- combinatorial 1246 ff, 1382
- complex
 - allyl 73

- cationic rhodium 6
 - 5-coordinate 48
 - dihydride 86, 397
 - dihydrogen 52, 157
 - dinuclear 395, 397
 - divalent 400
 - hydride 87
 - intermediate 367
 - palladium (II) 407
 - platinum (II) 407
 - product catalyst 335
 - rhodium 3
 - cationic 21
 - ruthenium, divalent 401
 - solvento 366
 - unsaturated 48, 366
 - zerovalent 400
 - complexation of acceptor 593
 - compressed CO₂, see supercritical carbon dioxide (scCO₂)
 - concentration gradient 266 ff
 - concentration-time data 263 ff
 - cone angle 54
 - conjugated aromatic alkenes 224
 - consecutive hydrogenation
 - alpha diketones 685
 - bis(dehydroamino acids) 691
 - symmetrical dienes 691
 - continous racemization 612
 - continuous-flow process, using scCO₂ 1368, 1371
 - coordinative attachment 1447
 - copper 435 ff
 - chemoselectivity 425
 - phenyldimethylphosphine-stabilized copper (I) hydrides 425
 - co-solvents, for use with CO₂ 1368
 - counterion 35, 1098
 - p*-cresol 466
 - cresol derivatives 242
 - crotonaldehyde 1350
 - crystal structure analysis 287 ff
 - C_s-symmetry 16
 - cumene 242
 - cyanations 590
 - cyclic homoallyl 643, 673, 679
 - cyclic hydrogenation 395
 - cyclic ketone 248
 - cyclic BETA-keto esters 697
 - cyclic unsaturated alcohols 649
 - 2-cyclohexen-1-one 1383
 - cycloalkanones 1150
 - cycloalkyl halides 520 ff, 525, 530, 534
 - β -cyclodextrin 1335, 1351 f
 - 1,3-cyclohexadiene 73
 - cyclohexanone 247
 - cyclohexene 221 f, 227, 229, 1413
 - cycloisomerization 733, 734
 - 1,3-cyclooctadiene 72, 222, 226, 395 f
 - 1,5-cyclooctadiene 72
 - cyclooctene 221 f, 224
 - cyclopentadiene (cp) 1217
 - cyclopentadienyl 463
- d**
- DAIPEN 1133
 - DBI 506
 - DBPE 95
 - DBU 491
 - DCPE 101
 - DCPP 101
 - DDT 520, 532, 534
 - deactivation 1483
 - η^6 -arene complexes 1502
 - deiodination 520, 524, 526, 533, 536
 - electrochemical 532 ff, 536 ff
 - heterocyclic halides 517 ff, 520 ff, 527, 532 ff
 - heterogeneous 520
 - microwave-enhanced 527
 - phase-transfer 518, 528, 533
 - product forming step of 538
 - regioselective 522, 524, 534
 - stereoselective 518, 531
- 1,9-decadiene 73
- decarbonylation 610
 - degradation 513 ff
 - DeguPHOS 751
 - dehalogenation 527
 - by miscellaneous methods 533 ff
 - chemoselective 518 ff, 525 ff, 532
 - debromination 517, 520 ff, 933
 - dechlorination 519, 524 f, 530
 - defluorination 514 ff
 - deiodination 520, 524, 526, 533, 536
 - electrochemical 532 ff, 536 ff
 - heterocyclic halides 517 ff, 520 ff, 527, 532 ff
 - heterogeneous 520
 - microwave-enhanced 527
 - phase-transfer 518, 528, 533
 - photocatalytic 534
 - product forming step of 538
 - regioselective 522, 524, 534
 - stereoselective 518, 531
 - under carbonylation conditions 533

- dehydroamino acid 638, 883, 1073 ff, 1081, 1087, 1445
 – in sCO₂ 1365
 dehydroamino acid derivatives 754, 756, 918, 1448
 α-dehydroamino acid derivatives 788
 β-dehydroamino acid derivatives 801, 805
 dehydroamino ester 1078, 1080
 dehydrodipeptides 671 f
 α-dehydroamino ester 1088
 dehydrogenation 35, 41
 – alkane 137
 dendrimers 225, 1386, 1453
 density function theory (DFT) 1082, 1095
 Derjaguin-Landau-Verway-Overbeek (DLVO) theory 218
 deuteration 368
 deuterium transfer 588
 Dewar-Chart-Duncanson model 726, 731
 diamine 1105
 diamminophosphine 1036
 diastereoselective hydrogenation 1286
 – dehydrodepsipeptide 673, 679
 diastereoselective 1120
 diastereoselectivity 1122
 diazaphospholidines 1010 ff
 diene 12, 112, 114, 129, 131 f, 136, 375, 395, 397, 1067
 – [HRuCl(CO)(PR₃)₃] 553
 – [(CH₃)₃CH]Al 563
 – [(CH₃(CH₂)₃CH(C₂H₅)CO₂)₂Ni] 555, 563
 – [Ir(COD)L₂]PF₆ 563
 – [Ir(COD)(PMePh₂)₂]PF₆ 563
 – [RhH(PPh₃)₄] 552
 – [RhHCO(PPh₃)₃] 552
 – [RuCl₂(PPh₃)₃] 553
 – [RuCl₂(PPh₃)₄] 553
 – [RuHCl(PPh₃)₃] 552
 – alkylaluminum 556
 – alkylalumoxane 555
 – amine 553
 – based polymers 547
 – bimetallic complexes 554
 – butadiene 73, 1395
 – cobalt or nickelbenzohydroxamic acid 554
 – conjugated 394, 402, 404
 – cyclic 404
 – cyclohexadienes 99
 – 2-ethylhexanoic acid nickel 555
 – metallocene 557 ff
 – nickel acetylacetonate 554 f
 – non-conjugated 394, 402
 – rare earth (Sm) metallocene 558
 – selective 404
 – titanium compounds 556
 diffusion 298, 309
 diffusion control 267 ff
 diffusivity
 – correlation 1526
 – estimation 1526
 – experimental value 1527
 dihydride 49, 1079, 1095
 dihydride complex 1089
 dihydrofuran derivatives 650
 dihydrogen 36, 380
 dihydrogen complex 48, 52, 65, 1084 f
 diketo ester 684
 α,γ-diketoester 1176 ff
 1,3-diketone 1122
 diketone 684
 α-diketone 250
 DIMAP 1086
 3,3-dimethyl-1-butene 241
 dimethylformamide 504 ff
 DIMOP 760
 DIOP 15, 469, 483, 746, 749, 867, 907, 995, 1086, 1450
 DIOP-derived peralkyl ligands 1167
 DIOP modifications 860
 DIPAMP 16, 746, 864, 871, 995 ff, 1075
 diphenylethylendiamine (DPEN) 1219
 diphos 457, 459, 469
 diphosphines 22, 95, 107, 672, 783
 diphosphinite 672, 1105
 diphosphonite 974
 dipole-dipole interaction 1426
 DIPPE 95
 DIPPP 95
 directive hydrogenation 668
 directivity 667 ff
 – amide 653
 – carbamate group 653, 667
 – carboxylate 650
 – ether linkage 649
 – hydroxyl 649
 disproportionation
 – 1,3-cyclohexadiene 468
 – palladium 468
 dissociation 6, 31, 36, 327
 – collision-induced 363
 – reversible 377
 disubstituted benzene 242
 β,β-disubstituted dehydroamino 1092

- divalent 400
- domino-hydroformylation-reduction 436 ff
 - cobalt catalysts 436
 - rhodium catalysts 437
- double hydrogenation 1122
- double enantioselective induction 670
- double bond, migration 87
- double stereodifferentiation 691
- DPAMPP 761
- DPCP 751
- drug candidates 35
- DuanPhos 784, 793, 807, 809, 1184
- DuPHAMIN 784
- DuPHOS 17, 758, 779, 823, 1050, 1052, 1054
- dynamic kinetic resolution 612
 - 2-alkyl- β -keto esters 701
 - α -amido- β -keto ester 698
 - effect of *N*-protecting groups 702
 - β -keto ester 698 f
 - α -substituted β -keto esters 697 f
- dynamic stereomutation 697
- e**
- Eadie-Hofstee 262
- early transition metal 111
- effective hydrogen concentration 270 ff
- electrochemical reduction of CO₂ 499
- electron diffraction (EDX) 220, 227, 234
- electron-rich diphosphines 1077, 1078
- electropositive metals 1397
- electrospray ionization (ESI) 359
 - tandem ESI-MS 359
- electrostatic interaction 672, 676
- elemental analysis 227
- elementary reactions 359
- elementary steps 277
- β -elimination 97
- enamide 756, 1044, 1080, 1401
- enantiomeric excess 15, 249
- enantioselective catalysis 1245 ff
- enantioselective hydrogenation 17, 19, 34, 39, 58 ff, 249, 404, 481, 1029, 1096, 1245 ff, 1386 f
 - activation 1156
 - deactivation 1156
 - of C=C bonds 1287
 - allylic alcohols 1295
 - dehydro α -amino acid derivatives 1287
 - hydro β -amino acid derivatives 1292
 - itaconic acid derivatives 1293
 - miscellaneous C=C systems 1298
 - simple enamides and enol acetate 1293
 - α, β -unsaturated acids 1296
 - of C=O bonds 1302
 - aromatic ketones 1306
 - alkene 1338
 - Josiphos 839
 - Mandyphos 836
 - Taniaphos 842
 - Bppfa 836
 - ferrocene-based ligands 833
 - Ferri Phos 836
 - alternative reduction system 1209
 - catalyst precursor 1490
 - cyclic imines 1202
 - dienes 1491
 - enamines 1206
 - α -functionalized ketones 1302
 - β -functionalized ketones 1304
 - heteraromatic substrates 1202
 - iridium complexes 1210
 - mechanistic aspects 1207
 - miscellaneous C=N-X systems 1204
 - *N*-alkyl imines 1200
 - *N*-aryl imines 1197
 - NMR spectroscopic monitoring 1489
 - rhodium complexes 1211
 - ruthenium complexes 1211
 - substrates 1341
 - titanium complexes 1211
 - of C=N bonds 1309
 - transfer hydrogenation 1215
- enantioselectivity 116, 134 ff, 185, 1105, 1377
 - cyclic imine 123
 - cyclopentadienyl 117
 - enanime 120 f, 124
 - imine 120 ff
 - metallocene 116
- encapsulated homogeneous catalyst 1430
- encapsulation 1425
- energy dispersive spectroscopy 227
- engineering by catalysis 577
- 1,5-enantioselective induction 667
- enol carbamates 1016 ff
- enol ester 1016 ff
- enzyme inhibition 261
- enzyme membrane reactor, electrochemical 1476
- epinephrine 1183
- eprozinol 1183
- equilibrium approximation 259 ff

Eschweiler-Clarke reaction 610
 esters 55, 445 ff
 – dimethyl oxalate 446
 – multidentate ligands 449
 – ruthenium 449
 – unsaturated 872 ff
 esters and carboxyl acids 651
 Et-DuPHOS 1251
 ethene 1415
 ethyl acetoacetate 1410
 ethyl nicotinate 484
 ethyl pyruvate 248, 249, 250
 1-ethyl-3-methylimidazolium ethylsul-
 fate 1390
 exchange processes, intramolecular 277 ff
 exo hydroxyl group 650
 expanded liquids 1362
 extended X-ray absorption fine structure
 (EXAFS) 220, 229
 extinction 275 ff
 extrusion 218

f

FAD 1471
 FMN 1471
 faujasite supercage 1433
 feasibility studies 1284
 FerriPhos 754, 836
 ferrocene 753
 ferrocene-based diphosphines
 – enantioselective hydrogenation 833
 – hydrogenation of C=O function 848
 – hydrogenation of C=N function 848
 – hydrogenation of substituted
 alkenes 848
 – major applications 847
 ferrocene hybrids 756, 760
 ferrocene oxazoline 1033
 ferrocenyl phosphine 76
 – dehydroamino acid derivatives 756
 – itaconates 756
 FerroPhos 754
 FerroTANE 756, 760
 FerroTANE family 813
 fiber-optical probes 274
 five-membered phosphacycles 785
 fixed-bed reactors 1413
 flow rate measurements 265
 fluorinated phosphines 1365, 1370
 – for use in CO₂ 1365
 fluorocarbon 1377
 fluorination 1384
 fluoroketones 1186 ff

fluoroacetophenone 250
 fluorophilicity 1384, 1386
 fluorous 1378
 fluorous biphasic 1377 ff
 fluorophobicity 1384
 formamide 504 ff
 formate complexes 494 ff
 formate esters 500 ff, 507
 formation of M-H bond 538 ff
 formic acid 489 ff, 1225, 1372
 fragmentation 360 ff
 functional group 42
 functional group tolerance 518, 524,
 526 ff
 functionalized ketones 1165 ff
 FUPMOP 757

g

gas effect turbines 1538
 gas hold-up 1537
 gas solubility 265 ff
 global warming 489
 gravimetric microbalance 1393
 gross-activities 283
 gross-kinetics 283
 – measurements 280 ff

h

half-life 263
 haloarene, see aryl halide
 halocarbon 36
 halogen/hydrogen exchange, see dehalo-
 genation
 Hatta number 1530
 HCFC's 519 ff
 H-D exchange 368
 heat of reaction 1522
 heat transfer 1537
 hemilabile 392, 525
 Henbest system 599
 Henry coefficient 1423
 heteroaromatics 470, 1352
 heteroaromatic compounds
 heterobimetallic complexes 201
 N-heterocyclic carbene 36, 182, 531 ff,
 1336
 heterocyclic carbenes 1042, 1253
 heterogeneous catalyst 549, 1422 f
 – acids and anhydride 441
 heterogenization of catalysts 519, 522
 heterolytic activation 714
 heterolytic hydrogenation 61
 heterotopic 50

- 1,5-hexadiene 73
 - 3,4-hexanedione 250
 - 1-hexene 1413
 - 2-hexene 12
 - 1-hexyne 241
 - hex-2-yne 238
 - hex-3-yn-1-ol 239
 - cyclodextrin 230
 - high-throughput analysis 1273
 - high-throughput ¹³C-NMR 1274
 - high-throughput experimentation (HTE) 1246 ff, 1248, 1378
 - combinatorial 1249
 - parallel 1249
 - serial 1248
 - hold-up, liquid 1518
 - homoallyl alcohols 643
 - homolytic hydrogen activation 714, 737
 - H-transfer catalytic 1517
 - hybrid (SLP) system 1437
 - hydride cluster 38
 - hydride complex 1397
 - hydride donor 164, 167 ff
 - hydride transfer 154, 162, 172, 176 ff,
179 ff, 184 ff, 190
 - direct 588
 - kinetic hydricity 179
 - hydride-proton transfer 593
 - mechanism 593
 - (*α*-hydroxyalkyl)acrylate 653
 - hydrogen addition 458, 463 ff
 - biphasic liquid-liquid 227
 - hydroaminomethylation 1366
 - domino isomerization hydroaminomethylation 441
 - fenpiprane 440
 - linear selective hydroaminomethylation of propene 440
 - hydroboration 35
 - hydrofluorocarbons 1368
 - hydroformylation 6, 713, 1372
 - in scCO₂ 1366
 - hydrogen 79
 - adduct 32
 - coordination, solvent-assisted 82
 - ionic liquids 1392
 - oxidative addition 79
 - para 313 ff, 381
 - partial pressure 269 ff
 - pressure drop experiment 1401
 - solubility 269 ff, 1405
 - hydrogen activation 97
 - heterolytic 79
 - hydrogen bond
 - stabilizing transition states 495 f
 - unconventional 498
 - hydrogenase, nickel 93
 - hydrogen bonding 52 169, 697, 1426
 - hydrogen consumption 264 ff
 - hydrogen donor 588, 597 f, 600, 1215, 1224
 - cyclohexene 1229
 - dithionite 1229
 - hydrazine hydrate 1229
 - hydrogen 1229
 - hydrogenphosphite 1229
 - IPA system 1224
 - sodium borohydride 1229
 - sodium cyanoborohydride 1229
 - TEAF system 1225
 - hydrogen transfer 35, 518, 522, 526 ff, 533, 597, 603, 613
 - 1,4-hydrogenation 376, 397 ff
 - hydrogenation curves 280 ff
 - hydrogenolysis 48, 113, 127, 129 ff, 135 ff, 496, 1352
 - of the C-X bond, see dehalogenation
 - thiophenes 471
 - hydrometallation 729, 734
 - hydrosilane 155
 - β*-hydroxy ester 1105
 - hydroxy-directive hydrogenation 653
 - of acyclic homoallyl alcohols 664
 - hydroxyketones 685
 - L-hydroxyproline 1166
 - derived bidentate ligands 1167
- i**
- ibuprofen 1343
 - ICP-ASS (inductively coupled plasma – atomic absorption spectroscopy) 1383
 - ICP-leaching 1382
 - ideal gas law 264
 - imine 20, 35, 41, 49, 111, 131, 189, 413 ff, 635, 754, 1021 ff, 1232, 1352 f, 1411
 - formation of carbamates 1371
 - in IL/scCO₂ 1363
 - two-phase hydrogenation 1352 f
 - iminium 1232
 - iminium compounds 184
 - iminocarbene 1098
 - immersion probes 274
 - immobilization 1394
 - cationic catalyst 469
 - of organometallic catalysts 1363 ff
 - see heterogenization

- technique 1377
- immobilized 1220
- immobilized catalyst 466 ff, 479 ff, 484 ff
- immunoassays 1274
- impeller 1538
- indole 475, 478, 481
- indole, hydrogenation 475, 478
- IndoNOP 761
- induced fitting 676
- induction periods, 280 ff, 1484 f, 1502
 - catalyst precursor 1486
 - diene complex 1487
 - diene ligands 1485, 1488, 1490
 - in-situ technique 1486 f
 - precatalyst 1485 f
 - solvent complex 1486, 1488
 - spectator ligands 1488
 - stabilizing ligand 1485
- inductively coupled plasma atomic absorption spectroscopy (ICP-AAS) 1380, 1382
- industrial applications 1279
 - of chemocatalytic enantioselective processes 1285
 - – critical factor 1285
 - – success factor 1285
- industrial processes, general comments 1284
- inhibition by oxidation 1507
- inhibition by oxygen 1508
- initial rate method 261 ff
- inorganic supports 1424
- in-situ monitoring 264 ff
- instant ligand library 1262
- intellectual property aspects 1316
- interfacial area 266 ff
- intermediate 40, 326, 329, 536 ff
- intramolecular chiral induction 670
- ion, organometallic 365
- ion-exchange complex 1325
- ion-exchange reaction 1398
- ion-exchange resins 1456
- ionic bonding 1455
- ionic catalyst complex 1394
- ionic hydrogenation 153 ff, 497 f
- ionic liquids 233, 243, 506, 1253, 1327, 1363, 1368, 1389 ff, 1438
 - properties 1391
- IR spectroscopy 236, 275 ff
- iridium 31, 483, 1029, 1030, 1042, 1049, 1056, 1066, 1217, 1383
- iridium alkylhydride intermediate 1096

- iridium catalyst 608, 638, 651
 - [Ir(PCy₃)(py)(nbd)]⁺ 633, 639 f, 651, 654 ff, 664, 691
 - aldehyde 414
 - carbene 691
 - transfer hydrogenation 427
- iridium-catalyzed hydrogenation 1014
- iridium complex 599, 1090, 1094 f
 - Vaska's complex 31
- iridium-JM-Phos 1051
- Iridium-xylophos 1411
- irreversible deactivation 1507 ff
 - anion 1507, 1509 f
 - clusters 1509
 - formation of dimers 1509 f
- irreversible inhibition 1484
- isatine derivatives 1172
- isobaric conditions 259 ff
- isomerization 6, 48, 378
 - hydrogen-assisted 390
 - substrate 408
- isopropanol 1224
- isopropoxide 590
- (R,R)-isoproterenol 1184
- isopropylbenzene 242
- isotope effect 1079
- isotopic label 273
- isotopic labeling 364, 367
- itaconic acid 754, 813
- itaconate derivatives 667

j

- JM-Phos 482, 762, 1060
- JosiPhos 754, 816, 1177, 1453

k

- Kephos 779
- ketamine 1231
- ketoamides 1172
- ketoesters 1166
 - *a*-keto esters 249, 1172
 - *β*-keto ester 249, 1105
 - – hydrogenation, with scCO₂ 1370
- ketone 19, 23, 35, 49, 51, 55, 60, 66, 153 ff, 167 f, 170 ff, 174, 183, 193, 229, 297, 367, 413 ff, 426 ff, 437, 635, 874, 1021, 1229, 1344, 1407
 - acetone 171, 177
 - acyclic 248
 - acetophenone 170 ff, 177
 - aliphatic 1147
 - alkyl aryl 1137
 - amino 1141

- aromatic 1137
- benzophenone 156
- copper, chemoselectivity 435
- cyclic aromatic 1139
- cyclohexanone 175
- diaryl 1144
- dysfunctional 119
- heteroaromatic 1144
- mechanism 498
- two-phase hydrogenation 1344
- ketopantoyllactone (KPL) 1166
- β -keto phosphonates 1125
- β -keto sulfonate 1125
- β -keto sulfones 1125
- kinetic 23, 56, 101, 189, 257
- kinetic chemical resolution 691
- kinetic control 267 ff
- kinetic energy 363
- kinetic isotope effect 1084
- kinetic discrimination 573
- kinetic parameters 567, 672
- kinetic resolution 125, 586, 613, 691
 - acrylic acid derivatives 693
 - (*a*-acylaminoethyl)acrylate 692
 - (*a*-carbamoyl)ethyl)acrylate 692
 - cyclic ketones 694
 - disubstituted 1-pyrrolines 694
 - dynamic 1128
 - imine 694, 695
 - keto esters 694
 - ketone 694, 695
 - (*a*-methoxyethyl)acrylates 692
- kinetics
 - 1-octene 105
 - enantio-determining step 23
 - first-order 380, 383, 389
 - isotope effect 188, 190
 - Michaelis-Menten 257 ff
 - rate 105
 - rate-determining step 9
 - second-order 380
- kinetic study 459, 471, 476, 477
- Knudsen diffusion 1433
- Kolbe coupling 775
- $K_R;K_S$ ratio 692

I

- labeling 191
- lanthanide 111
- lanthanide alkoxides 601 f
- lanthanide complexes 1044
- Lanxess Inc. 578
- leaching 1383

- Leuckart-Wallach reaction 610
- (S)-(-)-levamisole 1182
- library 1248 ff
 - amidophosphinite, ketopantoyllactone 1171
 - bidentate phosphines 101 ff
 - chiral bisphosphine
 - water-soluble 473, 1221
- ligand screening large-scale 1311
- limiting case 263 ff
- linear 395
- Lineweaver-Burk 262
- lipophilicity 1385
- liposomes, hydrogenation 1336
- liquid melts 1389 ff
- lithium 1398
- lock-and-key 288

m

- macrocyclic 531 ff
- maleic acid 237
- MalPhos, β -acylaminoacrylate 760
- mandelamides, synthesis 1172 ff
- MandyPhos 754
 - electrospray 361
 - ionization(ESI) 359
 - ionic complex, isotopomers 359
 - mass spectrometry 359 ff
 - m/z ratio 361 ff
 - quadrupole 364
 - tandem ESI-MS 359
 - octopole 363
- ManNOP ligands 171 ff, 1172
- mass transfer 1362, 1397, 1405, 1413, 1435, 1518, 1539
 - Fick's law 1519
 - interfacial area 1519
 - resistance 1423, 1520
- mass transport limitations 1377, 1384
- matched point 670
- Maxwell-Boltzmann statistics 363
- MCCPM 751, 1167
- MCCXM 1177
- MCPM 1177
- mechanism 40 ff, 46, 56, 313, 377 f, 383, 387, 391 ff, 458, 462, 471, 565
 - associative pathway 9
 - deuterium labeling 471, 477
 - experiment 474
 - diastereomer 23
 - dihydride 25, 384, 405
 - dissociative pathway 9
 - β -elimination 7

- β -H elimination 128, 135 ff
 - heterolytic 93
 - hydrogen activation 97
 - hydrolytic 53 ff
 - insertion 112, 135 ff
 - kinetic studies 471, 477
 - metal-ligand bifunctional 1137
 - model 1115
 - monohydride 384
 - oxidative addition 7, 112
 - palladium complexes 572
 - reductive elimination 7, 112
 - rhodium-based catalysts 565
 - ruthenium-based catalysts 568
 - mediator 518 ff, 524, 1475 ff
 - Meerwein-Ponndorf-Verley (MPV) reduction 588, 598, 1215, 1438
 - melting point depression, by compressed CO₂ 1369, 1370
 - membrane separation 1364, 1365
 - menthol 757, 872, 876
 - menthol process 1503
 - MeO-BIPHEP 757, 1251
 - MeO-BIPHEP-Cl 757
 - MeO-NAPhePhos 758
 - mephenoxalone 1182
 - Merrifield resins 1446
 - mesoporous silica 1045
 - metal atom 217
 - metal hydride 48, 153 ff, 158, 161
 - acidity 157, 159
 - bimetallic 186
 - dihydride 159 ff
 - dihydrogen complex 164, 169, 179
 - hydricity 159 ff, 194
 - hydride donors 159
 - hydride transfer 168
 - insertion of CO₂ 492, 494 ff, 506
 - kinetic hydricity 160, 163
 - reaction with alkyl halides 503
 - thermodynamic hydricity 160
 - metallo-aldehyde enolates 720
 - metallocene 1043, 1050, 1066
 - methanol, synthesis of 489 f
 - 4-methoxy-cinamic 237
 - 2-methoxy-4-propylphenol 242
 - methyl acetoacetate 1415
 - methylacrylate 221
 - methylanisole 242
 - 3-methyl-1-pentyne-3-ol 241
 - 2-methyl quinoxaline 483
 - methylstilbene 1032, 1037
 - methyl-trans-cinnamate 1384
 - metolachlor 34, 39, 753
 - (S)-metolachlor 1510
 - N-aryl imines for 1197
 - process 1197
 - methyl glycolate 446
 - methyl trans-cinnamate 237
 - methyl trifluoroacetate 445
 - Michaelis constant (K_M) 260 ff
 - Michaelis-Menten equation 259 ff
 - Michael-type addition mechanism 562
 - microemulsions 237
 - migratory insertion 1092, 1096
 - MiniPhos 747
 - miscibility, liquids 1328
 - mismatched pair 670
 - mixing, gas-liquid
 - MOC-BIMOP 757, 854
 - MOD-BCPM 751
 - MOD-DIOP 749, 751, 875
 - model discrimination 258 ff
 - model, enzyme hydrogenase 76
 - mole fraction 269 ff
 - molecular engineered layer structures (MELS) 1442
 - molecular mechanism 1085
 - monocycle arenes 245
 - monodentate ligand 995 ff, 1259 ff
 - mononuclear 379
 - MonoPhos 763, 996 ff
 - monophosphine CAMP 1086
 - monophosphite 996 ff
 - monophosphonite 996 ff
 - monophosphoramidite 996 ff
 - MorPhos 1007 ff
 - Morita-Baylis-Hillman cyclization 717
 - MPV alkynylation 590
 - mtppms 1328, 1329
 - mtpptps 1328
 - mutation of stereogenic center 701
- n**
- N-aryl imines for 1197
 - N-acylhydrazones 20
 - NAD/H 1471
 - NADP/H 1471
 - Nafion 1457, 1459
 - N-alkylimines 20
 - nanocatalyst 228, 244
 - nanocluster 227
 - nanomaterials 220
 - nanoparticles 217, 1396
 - colloidal 238
 - soluble noble metal nanoparticles 217

- N-acryl- α -dehydroamino acids and esters 1011ff
 - naphthalene 457ff
 - 1-naphthyl Fluoxetine 1186
 - Naproxen 1343
 - N-arylsulfonyl ligands 1219
 - Nasulphos 473
 - NBR (acrylonitrile-butadiene rubber)
 - hydrogenation 571
 - neodymium isopropoxide 600
 - N-heteroaromatics 474
 - nickel 93 ff, 99 ff, 101 ff, 105
 - bridging hydrides 95
 - colloidal 107
 - coordination chemistry 94
 - dihydride 96
 - dinuclear 96
 - hydride bridging 96
 - mononuclear 107
 - nicotinamide 1471
 - regeneration 1471
 - NIMAP, in scCO₂ 1365
 - NIMSP, in scCO₂ 1365
 - Nippon Zeon 578
 - Nisoxetine 1186
 - nitrile 55, 1352
 - two-phase hydrogenation 1352
 - nitrile-butadiene rubber (NBR) 1400
 - nitroaromatics 1352
 - nitrogen 76
 - NMR spectroscopy 102, 201, 229, 231, 236, 297 ff, 315, 1487
 - COSY 297, 302f, 306, 309
 - coupling constant 299ff, 306
 - 2D 299, 300, 302, 306
 - deuterium 403
 - DYPAS 338ff
 - enrichment 319
 - EXSY 299, 303, 305f
 - flow cell 272
 - FT 297
 - ¹H, ¹⁹F heteronuclear Overhauser effect (HOESY) 1511
 - heteronuclear multiple quantum correlation (HMQC) 302ff
 - ¹H-NMR technique 1393
 - high pressure 474, 1373, 1366
 - – experiments 477
 - – in scCO₂ 1366
 - – operando 471, 483
 - hydride 94ff
 - magnetic resonance imaging 353
 - NOESY 303, 306
 - orthohydrogen 322
 - paradeuterium 323
 - parahydrogen 313ff, 319
 - – apparatus 320
 - PASADENA 314, 338
 - PHIP 10, 23, 207, 298, 299, 314ff, 324, 338, 342ff, 381, 389, 401, 403
 - – applications 324
 - – ALTADENA 349
 - – ¹³C 344, 346, 348
 - – ¹⁹F 352
 - – heteronuclei 344ff
 - – ¹⁵N 352
 - – ³¹P 300, 307, 308, 345
 - – procedure 1081
 - – ²⁹Si 345
 - satellites 335
 - probe heads 272
 - ¹⁰³Rh 298, 300, 1498, 1500
 - storage 319
 - technique 1373
 - variable temperature 299
 - N-(α -ketoacyl) α -amino 676
 - N-acyl enamides 1016ff
 - N-acyl- β -dehydroamino acid and esters 1020ff
 - N-heteroaromatics 476
 - N-isopropylacrylamide 225
 - N-ligand 1029, 1030
 - nitrile 568
 - non-linear fit 262ff
 - norbornadiene 73
 - NORPHOS 751, 1172, 1251
 - Noyori's catalyst family 1445
- o**
- octane 227
 - oct-1-ene 221f, 224
 - o-EtO-DPPE 105
 - o-MeO-DPPE 101, 104
 - o-MeO-DPPPP 104
 - Oppenauer oxidation 588, 1215
 - optical resolution 1421
 - orthometalation 591
 - Osborne complex 1394
 - osmium 45, 64 ff, 425
 - alkenyl 382
 - five-coordinate 65
 - oxalic acid, synthesis 499
 - oxazoline 602, 1253
 - oxime
 - two-phase/hydrogenation 1352
 - oxoProNOP 761

p

- palladium 71 ff, 480, 1386
 – catalyst 72
 – arenes 467
 – benzenes 468
 – cluster 74
 – orthometallated 80
 – nanoparticles 1386
 – particles 468
 – Pd(acac)₂ 1395
 – Pd(O) nanoparticles 1386
 – polymer 75
 PAMP 995 ff
 papain 1257
 parahydrogen 313 ff
 parallel reactors
 – Amtec SPR16 1272
 – Argonaut Endeavor 1272
 – Chemspeed Autoplant A100 1272
 – Parr MRS 1272
 – Premex A96 1272
 Parkinson's disease 1073
 partial hydrogenation 225, 245
 – 2-butyne-1,4-diol 239
 – dienes 220
 partial pressure, hydrogen 269 ff
 partition coefficient 1382
 PCB's 515, 521, 523, 532
 PCCPM 1177
 P-chiral 747, 996 ff
 P-chiral compounds, *N*-methyl
 enamides 756
 PCPM 1177
 PennPhos 759, 784
 – cyclic enamide 760
 – enol acetates 760
 1,4-pentadiene 73
 pent-1-ene 1394
 pentamethylcyclopentadiene (cp*) 1217
 pentamethylcyclopentadienyl-rhodium
 (bipyridine) 1476
 peralkyl-phosphine 1166
 perfluoroalkyl 1378 ff, 1380, 1382 ff
 perfluoromethylcyclohexane
 (PFMCH) 1382 ff
 PhanePhos 19, 753, 1077 f, 1081, 1251
 PHANEPHOS 24, 864
 phase behavior 1362
 phase behavior of acid 1365
 PHEMP 870
 phenol 467
 phenylacetylene 239, 241, 383 ff, 385,
 387
 1-phenyl 1-cyclohexene 237
 1-phenyl-1-propyne, semihydrogena-
 tion 391
 1-phenyl 3-propyne 241
 Phenyl-b-Glup 760
 phenylephrine 1182
 phenylglyoxylic derivatives, hydrogena-
 tion 1175
 P-heterocyclic ligands 787
 σ -Ph-HexaMeO-BIPHEP 758
 PHIP 212
 PHIM 762
 polyaromatics 457 ff
 porphyrin complexes 530
 phosphetanes 810
 phosphinamine 1091
 phosphinane 810
 phosphine 6, 36, 72, 77, 84, 87, 95, 327,
 377, 458, 463, 470, 475, 1105, 1328
 phosphines 10, 72, 1378 ff, 1380, 1381,
 1382
 – (S,S)-BDPPTS 1273
 – (S,S)-BPPM 19
 – 2,3-bis-dipenylphosphinoburane 1273
 – aminomethylphosphines 1260
 – chiral 14, 16, 1379, 1386
 – diphosphines, electron rich 24
 – fluorous 1378 ff, 1382
 – monodentate 15, 997 ff
 – solubility 1329
 – surfactant 1343
 – Walphos 1267
 – water-soluble 1329
 phosphine oxide, secondary 1010 ff
 – aminophosphine 918
 phosphinite 983
 – amino alcohol 1169 ff
 – fluorous 1378 ff
 phosphinocarbene 1091
 phosphino-imidazoline 1038
 phosphino-oxazoline (PHOX) 1030 ff,
 1051 ff, 1066
 – alkenes 762
 phosphite, fluorous 1378 ff
 phosphites 762, 983, 1086, 1263 ff
 – monodentate 1000
 – solubility in scCO₂ 1366
 phospholane 783, 808, 815, 820, 1076
 phosphonites 1263 ff
 – fluorous 1378 ff
 – mixed-alkyl-aryl or alkyl-alkyl 1169
 – monodentate 1000 ff
 phosphonium ion 1410

- phosphoramidites 918, 1259ff, 1260
 - monodentate 1005ff
 - MonoPhos 1267
 - NMR studies 1270
 - polymer-supported 1009
 - solubility in scCO_2 1366
 - phosphorous ligand 1029f, 1378, 1386
 - phthalic anhydrides 442
 - PYRPHOS 864ff
 - physisorption 1425, 1426, 1427
 - pilot process 1284
 - PipPhos 1007ff, 1261
 - platinum (Pt) 71ff, 84, 1383
 - arene 456
 - complexes, Tin 84
 - P,N ligands 1049, 1057, 1253
 - PNNP 761
 - polybutadiene (PBD) 1400
 - polychloroalkanes 520, 524, 526, 533
 - polychlorobenzenes 518, 520ff, 527, 531ff
 - poly(ethyleneglycol) (PEG) 1363, 1369
 - POLYDIPHOS 480
 - polyenes, soybean oil 72
 - polyfluorinated arenes 518, 524, 528, 533ff
 - polymers 1336, 1400f
 - polyoxoanions 244
 - pore diffusion limitation 1430
 - powder X-ray diffraction (XRD) 220
 - power input 1537
 - P-P bond formation 776
 - PPCP 751
 - PPFA 753
 - P-Phos 757, 872
 - PPPM
 - D-amino acids 751
 - itaconic acid derivates 751
 - ⁱPr-BeePhos 747
 - precatalyst 284
 - pre-equilibria 277ff
 - Pregabalin 1498
 - prenal 1350
 - pressure 73, 1057
 - pressure effects 1051
 - on enantioselectivity 1373
 - primary phosphines 779
 - process for
 - aspartame (Enichem/Anic, Degussa) 1289
 - Biotin intermediate (LONZA) 1299
 - L-Dopa (Monsanto, VEB Isis-Chemie) 1288
 - (+) methyl *cis*-dihydrojasmonate (Firmenich) 1299
 - (R)-pantolactone 1304
 - penem intermediate (Takasago) 1305
 - Tipranavir intermediate (Chirotech) 1300
 - prochiral heteroaromatics 481
 - prochiral substances 249
 - production of fine chemicals 1245
 - production process 1284
 - product-proportional concentration 264ff
 - (S)-Propranolol 1182
 - propene 1415
 - PROPHOS 750
 - porphyrine 1271
 - protective agent see stabilizer
 - proton donor 157, 167ff
 - proton transfer 154, 165ff, 180, 190
 - π - π -stacking 1426
 - P-S chelate 1089
 - pta 1329ff
 - pyrene 466, 1398
 - pyridine 474, 481
 - pyrone 638
 - PYRPHOS 751, 762
- q**
- quadrant model 775
 - quadrant rule 1082, 1083, 1090
 - QuinaPhos 762, 919
 - quinine 1044
 - quinoline 474, 1033, 1354
 - two-phase hydrogenation 1354
- r**
- racemization 612
 - keto esters 697
 - rate 40
 - rate-determining step 1483
 - rate constant 333, 338, 1490
 - observed (k_{obs}) 263ff
 - reaction mechanism 258ff
 - activation of dihydrogen 324
 - CIDNP 318
 - PHIP 318
 - reaction probability 364
 - reaction progress kinetic analysis 261
 - reaction rate 40, 1413, 1483
 - effect of phase behavior 1370
 - influence of phase behavior 1363
 - measurements 264
 - reactor technology 577
 - reactor
 - batch 1533
 - Biazzi 1537
 - continous stirred tank (CSTR) 1533

- Davy Process Technology 1537
- DeDietrich 1537
- industrial 1536
- membranes 1541
- micro-structured reactor 1541
- monolithic 1541
- plug flow reactor 1533
- stirred tank 1533
- recovery of catalysts, see recycling
- recycling 227, 236, 251, 518ff, 524, 1363 ff
- recycling process 243, 248
- reducing agent 513, 516ff, 534ff
 - complex metal hydrides 520ff, 531, 539
 - cysteine 530, 535
 - dithiothreitol 530
 - hydrogen donors other than hydrides 526ff
 - alcoholates 526, 539
 - cyclic amines 526
 - formates 526ff, 539
 - metal alkyls 521, 526, 528, 539
 - hydrosilanes 524ff, 538
 - hydrostannanes 524ff, 539
 - molecular hydrogen 517ff, 538
 - simple metal hydrides 520 ff, 539
 - sulfides 530, 535
 - Ti(III) citrate 530, 533
 - zero-valent metals 530ff, 533
- reductive acetylation of ketones 610
- reductive aldol coupling 714, 721
- reductive aldol cyclization 719
- reductive aldolization 716
- reductive animation 1202
 - of ketones and aldehydes
 - enamine 438
 - imine 438
 - carbinolamine 438
 - aqueous ammonia 439
- reductive coupling 725, 726, 732
 - catalytic 727
- reductive cyclization 733
- regioselection 727
- regression analysis, least-squares 280
- (-)-reserpine 603, 608
- retroaldolization 717
- reversible inhibition 1484, 1499
 - acetonitrile 1502
 - acids 1505
 - aldehydes 1504
 - allyl alcohol 1505
 - aromatic solvents 1500f
 - bases 1505
 - benzylamine 1504
 - carbon monoxide (CO) 1504
 - CO-complexes 1505
 - compounds containing heteroatoms 1503
 - DMF 1502
 - DMSO 1503
 - ethers 1502
 - malonate esters 1502
 - MeNO₂ 1502
 - pH-value 1505
 - primary amines 1504
 - sulfur compounds 1503
 - toluene 1501
 - triethylamine 1503
 - water 1503
- rhenium complex 756
- rhodacarborane 1407
- rhodium 364ff, 641, 647, 651, 655, 662, 731ff, 774, 1044, 1045, 1049, 1165, 1217, 1378, 1381, 1382, 1383, 1385
 - as grafted catalyst 468, 480
 - hydrogenation, of arenes 456
 - hydrogenation of benzenes 468
 - Rh-BINAP, asymmetric isomerizations 756
 - ¹⁰³Rh(¹H)HMQC NMR 1502
 - Rh-MeDuPhos 1402
- rhodium catalyst 3, 384ff, 386ff, 402, 428ff, 638
 - [Rh((-)-(diop)]⁺ 673
 - [Rh((-)-binap)]⁺ 665, 670
 - [Rh((-)-bppm)]⁺ 675
 - [Rh((-)-diop)]⁺ 675, 679
 - [Rh((+)-binap)]⁺ 665, 670
 - [Rh((+)-bppm)]⁺ 674, 679
 - [Rh((+)-diop)]⁺ 673
 - [Rh(-)-((R,R)-dipamp)]⁺ 673
 - [Rh(+)-(R,R)-diop]⁺ 677
 - [Rh(C₅Me₅)Cl₂]₂ 26
 - [Rh(chiraphos)]⁺ 668
 - [RhCl((-)-Cydiop)] 679
 - [RhCl((+)-Cydiop)] 679
 - [RhCl(PPh₃)₃] 5, 8, 639, 641, 647, 652, 661, 670, 679
 - [RhCl((S)-Cy,Cy-oxoProNOP)] 686
 - [RhCl((S)-MeO-BIPHEP)] 686
 - [RhCl((S,S)-Cy-POP-AE)] 679
 - [Rh(cod)((S,S)-Et-Duphos)]⁺ 678
 - [Rh(cod)((S,S)-Me-Duphos)]⁺ 677f
 - [Rh(cod)((R,R)-chiraphos)]⁺ 678
 - [Rh(cod)((R,R)-dipamp)]⁺ 678

- [Rh(DIOXOP)]⁺ 674
- [Rh(dipamp)]⁺ 692
- [Rh(diphos-2)]⁺ 662, 668
- [Rh(diphos-3)]⁺ 675
- [Rh(diphos-4)(cod)]⁺ 640, 651, 655 ff, 668
- [Rh(diphos-4)(nbd)]⁺ 649, 653
- [Rh(diphos-4)]⁺ 633 f, 662, 673 f
- [Rh(DPP-AE)]⁺ 674 f
- [RhH(CO)(PPh₃)₃] 5, 551, 552
- [Rh(nbd)((R,R)-dipamp)]⁺ 693
- [Rh(nbd)(diphos-4)]⁺ 649
- [Rh(OAc)₂((R)-binap)] 656
- [Rh(OAc)₂((S)-binap)] 656
- [Rh(Ph-CAPP)]⁺ 661, 674
- [Rh((R)-binap)]⁺ 668
- [Rh((R)-phanephos)]⁺ 664
- [Rh((R,R)-dimap)]⁺ 658
- [Rh((R,R)-dipamp)]⁺ 661, 674, 676 f
- [Rh((R,R)-Et-Duphos)]⁺ 634, 664, 673 f
- [Rh((R,R)-Me-Duphos)]⁺ 633, 664, 686
- [Rh((R,R)-Pr-Duphos)]⁺ 633 f
- [Rh((S)-Pindophos)]⁺ 674
- [Rh((S)-skewphos)]⁺ 668
- [Rh((S,S)-bppm)]⁺ 677, 686
- [Rh((S,S)-chiraphos)]⁺ 674
- [Rh((S,S)-Cy-POP-AE)]⁺ 679
- [Rh(S,S)-dipamp]⁺ 661
- [Rh((S,S)-Et-Duphos)]⁺ 664, 673 f
- [Rh((S,S)-Me-Duphos)]⁺ 655
- [Rh((S,S)-MeO-POP-AE)]⁺ 672, 674 f
- [Rh((S,S)-POP-AE)]⁺ 675
- [RhCl(diphos-3)]Cl 636
- [RhCl((S)-bdpp)]Cl 636
- [RhCl((S,S)-bdpp)]Cl 637, 695
- addition of triethylamine 428
- aldehydes hydrogenation 417
- asymmetric 14
- cationic 21
- cinnamaldehyde 417
- decarbonylation 417
- dihydride 24
- dinuclear 26
- immobilized 419
- precursor, Rh(TFA) 1169
- Rhodium-diene 12, 17
- transfer hydrogenation 419
- water-soluble 419, 430
- Wilkinson's catalyst 649, 650
- zerovalent 400
- rhodium(dihydride) 405
- rhodium(I) complexes 714, 1074
- rhodium-catalyzed 174, 731, 774, 779
- mechanism 21
- rhodium-ferrocenyl-diphosphine 1406
- Rh-Propraphos 884
- RoPhos 759
- ruthenacycles 1256
- ruthenium 45 ff, 49, 53 ff, 56 ff, 60, 405, 1023, 1049 ff, 1069, 1105, 1217, 1386
- BINAP 815, 1098, 1415
- hydrogenation of arenes 456
- hydrogenation of N-heterocycles 478
- monohydride 380
- phosphines 380
- Ru(η^6 -p-cymene)(η^2 -triphos)Cl [PF₆] 1399
- synthesis 50
- ruthenium catalyst 378, 400, 420, 422, 431, 461, 475, 638
- [Ru(allyl)₂((R)-binap)] 700
- [Ru(allyl)₂((S)-binap)] 700
- [RuBr₂((-)-chiraphos)] 703
- [RuBr₂(diphos-4)] 681
- [Rh(Br-Ph-CAPP)] 673
- [RuBr₂(PPh₃)₃] 681
- [RuBr₂((R)-binap)] 699, 703 f
- [RuBr((R)-binap(benzene))]Br 704
- [RuBr₂((R)-binap)1/2NEt₃] 682 ff
- [RuBr₂((R)-MeO-BIPHEP)] 661, 681, 686, 699, 703, 705
- [RuBr₂((R)-synphos)] 705
- [RuBr₂((R,R)-Meduphos)] 689
- [RuBr₂((S)-binap)] 682 ff, 685
- [RuBr₂((S)-binap)1/2NEt₃] 682 ff
- [RuBr₂((S)-MeO-BIPHEP)] 681, 685 ff, 690, 699, 705
- [RuBr₂((S)-synphos)] 703, 705
- [RuBr₂((S)-tol-binap)] 684
- [Ru₂(CO)₄(OAc)₂(PPh₃)₂] 633
- [RuCl(C₆H₆)((R)-binap)]Cl 699
- [RuCl₂((R)-binap)]₂NEt₃ 686, 704
- [RuCl((R)-3,5-di-*t*-Bu-binap)(p-cymene)] 704
- [RuCl₂(P(C₆H₄-p-Me)₃)₃-EN-KOH] 637
- [RuCl₂(P(C₆H₄-p-OMe)₃)₃-EN-KOH] 637
- [RuCl₂(PPh)₃-EN-KOH] 635
- [RuCl₂(PPh₃)((S)-BIPHEP)] 689
- [RuCl₂(PPh₃)₃] 686, 1395
- [Ru₂Cl₂((R)-binap)] 685, 689
- [RuCl₂((R)-binap) Et₂NH] 682
- [RuCl₂((R)-binap)_m-((S,S)-DPEN-KOH)] 706
- [RuCl₂((R)-tol-binap)(dmf)_m-((S,S)-DPEN-^tBuOK)] 706
- [RuCl₂((R)-tol-binap)(dmf)_m-((R,R)-DPEN-^tBuOK)] 706
- [RuCl₄((R)-binap)₂(NEt₃)] 687

- [RuCl₄((R)-binap)₂(NEt₃)] 685
 - [RuCl₂((S)-binap)] 689, 695
 - [RuCl₂((S)-binap)(dmf)_m] 703
 - [RuCl₂((S)-binap)(dmf)_m-(R,R)-DPEN-KOH] 636, 706
 - [RuCl₂((S)-binap Et₂NH)] 682
 - [RuCl₂((S)-binap)₂NEt₃] 1403
 - [Ru₂Cl₄((R)-binap)₂(NEt₃)] 689
 - [Ru₂Cl₄((S)-binap)₂(NEt₃)] 687
 - [Ru(OAc)₂((R)-binap)] 692
 - [Ru(OAc)₂((S)-binap)] 692
 - [Ru(OAc)₂((R)-tol-binap)] 661
 - [Ru(OAc)₂((S)-tol-binap)] 661
 - [Ru(OAc)₂((S)-3,5-xylil-BIPHEP)] 634
 - [Ru(O₂CCF₃)₂((R)-binap)] 703
 - [Ru((R)-MeO-BIPHEP)Br₂] 702
 - [Ru((Ru)-MeO-BIPHEP)] 700
 - [Ru((S)-AMPP)(methallyl)₂] 688
 - [Ru((S)-AMPP)(TFA)₂] 688
 - [Ru((S)-AMPP)(R)-MTPA]₂] 688
 - [Ru((S)-binap)] 700
 - [RuCl((S)-binap)(*p*-cymene)]Cl 686
 - [RuCl₂(S)-binap](dmf)_n 704, 705
 - [RuCl₂((S)-binap)]₂(NEt₃)-(S,S)-DPEN-KOH 706
 - [Ru(S)-C₃-Tunephos] 705
 - [Ru((S)-MeO-BIPHEP)] 700
 - [Ru((S)-MeO-BIPHEP)Br₂] 702
 - [RuCl₂((S)-3,5-xylil-binap)]₂(NEt₃)-(S,S)-DPEN-KOH 706
 - [Ru(TFA)₂((R)-MeO-BIPHEP)] 687
 - [Ru(TFA)₂(PPh₃)₂] 668
 - [Ru(TFA)₂((R)-tol-binap)] 687
 - aldehydes 420
 - chemoselectivity 422
 - diamine-modified 433
 - phosphines 431 ff
 - unsaturated ketone 433
 - ruthenium complexes, 16 electron 593
- S**
- (R)-Salbutamol 1183
 - samarium 1050
 - scale-up 1236
 - SegPhos 758, 872
 - selective hydrogenation 391, 394
 - selective, see chemoselective
 - selectivity 41
 - solvent 400
 - stereo- and chemo- 389
 - self-assembly 1271
 - separation
 - fluorous biphasic 1377, 1386, 1387
 - S-heteroaromatics 470
 - silica, fluorous 1381, 1386
 - SiPhos 763, 996 ff
 - SkewPHOS 751
 - skimmer potential 361
 - SK-Phos 867
 - enamides 749
 - MOM protected β hydroxy amide 749
 - smectite clays 1455
 - sol-gel method 1441
 - sol-gel polymerization 1434
 - solid polymers 1424
 - solid-phase synthesis 1258 ff
 - solid-supported catalyst
 - supercritical carbon dioxide (scCO₂) 1365
 - solubility 1522
 - correlation 1523
 - gas 1328
 - Henry's coefficient 1520, 1523
 - Henry's law 1520
 - hydrogen 1523
 - in water 1328
 - organometallic catalyst in scCO₂ 1365
 - temperature 1523
 - solvent 35, 361, 365 f
 - complex 277 ff
 - coordinating 32, 384
 - dissociation 31
 - effects 360, 491 ff
 - evaporation enthalpy 271
 - fluorous 1378, 1381, 1383, 1384
 - - biphasic 1382, 1384
 - free 181 ff, 187
 - non-coordinating 33
 - recycling 576
 - weakly-coordinating 42
 - sorbic acid 1334, 1402
 - spacer 1378, 1383
 - stabilization 218, 219
 - biomaterial as a protective material 232
 - coulombic repulsion 218
 - electrostatic 218
 - electrosteric 219
 - surfactants 242
 - osmotic repulsion 219
 - steric 218, 219
 - supercritical microemulsions 236
 - with solvents 220
 - with traditional ligands 220
 - stabilizer 217 f, 228, 251
 - cellulose derivatives 219

- chitosan 223
 - cyclodextrin 219
 - dendrimers 225
 - non-usual polymers 221
 - oligomer 219
 - polymer 219, 220
 - polyoxoanions 227
 - surfactants 226
 - thiolated β -cyclodextrin 229
 - stationary conditions 283
 - steady-state approach 259 ff
 - stereochemistry 34, 46
 - stereocontrolled, see stereoselective
 - stereoselective 375, 382, 388
 - stirring speed 267 ff
 - stoichiometric 190
 - styrene 229
 - styrene hydration, in scCO_2 1370
 - styrene-butadiene polymer 568
 - styrene-butadiene rubber (SBR) 1400
 - styrene-butadiene-styrene polymer 568
 - substrate and product inhibition 1484, 1494 ff
 - allyl alcohol 1494
 - amines 1497
 - biphasic conditions 1497
 - cinnamyl alcohol 1496
 - dihydro-isoquinolines 1494
 - enamide amides 1497
 - isopropanol 1499
 - ketoesters 1495
 - nitrile 1498
 - pyridine 1498
 - substrate atalyst ratio (SCR) 1246 ff
 - substrate-control 670, 685, 691
 - substrate-directive hydrogenation
 - keto-compounds 681
 - β -keto ester derivatives 681
 - substrate-metal complex 667
 - succinic anhydride 442
 - sulfinyl imine 1044
 - sulphonated phosphines 527, 1328
 - sulphos 457, 478 ff
 - supercritical carbon dioxide (scCO_2) 234, 236 f, 491, 800, 1361, 1366, 1378, 1412
 - as adjustable-solvent 1364
 - as anti-solvent 1364, 1370
 - as co-solvent 1364
 - as temporary protecting group 1366
 - industrial application 1361
 - supercritical fluids 236, 245, 1327, 1335
 - supported aqueous-phase catalyst (SAPC) 1436
 - supported catalysts 140
 - supported hydrogen-bonded (SHB) catalyst 467, 1427, 1429, 1430
 - supported ionic liquid phase (SLIP) 1413
 - supported liquid-phase catalyst (SLPC) system 1436
 - supramolecular, Supraphos 1270
 - surface organometallic 469
 - 1,2-syn 376
 - syn-diastereoselectivity 697
 - SynPhos 758
 - syn-selectivity 698
 - synthesis 42
 - systems 472
- t**
- tag, fluorous 1377 ff
 - tail, perfluoroalkyl 1381
 - tandem enantiomeric hydrogenation, didehydrodipeptides 677
 - tandem catalyst 796
 - TangPhos 784, 793, 806, 807
 - unsymmetrical 747
 - dehydroamino acid derivatives 754
 - TaniaPhos, enol acetate 754
 - tantalum
 - hydrogenation of benzene 464
 - hydrogenation of naphthalene 464
 - task-specific ionic liquid 1410
 - TCSM 466, 479
 - TEAF 1225
 - technical-scale applications 1280
 - equipment 1283
 - process development 1283
 - tethered single-site catalysts 457 ff
 - tetraalkoxyaluminates 1057
 - Tetra-BITIANP 758
 - tetralin 466
 - TetraMe-BITIOIP 758
 - tetraphenylborate, fluorous 1385
 - TGA 228
 - theory, density functional 389
 - thermalization 363
 - thermodynamic conditions 273 ff
 - thiobenzolhydrazone 78
 - thiophene 470 ff, 479
 - thiosemicarbazone 78
 - tiglic acids 1405
 - time-to-market 1245
 - Tishchenko reaction 609

Tishchenko-type processes 721
 titanocene 696, 1044, 1050, 1056
 TolBINAP 757
 Tol-P-Phos 758
 Tomoxetine 1186
 T-Phos 867
 total pressure 269 ff
 transfer 175, 585, 595, 599, 1215, 1255 ff,
 1274, 1275, 1410
 transfer hydrogenation 175, 427, 585, 595,
 599, 1215, 1255 ff, 1274, 1275, 1410
 transfer hydrogenation catalyst 585, 603,
 612
 – enantioselective 63
 – in scCO_2 1372
 – mechanism 63
 transfer mechanism, direct 587
 transfer, pair-wise 381
 transition metal alkoxide 591
 transition metal (carbonyl)clusters 1396
 transition state 1116
 transmission electronic microscopy
 (TEM) 220 f, 227 f, 231, 234 ff, 242, 245 f
 – high resolution 247
 transport phenomena 265 ff
 trans-1,3-pentadiene 73
 trans-stilbene 237
 TRAP
 – dehydroamino ester 755
 – indoles 755
 trichickenfootphos
 – dehydroamino acids 747
 – enamides 747
 – α,β -unsaturated nitrile 747
 triene 136, 1067
 – 1,5,9-cyclododecatriene 86
 triethyl silane 155 ff
 triethylamine 1225
 triflic acid 155
 trifluoroacetate 155
 trifluoroacetic acid 155
 trimethylindolenine 1411
 trimethylsilane-substituted 1409
 triphenylphosphine monosulfonate 472
 triphenylphosphine trisulfonate 472
 triphos 457 ff, 470 ff, 475 ff, 477
 TunaPhos 758
 TunePhos 870, 871
 turbines 1538
 two-phase hydrogenation 1354
 two-phase, see two-phase hydrogenation

u

UCAPs 760
 Ugi amine 753
 UlluPHOS 779, 789, 819
 unfunctionalized olefins 1049
 unsaturated acids and esters 1014
 unsaturated alcohols 229
 α,β -unsaturated aldehydes, in scCO_2 1365
 α,β -unsaturated carbonyl substrates 754
 α,β -unsaturated carboxylic acid derivatives,
 in scCO_2 1366
 α,β -unsaturated carboxylic ester 1037
 β,γ -unsaturated esters 650
 unsaturated route 12
 UV-visible spectroscopy 220, 227 f, 231,
 237

v

Van der Waals forces 1426
 Van Krevelen and Hoftijzer 1532
 vapor pressure 265 ff, 270 ff
 variable pressure 307, 308
 variable temperature 307
 variables of reaction 1247
 vinyl acetate 227
 vinyl epoxides 74
 vinyl halides 525, 530, 538
 virial coefficients 265
 vitamin B12 528 ff
 vitamin E 1068
 volatile organic chemicals (VOC) 1361,
 1368

w

WalPhos,
 – dehydroamino acid derivatives 755
 – itaconic acid derivatives 755
 – α,β -unsaturated carboxylic acids 755
 water gas shift (WGS) reaction 1371
 water
 – as promoter 492, 506
 – as reaction solvent, 490 f
 water-soluble 10
 wet-ionic liquid 1406
 wide angle X-ray scattering 222
 Wilkinson catalyst 586, 590, 591, 714, 731,
 1073, 1079, 1444
 – in CO_2 1370
 – silica support 1371
 – solubility in scCO_2 1366

x

X-ray photoelectron spectroscopy
(XPS) 220, 229, 234, 246
XRD 227, 228, 234, 245
Xyl-BDPAB 761
Xyl-BINAP 757
Xyl-PHANEPHOS 753
Xyl-P-Phos 758

z

zeolites 1430, 1431, 1432
– NaA 609
 β -zeolites 1427
Zimmerman-Traxler-type transition
state 716
zinc 1398
zirconium (IV) isopropoxide 611