
Index

- α -amylase 150, 192
 α -lactalbumin 210
acceptability *see* consumer acceptability
acid gels 242, 271
acidity 174
actomyosin 119
ad libitum meals 288–92, 295, 299
adenosine 5'-monophosphate (AMP) 167
adsorption theory of mucoadhesion 153, 238
affective attitudinal measures 255–7
affordability 10
AFM *see* atomic force microscopy
agar gels 192–3
agglomeration 201
aggregated particles 20–1
aggregation of proteins 12–14, 15, 20
air-filled emulsions 98–9
air–water partition coefficients 176–7, 180, 186
alginate
 designed food structures 63, 70, 72, 75–6
 formulations engineered for GI tract properties 236, 238–9, 242, 246
 gelling in the stomach 297–8
 weight management 294, 297–8
alginates 44–5
allergens 34, 35
allergies 137
amino acids 2, 11–12, 21
AMP *see* adenosine 5'-monophosphate
amylases 150, 192, 203, 240–1, 244–5
anisotropic gel structures 69–73, 75, 101
anti-nutritional factors 22–3
APCI-MS *see* atmospheric pressure chemical ionisation mass spectrometry
appetite 1
 appetite control system 283–7
 biomarkers of 284–6
 expression of 283–5
 fats and emulsion 300
 food structure 293–8
 gelling in the stomach 297–8, 301
 hydrocolloid-based delivery systems 241–2
 ingredients and appetite control 287–93
 ingredients and encapsulation 299–300
 laboratory measures 287–9
 macronutrients 7, 289–92
 novel ingredients 292–3
 viscosity 294–7
aroma molecules 5
 consumer acceptability 258
 design structures for controlled flavour/texture 156
 flavour perception 174–95
 protein-based designs 18
 salt content 167
artificial sweeteners 156
assimilation–contrast models 263
assimilation models 263
atmospheric pressure chemical ionisation mass spectrometry (APCI-MS) 144–5
atomic force microscopy (AFM) 211
 β -glucans 3, 52–3, 294–5
 β -hydroxybutyrate 31

- β -lactoglobulin 209–10, 213–14, 219–20, 245
- baked goods 125–8
- Beef as part of an Optimal Lean Diet (BOLD) 27
- bicontinuous microstructure 62, 64
- bifidobacteria 240
- bile acids 244–6, 248
- bile salts 202, 213, 218–22, 226
- bioactive peptides 35
- bioavailability 1
- consumer acceptability 273
 - design structures for controlled flavour/texture 137
 - emulsions 84
 - hydrocolloid-based delivery systems 236–39
 - lipid digestion 198
- biosurfactants 218
- bitterness 142–3, 163–4, 167
- body mass index (BMI) 282, 297
- boiled sweets 131
- BOLD *see* Beef as part of an Optimal Lean Diet
- boundary regimes 146–7
- breakfast consumption 29–30, 36
- breaking stress/strain 110, 119–20, 122–3, 129, 131
- brittle composites 127
- bubble dispersions 98–9
- butter 130
- calcium glutamate (CDG) 167
- caloric value 83
- cancer 26, 246, 248
- carbohydrate
- lipid digestion 204–5
 - protein-based designs 20–1, 29, 31–3, 35
 - weight management 289–91, 299–300
- carboxymethyl cellulose (CMC) 181
- cardiovascular disease 26, 247
- carrageenans 70–1, 73, 131
- casein 32
- catabolic enzymes 119
- CCK *see* cholecystokinin
- CDG *see* calcium glutamate
- cellulose crystallinity 47
- central nervous system (CNS) 143, 284, 286–7
- cheeses 129, 167
- chewing
- consumer acceptability 258
 - design structures for controlled flavour/texture 141, 155
 - oral processing 107–11, 113–16, 118–20, 124–7, 132
- chewing gum 184
- chitosan 220, 237, 239–40, 246
- chocolate 131–2, 155–6, 264, 268–9
- cholecystokinin (CCK) 7
- consumer acceptability 267
 - lipid digestion 203–7, 221, 225
 - protein-based designs 31
 - weight management 284–6, 289–93, 295–6, 300
- cholesterol
- hydrocolloid-based delivery systems 247
 - hydrocolloids 6
 - plant cell-wall materials 53
 - protein-based designs 25
- CMC *see* carboxymethyl cellulose
- CNS *see* central nervous system
- co-lipase 218–20
- coacervation 190
- coalesced droplet formation 201–2, 222–4
- coffee 187–8
- cognitive dissonance theory 263
- cognitive factors 262–5
- colloidal structures
- foams 10, 17, 19, 50, 126–8, 201
 - lipid digestion 6, 196–232
 - plant cell-wall materials 50, 52
 - protein-based designs 10–11, 15–19
 - sols 16, 19
 - see also* emulsions; gels; hydrocolloids
- colorectal cancer 246, 248
- colour perception 264–5
- complimentary proteins 21, 36
- conditioning 119
- confectionary 130–2
- confocal microscopy 216–17, 223
- connective tissue 118–19

- consumer acceptability 7, 253–80
 cognition, prior experience and expectations 262–5
 current trends 265–74
 definition and characteristics 254–5
 factors affecting acceptability 258–65
 factors influencing choice, purchase and consumption 254–5
 fat reduction 264, 265–70
 food industry context 253–4
 functional and personalised foods 272–4
 measuring consumer acceptability 255–8
 microstructure approach 254
 salt reduction 270–1
 self-structuring and satiety 271–2, 275
 sensory perception 258–60, 264
 situation and environment 260–2
- contact angles 85–7
- contrast models 263
- controlled flavour/texture 136–62
 food industry requirements 136–9
 in-mouth food processing 140–2
 instrumental methods and mouth simulators 145–9
 interactions of foods with oral surfaces 149–55
 microstructure 136, 155–6
 monitoring of oral processing 144–5
 oral processing 139–57
 sensory feedback during oral processing 143
- controlled release emulsions 83, 96
- cooking processes 119–21, 123–4
see also Maillard browning
- cost–benefit analysis 273–4
- covalent modification of proteins 14
- creaminess 130, 136–7, 141–2, 266–8
- creams 129–30
- crispness 127–8
- cross-flow membrane emulsification 95–6
- crosslinking 153, 155, 190–1, 216
- cross-modal summation 259
- crunchiness 127
- crushing 131
- crystalline monoglycerides 3
- dairy products
 lipid digestion 199, 201
 oral processing 129–30
 protein-based designs 15–16, 32
 salt content 167
- DASH *see* Dietary Approaches to Stop Hypertension
- delivery systems 1
 droplets 185–7
 drug delivery 236–39
 emulsions 84, 93
 encapsulation 185, 187–93
 flavour perception 178–93
 hydrocolloids 6, 59, 233–53
 layered flavour 184
 living cells 239–40
 polymeric entrapment of flavours 188–91
 pre-formed structures 187–8
 protein-based designs 35
 salt content 168–71
 tailored encapsulants for *in vivo* release 191–3
- denaturation of proteins 12–14, 15, 20
- dextran 63, 213–14, 245
- diabetes mellitus 25, 26
- Dietary Approaches to Stop Hypertension (DASH) 27
- dietary fibre 2
 hydrocolloid-based delivery systems 242, 244, 247–8
 weight management 289–92, 301–2
- diffusion/interlocking theory of mucoadhesion 238
- digestibility 22–3
- dilational interfacial rheology 211
- disinhibition 282
- droplet dispersal systems 185–7
- droplet dissolution 225–6
- droplet-in-droplet structures 62–3, 76
- droplet stabilisation 201–2, 222–4
- drug delivery 236–39
- duplex emulsions 3, 83, 93–8
 consumer acceptability 271
 control of osmotic pressure 97–8
 design structures for controlled flavour/texture 138

- emulsifier selection 96–7
- hydrocolloids 59
- instability 95–6, 98
- preparation 94–5
- salt content 5, 169–70
- dysphagia 112
- EEG *see* electroencephalography
- electroencephalography (EEG) 257
- electrolyte transport 97–8
- electromyography 113–14
- electronic adhesion 152–3
- electrostatic salivary properties 150–1
- emulsifiers
 - duplex emulsions 96–7
 - food-grade particle/particle-emulsifier systems 87–92
 - hydrocolloids 67
 - lipid digestion 199–200, 208, 216–17
 - oral processing 132
 - Pickering emulsions 87–92
 - plant cell-wall materials 2–3, 53
- emulsions 3, 82–106
 - consumer acceptability 267–8, 271
 - contact angles and wettability 85–7
 - design structures for controlled flavour/texture 138, 147, 150–1
 - duplex emulsions 3, 5, 59, 83, 93–8
 - flavour perception 190–1
 - food industry context and applications 5, 82–4, 93–4
 - food-grade particle/particle-emulsifier systems 87–92
 - hydrocolloid-based delivery systems 243
 - hydrocolloids 59–67, 69–73
 - kinetic stabilisation 83–4, 85–6
 - lipid digestion 197–217, 221–4
 - microstructures 84, 93, 101
 - nano-emulsions 3, 84, 92–3
 - oral processing 147, 150–1
 - Pickering emulsions 3, 83, 84–92
 - plant cell-wall materials 50
 - protein-based designs 10, 17, 19
 - salt content 169–70
 - tri-phasic emulsions 3, 98–9
 - water-in-water emulsions 60–7, 69–73, 84, 99–101
 - weight management 300
- encapsulation
 - consumer acceptability 272
 - design structures for controlled flavour/texture 137
 - drug delivery 236–39
 - emulsions 83, 93–4, 95, 97
 - flavour perception 185, 187–93
 - hydrocolloid-based delivery systems 234–40, 244–5
 - hydrocolloids 76
 - lipid digestion 216–17
 - living cells 239–40
 - polymeric entrapment of flavours 188–91
 - pre-formed structures 187–8
 - salt content 168–71
 - tailored encapsulants for *in vivo* release 191–3
 - weight management 299–300
- energy density
 - consumer acceptability 266–7, 269–70
 - protein-based designs 9, 10
 - weight management 282, 296
- enriched foods 272, 289, 292, 301–2
- environmental factors 260–2
- enzymes
 - aroma molecules 5
 - flavour perception 191–2
 - hydrocolloid-based delivery systems 235, 237, 240–1, 243–4
 - lipid digestion 5–6, 199
 - oral processing 119, 132, 150
 - plant cell-wall materials 45
 - protein-based designs 25
- ERP *see* event-related potential
- essential fatty acids 196
- event-related potential (ERP) 257
- expectations about foods 262–4
- eye-tracking 257
- fat content 1
 - consumer acceptability 264, 265–70
 - emulsions 3, 82–4, 101
 - see also* lipid digestion

- fat crystal networks 131–2
- fatty acids
 - consumer acceptability 266–7
 - hydrocolloid-based delivery systems 240, 243
 - lipid digestion 196–8, 217–18, 221, 224, 226
 - weight management 291, 293, 300
- FFAs *see* free fatty acids
- fibre bundles 118–19
- filled gels 3, 19
- fish and fish products 120
- flavour enhancers 167–8, 170–1
- flavour perception 174–95
 - consumer acceptability 266, 270
 - design structures for controlled manipulation 136–62
 - droplets 185–7
 - encapsulation 185, 187–93
 - flavour delivery for complex systems 177–8
 - flavour release from heterogeneous systems 184–93
 - flavour release from homogenous systems 178–83
 - gels 182–3, 184, 185–7
 - hydrocolloids 178–82
 - layered flavour 184
 - measuring flavour delivery 175
 - microstructure of foods 1
 - physical chemistry of flavour 175–7
 - polymeric entrapment of flavours 188–91
 - pre-formed structures 187–8
 - protein-based designs 14, 18
 - salt content 163–5
 - tailored encapsulants for *in vivo* release 191–3
 - thickened solutions 178–82
- flocculation 150–1, 199–200, 208–14, 222
- flow-induced structuring techniques 69–73
- fluid gel technology 60, 67–73, 100–1
- fluids 18–20, 28–9
- foams
 - lipid digestion 201
 - oral processing 126–8
 - plant cell-wall materials 50
 - protein-based designs 10, 17, 19
- food processing
 - hydrocolloid-based delivery systems 239
 - plant cell-wall materials 46–7
 - protein-based designs 14–15, 22
 - proteins 2
 - salt content 165–6
- food security 10
- fortified foods 272
- four-roll mills 74–5
- fracture stress/strain 110, 119–20, 122–3, 129, 131
- free fatty acids (FFAs) 293, 300
- fruit 121–4, 174
- functional foods 272–4
- functional magnetic resonance imaging (fMRI) 112, 257
- galactomannans 44–5
- gastric emptying 203–7, 222, 291–3
- gastric lipase 203, 213, 215–16
- gastrointestinal (GI) transit
 - hydrocolloid-based delivery systems 233–53
 - lipid digestion 6, 196–7, 217–27
 - reduced motility and transit time 241–2
 - weight management 291–3, 299–302
- gel hydrospheres 216–17
- gel strength 5, 44, 182–3
- gel suspensions 3
- gel-trapping technique 86–7
- gelatin
 - emulsions 100
 - flavour perception 182–3, 190, 193
 - formulations engineered for GI tract properties 236
 - hydrocolloids 62–8, 70–1, 75
 - oral processing 131
- gelatinisation 119–20, 123
- gellan 70–1, 73
- gelled confectionary 131
- gelled fibres 72

- gelling in the stomach 297–8, 301
- gels
- consumer acceptability 271
 - droplets 185–7
 - flavour perception 182–3, 184, 185–7, 191–3
 - hydrocolloid-based delivery systems 241–2
 - hydrocolloids 59–60, 67–73, 75–7, 100–1
 - layered flavour 184
 - plant cell-wall materials 52
 - protein-based designs 17–19, 20
 - salt content 169
 - tailored encapsulants for *in vivo* release 191–3
- generalised negativity 263
- GI *see* gastrointestinal
- glucagon-like-peptide-1 (GLP-1) 7, 31, 284–6, 289–93, 295–6
- glucose tolerance 25
- glycaemic index 247
- glycomacropptide 32
- glycoproteins 111, 151–5, 209, 238
- glycosylphosphatidylinositol (GPI) 35
- goniometry 86
- GPI *see* glycosylphosphatidylinositol
- ghrelin 7, 29, 283–6, 296
- guar gum 70–1, 73, 179, 267, 294–5
- gum arabic 294
- HAD *see* Healthy American Diet
- hard-solid foods 20–1
- headspace analysis 179–80
- Healthy American Diet (HAD) 27
- heavy metals 248–9
- hedonic scales 255–7, 259, 264, 268–9
- high-pressure processing 75–7
- high-protein diets 26–8, 31, 35–6
- HLB surfactants 96–7, 214–17
- hunger 282, 283–5, 290, 301
- hydrocolloids
- appetite control and satiety 241–2
 - biopolymers as probiotic material 240–1
 - break-up and coalescence 69–70, 101
- cardiovascular diseases and cholesterol levels 247
- consumer acceptability 271–2
- delivery systems 6, 233–53
- design structures for controlled flavour/texture 138, 156
- drug delivery and availability 236–39
- encapsulation of living cells 239–40
- encapsulation and release 234–6
- flavour perception 178–82
- flow-induced structuring of 69–73
- fluid gel technology 60, 67–73, 100–1
- food structures 2, 3, 59–81
- formulations engineered for GI tract properties 6, 233–53
- future trends 249
- GI motility and transit time 241–2
- glycaemic index lowering effects 247
- hydrocolloid mixtures 60–7, 69–73
- intestinal absorption rates 242
- lipid digestion 243–6
- microfluidics 70, 75–7
- microstructures 61–4, 69–73, 75–7
- non-spherical gel particle suspensions 69–73, 75
- oral processing 122, 131
- phase equilibrium behaviour 62–5
- plant cell-wall materials 52
- protection against toxic and mutagenic species 248–9
- protective capacity of mucus and mucus healing 246
- water-in-oil emulsions 60, 74–5
- water-in-water emulsions 60–7, 69–73, 84, 99–101
- hydrodynamic regimes 146–7
- hydrogels 237, 244
- hydrophilic silica 88–90
- hydrophobins 98–9
- hypertension 138
- IAT *see* implicit association test
- ice cream 130
- IEP *see* isoelectric point
- ileal brake 299–300
- impaired glucose tolerance 25
- implicit association test (IAT) 257

- inedible vegetable tissue 124
- inert fillers 156
- inflammatory bowel disease 26
- instrumental *in vivo* analysis 182–3
- interfacial tension 65–6, 74, 100
- intestinal lipolysis 217–22, 226, 268
- isoamyl acetate 180
- isoelectric point (IEP) 236

- just-about-right (JAR) scales 259–60

- kwashiorkor 24–5

- labelled magnitude scale (LMS) 255–6
- labelling effects 264, 268–70
- lactose intolerance 137
- laminar flow 73
- layered flavour 184, 270–1
- LDL *see* low-density lipoprotein
- lecithin 91, 215–16, 220, 245
- lignocellulosic material 46–7, 49–50, 124
- lingual lipase 202, 203
- lipases 202–3, 213, 215–16, 218–21, 243–4
- lipid digestion 5–6, 196–232
 - consumer acceptability 268
 - development and delivery of emulsion structures 198–202
 - droplet dissolution and mixed micelle formation 225–6
 - dynamics of emulsion structuring 207–17
 - fat composition and lipid digestion 224–5
 - hydrocolloid-based delivery systems 243–5
 - intestinal emulsion structures and digestion 221–4
 - intestinal lipolysis 217–22, 226
 - lipid partitioning and gastric emptying 203–7, 222
 - lipid structure, digestion and motility in the intestine 217–26
 - lipid structure, digestion and motility in the stomach 203–17
 - non-protein stabilised emulsions 214–17
 - oral processing 198–202
 - protein-stabilised emulsions 208–14
 - structures of emulsified foods in the mouth 199–201
 - structures of non-emulsified oils in the mouth 201–2
 - weight management 292–3
- lipolysis 217–22, 226, 268
- LMS *see* labelled magnitude scale
- low-aqueous phase 20–1
- low-density lipoprotein (LDL) cholesterol 248
- low-solids phases 18–20
- lycopene 236

- magnetic resonance imaging (MRI)
 - consumer acceptability 257
 - lipid digestion 205–7
 - oral processing 109, 112, 114
- Maillard browning 2, 14, 15, 22
- maltodextrin 63–6, 100
- manipulation of soft solids 140, 141–2
- marasmus 24–5
- masticatory processes
 - consumer acceptability 258
 - design structures for controlled flavour/texture 140–1, 146–9
 - oral processing 4, 107–11, 113–16, 118–20, 124–7, 131–3
- meat and meat products
 - oral processing 115, 118–21
 - salt content 165, 167
- membrane emulsification 94–6
- MFC *see* microfibrillated cellulose
- microbial supplements 239–40
- microencapsulation 239, 272
- microfibrillated cellulose (MFC) 49–50
- microfluidics 3, 70, 75–7
- microgels 75–6
- micronutrients
 - delivery systems 6
 - hydrocolloid-based delivery systems 234–5
 - lipid digestion 196, 222
- microshells 75–6
- mixed emulsifier systems 88–9
- mixed micelle formation 225–6

- mixed regimes 146–7
- moistness 128
- moisture content 123–4
- monodisperse gel particles 75–7
- monoglycerides 3, 89–91, 97, 196–7, 224–6, 243
- mono-olein 88–91
- monosodium glutamate (MSG) 167
- monounsaturated fats 224–5
- mouth simulators 145–9
- mouthfeel
 - consumer acceptability 258, 266–8
 - masticatory processes 4
 - microstructure of foods 1
 - oral processing 130, 132
- MRI *see* magnetic resonance imaging
- MSG *see* monosodium glutamate
- mucins 132, 151–5, 209–10
- mucoadhesive biopolymers 4, 152–5, 237–9
- mucopolysaccharides 200
- mucus layer 4, 151–5, 200, 237–8, 246–7
- multilayered encapsulation 190–1
- muscle-based foods 115, 118–21
- mutagens 248–9

- nano-emulsions 3, 84, 92–3
- nanofibrils 49–50
- nebulin 119
- neophobia 262
- network stabilisation 89–91
- NG *see* nucleation and growth
- nine-point hedonic scales 255–6
- NMR relaxometry 119–20
- non-essential fatty acids 196
- non-spherical gel particle suspensions 69–73, 75
- nucleation and growth (NG) mechanism 62
- nutrigenomics 273
- nutrition and health 1, 2
 - health implications of protein source 26–8
 - protein-based designs 21–8
 - protein deficiency effects 24–5
 - protein excess effects 25–6
 - protein intake and satiety 28–34
 - protein quality 22–3
 - recommended versus actual protein intake 23–4
- obesity 1
 - design structures for controlled flavour/texture 137–8, 156
 - global statistics 82
 - weight management 281–2, 297
- octanol–water partition coefficients 175–6, 186
- octenyl succinic anhydride (OSA) 87–8, 202
- OFC *see* orbitofrontal cortex
- oil-in-water emulsions 3, 83, 85, 87–8
 - consumer acceptability 267
 - hydrocolloid-based delivery systems 244
 - lipid digestion 197–8, 200–2, 207–8, 214–17
- oral processing 4–5, 107–35
 - baked goods 125–8
 - confectionary 130–2
 - consumer acceptability 258
 - dairy products 129–30
 - design structures for controlled flavour/texture 139–57
 - food breakdown and reassembly 108–9, 118–32
 - instrumental methods and mouth simulators 145–9
 - interactions of foods with oral surfaces 149–55
 - lipid digestion 198–202
 - machine/motion analysis 112–14
 - manipulation of soft solids 140, 141–2
 - materials science approach 118–32
 - mechanical engineering approach 109–17
 - microstructure 155–6
 - monitoring *in situ* phenomena 144–5
 - mucus layer 151–5
 - natural structures of foodstuffs 118–25
 - oral cavity 139–40
 - process control mechanisms 112–17
 - sampling action of the machine 115–16
 - sensory feedback 143

- swallowing 108, 112, 114, 129, 140, 142
 verbal descriptors 114, 116–17
see also masticatory processes; salivation
 orbitofrontal cortex (OFC) 259, 262
 ornithyltaurine 167
 OSA *see* octenyl succinic anhydride
 Ostwald ripening 92–3
 overweight 281, 297
 oxidised starch 67–8
- packaging 265
 palatability
 consumer acceptability 258, 266
 microstructure of foods 1
 oral processing 124
 salt reduction 5
 pancreatic lipase 202, 218
 particle size distribution (PSD) 49
 particulate hydrogels 237
 passive consumption 266
 PCWM *see* plant cell-wall materials
 PDCAAS *see* Protein Digestibility-Corrected Amino Acid Scoring
 pectin 75, 245, 267, 294
 PEGylation of peptides 35
 pepsin 210, 211, 214, 245
 peptide YY (PYY) 7
 consumer acceptability 267
 lipid digestion 221, 225
 protein-based designs 29
 weight management 284–6, 289–93, 295–6
 peptides 2, 9, 35
 perceived behavioural control 274
 perceived risk 274
 personalised foods 272–4
 PGPR *see* polyglycerol polyricinoleate
 phospholipids 92–3, 215–16, 218–20, 222, 226
 physics of eating *see* oral processing
 Pickering emulsions 3, 83, 84–92
 contact angles and wettability 85–7
 food-grade particle/particle-emulsifier systems 87–92
 mechanism of stabilisation 85–6
 plant cell-wall materials (PCWM) 2–3, 44–58
 β -glucans 3, 52–3
 commercial samples and applications 51–2
 food processing implications 46–7
 functionality and rheological properties 47–9, 52
 oral processing 123–5
 origins as structuring materials 44–5
 process steps 45–6
 recent developments 49–50
 ripening events 45–6
 plasticisation 114, 123, 125–8, 132
 polyglycerol polyricinoleate (PGPR) 91–2, 97
 polymeric entrapment of flavours 188–91
 polysaccharides 3
 emulsions 84, 99
 formulations engineered for GI tract properties 234, 242
 polysaccharide–polysaccharide mixtures 61
 polyunsaturated fats 224–5
 potassium chloride 166–7
 prebiotics 240–1, 272
 pre-loads 287–92, 295, 299
 prior experience 262
 probiotics 239, 240–1, 272
 processed foods *see* food processing
 product packaging 265
 Protein Digestibility-Corrected Amino Acid Scoring (PDCAAS) 22–3
 protein-based designs 9–43
 allergy testing of proteins 34
 availability and affordability 10
 bioactive peptides 35
 colloidal structures 10–11, 15–19
 covalent modification 14
 denaturation/aggregation 12–14, 15, 20
 flavour perception 182–3
 formation and stabilisation of food structures 14–21
 general considerations 9–10
 health implications of protein source 26–8

- hypotheses for food structure and delivery 11
- important protein reactions 11–14
- low-aqueous phase 20–1
- low-solids phases 18–20
- nutrition and health 21–8
- permanence of satiety effects 30–1
- pre-meal snacks 30
- protein deficiency effects 24–5
- protein excess effects 25–6
- protein quality 22–3
- protein-related satiety mechanisms 31–3
- racemisation 14
- recommendations for high-protein food products 35–6
- recommended versus actual protein intake 23–4
- satiety and protein intake 28–34
- structure and function of proteins 11–12
- thermogenic effects of food proteins 33–4
- timing and pattern of protein intake 29–30
- Protein-Leverage Hypothesis 31
- proteins 2
 - emulsions 84, 89, 92, 98–100
 - formulations engineered for GI tract properties 234, 237, 239
 - lipid digestion 208–14, 226
 - oral processing 119, 123, 125–6, 132
 - plant cell-wall materials 50
 - weight management 289–92, 298, 301–2
- protein–polysaccharide mixtures 61–2
- proton transfer reaction mass spectrometry (PTR-MS) 144–5
- PSD *see* particle size distribution
- PTR-MS *see* proton transfer reaction mass spectrometry
- PYY *see* peptide YY
- racemisation of proteins 14
- recommended daily allowance (RDA) 165
- Reference Dietary Intake (RDI) 23–4
- resistant starch 291
- retrogradation 127
- reverse micelles 96, 97–8
- rheological properties
 - consumer acceptability 260
 - design structures for controlled flavour/texture 145–7
 - emulsions 82–3, 94
 - hydrocolloids 59, 65–6, 69–73
 - lipid digestion 211
 - plant cell-wall materials 47–9, 52
- rheology modifiers 72, 101
- ripening events 45–6
- rotating membrane emulsification 75, 95–6
- salivation
 - design structures for controlled flavour/texture 139, 146–7, 149–51
 - flavour perception 177–8, 186
 - oral processing 108, 111, 114, 127–8, 131–3
- salt content 5, 163–73
 - complex microstructure and delivery profiles 168–71
 - consumer acceptability 270–1
 - design structures for controlled flavour/texture 137–8
 - emulsions 82–3, 94
 - enhancement strategy 167–8, 170–1
 - flavour perception 163–5
 - gradual reduction strategy 166, 170–1
 - multi-modal approach 170–1
 - reduction techniques 165–70
 - substitution strategy 166–7, 170–1
- saltiness 143, 163–4, 167–70
- salting and pressing 119
- satiation 283–5, 289–92
- satiety 1, 7
 - consumer acceptability 261–2, 271–2, 275
 - hydrocolloid-based delivery systems 241–2
 - permanence of satiety effects 30–1
 - pre-meal snacks 30
 - protein-based designs 28–34
 - protein-related mechanisms 31–3
 - sensory cues 28–9

- thermogenic effects of food proteins 33–4
- timing and pattern of protein intake 29–30
- weight management 282, 283–6, 289–92, 299–302
- saturated fats 196, 224–5
- SCFAs *see* short chain fatty acids
- SD *see* spinodal decomposition
- SDS-PAGE *see* sodium dodecyl sulfate polyacrylamide gel electrophoresis
- secondary metabolites 124
- self-structuring foods 271–2, 275
- semi-solid foods 20–1
- sensory analysis 182–3, 253, 259, 268
- sensory contrast 271
- sensory perception 1
- consumer acceptability 7, 258–60, 264, 266–8
 - design structures for controlled flavour/texture 136–7, 141–2, 145, 155–6
 - emulsions 83, 94
 - lipid digestion 198–9
 - masticatory processes 4
 - oral processing 4, 107, 127–8
 - plant cell-wall materials 2, 51
 - proteins 2, 10
 - salt content 5, 163–5
- sensory specific satiety (SSS) 261–2
- SFCAs *see* short chain fatty acids
- SGF *see* simulated gastric fluid
- sheared gel technology 60, 67–73, 100–1
- short chain fatty acids (SCFAs) 241, 291
- short-term appetite regulation 7
- simulated gastric fluid (SGF) 209–212
- skipping breakfast 29–30, 36
- snacking 29–30
- social factors 260–2, 274
- socio-economic factors 274
- sodium caseinate 63, 89, 209, 213, 216, 225
- sodium chloride *see* salt content
- sodium dodecyl sulfate polyacrylamide gel electrophoresis (SDS-PAGE) 212
- sodium stearoyl lactylate (SSL) 216–17
- soft foams 126–7
- soft-solid foods 20
- sols 16, 19
- sorbitan monoesters 96–7
- sound perception 258
- sourness 142–3, 163–4, 167
- spinodal decomposition (SD) mechanism 62
- SSL *see* sodium stearoyl lactylate
- SSS *see* sensory specific satiety
- starch 123, 125–6, 241, 291
- starch swelling 52, 53
- storage tissue 123
- stretching flow 73
- Stribeck curves 146–7
- subjective norms 274
- sucking 132, 155
- sugar content 82–3
- sugar glasses 131
- surfactants 2–3
- emulsions 88–92
 - flavour perception 191
 - lipid digestion 199, 214–20
 - oral processing 151
- swallowing
- design structures for controlled flavour/texture 140, 142
 - oral processing 108, 112, 114, 129
- sweetness 143, 163–4, 169, 266
- targeted delivery *see* delivery systems
- taste perception
- consumer acceptability 258, 266, 270
 - design structures for controlled flavour/texture 142, 143
 - emulsions 94
 - flavour perception 174–5, 181
 - salt content 5, 163–5
- taste receptor cells (TRCs) 143
- temporal factors 260–2
- tenderisation 119
- tensiometry 86
- texture
- consumer acceptability 258, 265–6
 - design structures for controlled manipulation 136–62
 - flavour perception 181–2
 - hydrocolloids 3

- lipid digestion 198–9
- oral processing 4–5, 107, 120–1, 129, 140
- plant cell-wall materials 2–3, 45
- proteins 18, 21, 28–9, 35–6
- salt content 169
- texture profile analysis 145–6
- thermogenesis 33–4
- thickened solutions 178–82
- thixotropic gel systems 52
- titin 119
- toxic species 248–9
- TRCs *see* taste receptor cells
- tribology 146–7, 260
- triglycerides
 - consumer acceptability 268
 - emulsions 89–91, 97
 - hydrocolloid-based delivery systems 244
 - lipid digestion 196–7, 217–18
- tripalmitin 91
- tri-phasic emulsions 3, 98–9
- tristearin 91–2
- trypsin inhibitors 22–3
- turgor pressure 121–2, 124

- umami 143, 163–4, 167
- uncertainty 274
- undernourishment 137

- VAS *see* visual analogue scales
- vegetables 121–4
- verbal descriptors 114, 116–17
- viscosity
 - aroma molecules 5
 - consumer acceptability 267
 - flavour perception 179–81
 - hydrocolloid-based delivery systems 241–2
 - hydrocolloids 6, 65–6, 70–3
 - oral processing 115
 - plant cell-wall materials 44, 46, 47–8
 - satiety 28–9
 - weight management 294–7
- visual analogue scales (VAS) 255–6, 288–9

- visual perception 258, 264
- vitamins 222, 235, 272
- volatile aroma molecules *see* aroma molecules

- Washburn method 86, 127–8
- water-in-oil emulsions 3, 83, 85, 89–91
 - hydrocolloids 60, 74–5
 - lipid digestion 214
- water-in-water emulsions 3, 84, 99–101
 - emulsion behaviour 65–7
 - flow-induced structuring of 69–73
 - formation and characteristics 61–5
 - hydrocolloids 60–7, 69–73
 - non-spherical gel particle suspensions 69–73
- weight management 7, 281–308
 - appetite control system 283–7
 - behavioural traits 282–3
 - biomarkers of appetite 284–6
 - challenges 281–3
 - expression of appetite 283–5
 - fats and emulsion 300
 - food structure 293–8
 - gelling in the stomach 297–8, 301
 - ingredients and appetite control 287–93
 - ingredients and encapsulation 299–300
 - laboratory measures of appetite 287–9
 - novel ingredients 292–3
 - protein and fibre 289–92, 301–2
 - protein-based designs 32
 - viscosity and appetite 294–7
- wettability 85–7
- wetting adhesion 153
- wetting/spreading theory of mucoadhesion 238
- whey proteins 32, 210, 226
- willingness to pay (WTP) 256
- within-meal satiation 7
- WTP *see* willingness to pay

- X-ray video imaging 114
- xanthan gum 52, 60, 267

- yogurt 129
- Young's modulus 52