

# Index

---

- Absorption, 187
  - absorption factor, A, 211, 212
  - Chen equation (column diameter), 208
  - Chen equation (number of theoretical trays), 229
  - Coburn's equation, 211
  - column diameter, 207–210
  - column height, 210–212
  - flooding (flooding velocity), 207
  - height of a single transfer unit,  $H_{OG}$ , 210, 212
  - key equations for absorption calculation, 242, 243
  - Kremser–Brown–Sounders equation (number of theoretical trays), 229
  - loading, 207
  - minimum liquid–to–gas ratio, 202
  - number of overall transfer units,  $N_{OG}$ , 210–212
    - $N_{OG}$  for column with constant absorption factor, 211
  - overall efficiency of bubble-cap tray absorbers, 230, 231
  - packing height as function of efficiency & packing size (ceramic), 223
  - packing height as function of efficiency & packing size (plastic), 222
  - pressure drop through packed column, 224
  - theoretical stage, 228
  - weeping, 228
- Absorption equipment, 189
  - absorption column, 191
    - packed vs. trayed column comparison, 241, 242
    - packed column absorbers, 189–192, 200–227
      - typical packings, 193, 194
    - “rules of thumb” for design of packed columns, 224
    - tray column absorbers, 196, 227–235
      - bubble-cap tray absorbers, 197, 198
      - sieve tray absorbers, 199, 200
- Activity coefficient, 61
  - NRTL equation, 62
  - parameters, 64
  - Wilson equation, 62
  - parameters, 63
- Adsorption, 245
  - breakthrough point, 266
  - activated alumina, properties of, 248
  - activated carbon pressure drop curves (EPA chart), 270
  - activated carbon, properties of, 248
  - adsorbate/adsorbent, 245
  - adsorbent activation, 246
  - adsorbent capacity, 246
  - adsorption equilibria, 250
  - adsorption isotherms of carbon dioxide on activated carbon, 255
  - breakthrough capacity (BC), 266
  - breakthrough curve, 265
  - chemisorption, 246
  - critical diameter, 246
  - equilibrium capacity (CAP), 266
  - Freundlich equation, 253
  - heat capacities of common adsorbents (ambient conditions), 269
  - heat of adsorption (chemisorption vs. physisorption), 252
  - HEEL, 266
  - Langmuir isotherms, 253, 254

Adsorption (*Continued*)

- mass transfer zone (MTZ), 265
  - molecular sieve pressure drop chart, 270
  - molecular sieves, properties of, 249
  - physisorption, 245, 246
  - regeneration of adsorbent, 251, 266
  - saturation capacity (SAT), 266
  - silica gel, properties of, 249
  - “sorption” 245
  - vapor/solid equilibrium
    - (Adsorption) isotherms
      - carbon dioxide on molecular sieves, 252
      - carbon tetrachloride on activated carbon, 65
      - selected hydrocarbons on activated carbon, 251
    - working capacity/charge (WC), 266, 267
- Adsorption equipment, 257
- adsorption cycle vs. desorption cycle, 259
  - classification of adsorption/desorption cycles, 283
  - contact condensers, 263
  - continuous rotary bed, 261
  - overall design procedure, 271
  - surface condensers, 263
- Adsorption isotherm, *See also* “Adsorption”
- adsorbent capacity, 65
  - adsorption equilibrium, 64
  - BET isotherm, 66
  - Freundlich isotherm, 65, 66
  - Langmuir isotherm, 66
  - Polanyi potential theory, 66, 67
- Antoine equation, 47–49, 166
- coefficients, 48
- Apparent rejection, 423
- Atomic mass units, 23
- Atomic weight, 23
- Avogadro’s number, 23
- Baghouse, 461
- collection efficiency of a baghouse, 462
  - Darcy equation (pressure drop), 463
  - gas-to-cloth (G/C) ratio, 462
- Barometer, 22
- Batch operation, 108
- Boiling

## Bubble point calculations

- bubble point pressure (BPP), 50, 166, 175
  - bubble point temperature (BPT), 167
- Buffer region, 81
- Cascade, 116
- Celsius scale, 20, 21
- Centrifugation, 471
- Chemical engineering, 3
- history of, 4
- Chemical reactions, 39, 40
- Conservation law, 8
- Continuous-contact operation, 116, 117
- Controlling resistance, 89–90
- controlling films for various systems, 90
- Convection
- convective transfer, 8
- Conversion factors, *See* “Units”
- Cooling towers, 340–343
- Critical properties
- critical temperature, 42
- Crystallization, 371
- agglomeration, 381, 389
  - crystal growth, 379, 380
  - crystal size distribution (CSD), 381, 386, 387
  - crystallization processes, types of, 372
  - design considerations, 397, 398
  - efficiency of crystallization separation, 390, 391
  - magma, 393
  - mixed magma underflow, 381
  - mother liquor, 371, 381
  - nucleation, 372
  - occlusion, 393
  - schematic diagram of generalized crystallization process, 380
  - seeds, 380
  - surface area ration (SAR), 389
  - volume ratio (VR), 389
- Crystallization equipment
- crystallizers, types of, 392, 393
    - forced circulation crystallizer, 399
    - Swenson–Walker crystallizer, 392
  - evaporative crystallizer line diagram, 394
- Cunningham correction factor (CCF), 444, 458
- Cyclones, 449
- critical diameter, 450

- cut diameter, 450
- Lapple calculation procedure, 451
- multiclone, 449
- Theodore–De Paola Equation, 453
- Decanter, 264, 475
  - horizontal decanter schematic, 476
  - settling time, 476
- Degrees of freedom, 44, 45, 375
- Density
  - of air, 25
  - of water, 25
- Dew point, 41
- Differential element, 9
- Diffusion
  - Fick's first law, 73, 74
  - molecular diffusion, 43
- Diffusion, steady state molecular
  - in gases, 75
    - diffusion in multicomponent mixtures, 76
    - diffusion of A through non-diffusing B, 75, 84, 85
    - equimolar counterdiffusion, 76, 83, 84
    - equimolar counterdiffusion and/or diffusion in dilute solutions, 88–90
  - in liquids, 79
    - diffusion of A through non-diffusing B, 80
    - equimolar counterdiffusion, 80
- Diffusion, thermal diffusion, 102
- Diffusion, turbulent diffusion, 80
- Diffusivity, 74, 82
  - estimation methods for gases, 78–79
  - estimation methods for liquids:
    - Wilke–Chang equation, 80
  - of common gases at, 0°C, 78
  - of water vapor in air at, 25°C and, 1 atm, 366
- Distillate, 119
- Distillation, 119
  - approach to flooding velocity, 159
  - batch distillation, 127–133
  - boil-up ratio,  $R_B$ , 135
  - Chang correlation (substitute for Gilliland correlation), 170, 171, 178
  - column diameter, 159–161
  - column height, 161
  - constant molal overflow, 142
  - distributed vs. undistributed components, 163
  - entrainment (entrainment flooding point), 140, 159
  - equilibrium stage, 122
  - ethanol/water equilibrium diagram (via Wilson equation, 1atm), 124
  - Fair flooding correlation, 159, 180, 181
  - feed condition factor,  $q$ , 146, 147
  - feed tray, graphical location of, 149
  - Fenske equation (minimum theoretical stages), 168, 177
  - Fenske–Underwood–Gilliland (FUG) shortcut method, 161–173
  - flash distillation, 120–127
    - graphical solution of binary flash, 122
    - multicomponent flash, 125–127
  - fractional recovery, 164
  - Gilliland correlation (number of theoretical stages), 169–170, 178
  - height equivalent to a theoretical plate (HETP), 184, 185
  - internal reflux ratio, 143
  - key components, 162
  - Kirkbride equation (theoretical feed tray location), 171, 179
  - McCabe–Thiele graphical method, 142–158
    - step-by-step procedure, 152–154
  - overall efficiency, 154, 171–173
  - O'Connell correlation, 171–173, 179, 180
  - partial condensation, 121
  - phase equilibrium constant,  $K$ , 121
  - pinch point, 152
  - q-line, 148
  - Rachford–Rice equation, 125–127
  - Rayleigh equation, 127–133
  - reboiler pressure, 167
  - rectification section, 119, 135
    - rectification section operating line (ROL), 144
  - reflux ratio,  $R$ , 134
    - minimum reflux ratio,  $R_{\min}$  150
    - optimum reflux ratio, 152, 153
    - reflux ratio optimization multipliers,  $m$ , 153

Distillation (*Continued*)

- relative volatility, 121, 141, 167
    - geometric mean relative volatility, 167, 168
  - sharp separation, 163
  - side streams, 136
  - stripping section, 119, 135
    - stripping section operating line (SOL), 145
  - surge volume, 161, 183
  - theoretical stage, 141
  - total reflux, 149, 150
  - transfer unit, 184
  - tray efficiency, 154
  - Underwood equations
    - (minimum reflux ratio), 169, 177
  - weeping, 140, 159
- Distillation equipment
- overflow weir, 137
  - packed column distillation, 184, 185
  - partial condenser, 140
  - partial reboiler, 140
  - setting the column pressure, 164–167
  - shortcut design methods (binary *or* multicomponent), 161
  - sieve tray column (single crossflow), 138, 139
  - tray, types of
    - bubble-cap tray, 137
    - sieve tray, 138
    - valve tray, 138
  - tray, single crossflow
    - configuration, 137
    - active area, 139
    - bubbling area, 160
    - net area, 160
  - tray spacing, 182
- Drag coefficient, 443
- for spheres, 444
- Drag force, 443
- Drying, 347
- constant rate period, 349
  - drop diameters, 364
  - falling rate period, 349
  - Friedman and Marshall heat transfer coefficient equation, 356
  - moisture content
    - critical moisture content, 348, 349
    - equilibrium moisture content, 347
    - final moisture content, 349
    - free moisture content, 350
  - rotary dryer flight arrangements, 354
  - rotary dryers, 352–356
    - rotary dryer unit (Manhattan College), 353
  - spray dryers, 361
    - spray dryer unit (Manhattan College), 362
- Economic analysis, 490
- Eddies
- Eddy transfer, 80
- Efficiency
- fractional stage efficiency, 116
  - overall efficiency of bubble-cap tray absorbers, 230, 231
  - overall efficiency of trayed distillation columns, 154, 171–173
- Electrodialysis, 101
- Electrophoresis, 486
- Electrostatic attraction, 442
- Deutsch–Anderson equation, 455, 456
  - Matts–Ohnfeldt equation, 456
  - particle migration velocity, 455
  - typical precipitation rate parameters for various applications, 455
- Electrostatic precipitators (ESPs), 454
- Elutriator, 447
- Encapsulation, 478
- Engineering economics, 489
- bonds, 496
  - break-even point, 495
  - compound interest, 491
  - depreciation, 493
  - fabricated equipment cost index (FECI), 493
  - incremental cost, 496
  - perpetual life, 494
  - present net worth (PNW), 494
  - present worth, 492
  - profit, 498
  - rate of return, 495, 496
  - simple interest, 491
- Environmental issues of concern, 566–568
- Equilibrium, 37–40
- equilibrium considerations, 37, 38

- Ergun equation, 269
- Ethics, 549
  - code of ethics, 549
  - engineering and environmental ethics, 557–559
- Evaporation (as a novel mass transfer operation), 485
- Extraction, 293
  - analytical calculation procedures, 304–309
  - Baker equation, 322
  - Chen equation (number of theoretical stages), 324
  - countercurrent extraction, 296, 309
  - crosscurrent extraction, 296, 305
  - dissociation extraction, 486
  - equilibrium data for n-butanol/acetic acid/water system at, 30°C, 302
  - extract, 295
  - fractional extraction, 294
  - Kremser equation, 309
  - leaching/lixiviation, 293
  - liquid–liquid extraction, 294
  - overflow, 316
    - variable vs. constant overflow, 317, 318
  - phase ratio, 297
  - plait point, 300, 301
  - raffinate, 295
  - solid–liquid extraction, 312
    - types of, 313
  - solvent selectivity, 298
  - ternary equilibrium diagram, 300, 301
  - theoretical stage, 295
  - underflow, 316
- Extraction equipment
  - liquid–liquid extraction column (Manhattan College), 297
  - multistage devices, 296
  - single stage units, 295, 296, 306
  - solid–liquid extraction equipment, 315, 316
- Fahrenheit scale, 20, 21
- Filtration, 474
- Flocculation, 474
- Flotation processes, 472
- Flow patterns
  - cocurrent flow, 109–111
  - countercurrent flow, 111, 112
  - crossflow, 112, 113
- Flux, 74
  - net flux, 75
- Foam fractionation, 486
- Freeze crystallization, 484
- Freezing point, 41
- Gas laws
  - Boyle’s law, 31, 32
  - Charle’s law, 31, 32, 34
  - Dalton’s law, 35
  - ideal gas law, 31–35
- Gas permeation, 432
  - describing equations, 433–435
  - “stage cut” 434
- Gibb’s phase rule, 375
- Gravitational constant,  $g_c$ , 17
- Gravity sedimentation, 467
  - circular-basin continuous thickener, 468
  - clarification vs. thickening, 467
  - hindered settling, 469
  - thickener operating zones, 468
  - wall effect, 469
- Gravity settlers, 447, *See* “decanter”
- Heat duty of a condenser, 150, 151
- Heat exchangers
  - dimensions of heat exchanger tubes, 614
- Heat transfer
  - classic equation for, 393
- Henry’s law, 187, 200
- High-gradient magnetic separation (HGMS), 477
- Hindered settling, 469
- Humidification, 327
  - adiabatic saturation temperature, 329, 333
  - cooling ponds, 343
  - cooling towers, 340–343
  - dew point temperature,  $T_{dp}$ , 329
  - humid enthalpy, 330
  - humid heat capacity, 328
  - humid volume, 328, 330
  - humidity
    - absolute humidity, 327
    - molal humidity, 327
    - relative humidity, 328

- Humidification (*Continued*)  
 psychrometric chart, 329  
   high temperature, 332  
   low temperature, 331  
 saturation curve, 330  
 spray columns, 343  
 wet-bulb temperature,  $T_{wb}$ , 329
- Ideal gas law, 31–35  
 Ideal stage, *See* “Theoretical stage”  
 Inertial collectors, 447  
 Inertial impaction, 442  
 Ion exchange, 484
- Kelvin scale, 20, 21  
 Kinetic analysis, 39
- Laminar film, 81  
 Laminar flow, 28  
 Liquid ion exchange (LIE), 484  
 Liquid–solid equilibrium (LSE), 68, 69.  
   *See also* “Adsorption”
- Logarithmic mean  
   logarithmic mean humidity  
     difference, 361  
   logarithmic mean temperature  
     difference, 360
- Lognormal probability distribution,  
 385, 386
- Manometer, 22  
 Mass fraction, 24  
 Mass transfer  
   macroscopic approach, 8, 10  
   microscopic approach, 9  
   molecular approach, 9
- Mass transfer, theories of  
   boundary layer theory, 81  
   empirical approaches, 81  
   surface renewal theory, 81  
   two film theory, 81, 82
- Mass transfer coefficients, 80  
   experimental mass transfer  
     coefficients, 90  
   individual mass transfer coefficients,  
     81–87  
   overall mass transfer coefficients, 87
- Mass transfer equipment  
   absorption, 104  
   adsorption, 104  
   crystallization, 392–393  
   distillation, 103, 104  
   extraction, 104–105  
   humidification and drying, 105
- Mass transfer operations  
   classification of, 97–102  
   contact of immiscible phases, 98–101  
   direct contact of miscible phases, 102  
   miscible phases separated by a  
     membrane, 101
- Maximization/minimization  
   first derivative test, 509
- Melting point, 41
- Membrane separation, 407  
   desalination (via reverse osmosis), 410  
   electrodialysis, 408  
   gas permeation, 408, 432  
     describing equations, 433–435  
   microfiltration, 407, 427  
     describing equations, 428–430  
   nanofiltration, 407  
   permeate, 407, 409  
   retentate, 407, 409  
   reverse osmosis (RO), 407–414  
     describing equations, 414–418  
   ultrafiltration (UF), 420  
     describing equations, 421–425
- Membrane separation equipment  
   dialysis membrane, 408  
   reverse osmosis, hollow fine fiber (HFF)  
     for, 409, 410
- Microfiltration, 427  
   average transmembrane pressure  
     (ATP), 428  
   describing equations, 428–430
- Mixing  
   macroscopic, 28  
   molecular, 28
- Mole fraction, 24  
 Molecular diffusion, 8  
 Molecular weight, 23, 24  
 Moles, 23, 24  
 Momentum, 17
- Nonideal solutions, 61–64  
 Normal boiling point, 41  
 Normal probability distribution, 385  
 Novel separation processes, 483

- Numerical methods, 513
  - differentiation methods, 515–517
  - finite difference method, 520
  - lumped-parameter method, 521
  - method of least squares, 516
  - Newton–Raphson method, 526–528
  - regression analysis, 515
  - Runge–Kutta method, 522–526
  - trapezoidal rule, 518–520
- Optimization, 530
- Osmosis
  - osmotic pressure, 412
- Partial differential equations, 529
- Particulate matter, 10 (PM10), 440
- Particulate matter, 2.5 (PM2.5), 440
- pH, 29, 30
- Phase diagram, 41
  - eutectic point, 373
  - isothermal invariant point, 376
  - lever rule, 376
  - plait point, 300, 301
  - ternary equilibrium diagram, 300, 301
  - two component solid–liquid system, 373
- Phase equilibrium, 41
  - Gibbs phase rule, 44, 45
- Phase separation vs. component separation processes, 483
- Piping
  - dimensions, capacities and weights of standard steel pipes, 612, 613
- Poise, 25
- Pressure, 22, 23
  - interfacial partial pressure, 82
  - vapor pressure, 31
- Process variables, 19
- Properties
  - intensive vs. extensive, 20
  - of air at, 1 atm, 611
  - of selected gases at, 1 atm and, 20°C (68°F), 607
  - of selected liquids at, 1 atm and, 20°C (68°F), 608, 609
  - of water at, 1 atm, 610
  - physical vs. chemical, 19
  - saturated steam tables, 616–618
  - saturated steam-ice tables, 622
  - superheated steam tables, 619–621
- Psychrometric chart, 329
  - definitions of psychrometric terms, 330
  - high temperature, 332
  - low temperature, 331
- Radiation
  - radiative transfer, 8
- Rankine scale, 20, 21
- Rate considerations, 38, 39, 71
- Relative volatility, 121
- Resin adsorption, 485
- Reverse osmosis (RO), 407–414
  - describing equations, 414–418
  - Van't Hoff equation, 414
- Reynolds number, 28, 29
- Risk assessment
  - cost/protection analysis, 581
  - hazard analysis (HAZAN), 585
  - hazard and operability study (HAZOP), 584, 585
  - hazard risk assessment, 571–574
  - health risk assessment, 568–571
- Scientific notation, 17, 18
- Screen mesh, 382, 383
- Screen scales, Tyler and US Standard, 383
- Semi-batch operation, 108
- Significant figures, 17, 18
- Simpson's, 3-point rule, 128
- Solidification, 477
- Stagewise operation, 116
- Standard conditions
  - standard vs. actual conditions, 33–35
  - STP, 32, 33
- Standard deviation (sample), 384
- State function, 151
- Steady state, 108
- Steam tables, 616–622
- Steel pickling, 212
- Stoke's law, 443
- Stripping, 235
  - key equations for stripping calculation, 242, 243
  - number of transfer units (NTU), 240
  - removal efficiency, 240
  - stripping of an EO-water system, 238
- Stripping column, 103, 137
- Sublimation, 99

## 630 Index

- Temperature, 20
- Temperature scales, 20, 21
- Theoretical stage, 110, 111, 141
- Transient operation, *See* “Unsteady state”
- Transport phenomena, 7
  - transport equations, 9
  - transport phenomena approach, 9
- Triple point, 42
- Turbulent flow, 28
  
- Ultrafiltration, 420
  - concentration polarization, 423
  - describing equations, 421–425
  - gel formation, 423
- Unit conversion, 15, 16
- Unit operations
  - definition of, 5
  - unit operations approach, 7
  - unit operations concept, 4, 5
- Units, 11–14
  - abbreviations, selected common, 603, 604
  - conversion factors, 15, 16
  - conversion factors, common engineering, 606
  - English engineering units, 11, 13
  - prefixes, 14
  - SI units, 11, 13
  - SI conversion constants, 599–602
  - SI multiples and prefixes, 599
- Universal gas constant,  $R$ , 32, 33
- Unsteady state, 108
  
- Vacuum, 22
- Vapor, 42
- Vapor pressure, 31
  - Antoine equation, 47–49
    - coefficients of selected substances, 48
  - Clapeyron equation, 47, 48
    - coefficients of selected substances, 47
- Vapor-liquid equilibrium (VLE)
  - Henry’s law, 45, 53–59
    - Henry’s law constants for gases in water, 55
- P-x,y diagram
  - methanol-water system at, 40°C (Raoult’s law), 52
- Raoult’s law, 45–53
  - modified Raoult’s law, 61
- Raoult’s law vs. Henry’s Law, 59–61
- T-x,y diagram
  - ethanol-water system at, 1 atm, 51
- x,y diagram
  - methanol–water system at, 40°C (Raoult’s law), 53
- Vapor–solid equilibrium (VSE)
  - adsorbent capacity, 65
  - adsorption equilibrium, 64
  - BET isotherm, 66
  - Freundlich isotherm, 65, 66
  - Langmuir isotherm, 66
  - Polanyi potential theory, 66, 67
  - vapor/solid equilibrium isotherms
    - carbon dioxide on molecular sieves, 252
    - carbon tetrachloride on activated carbon, 65
    - selected hydrocarbons on activated carbon, 251
- Venturi scrubber, 457
  - gas velocity, typical values for, 458
  - Johnstone collection efficiency equation, 457
  - Nukiyama–Tanasawa relationship, 458
  - overall efficiency of  $N$  scrubbers in parallel, 458, 459
- Vibrating screens (as a novel mass transfer operation), 487
- Viscosity
  - absolute viscosity, 25, 26
    - of air, 26
    - of water, 26
  - kinematic viscosity, 25, 26
  - Saybolt seconds, 26
  - Saybolt universal viscometer, 26
- Volume fraction, 24