

Yves Mouton



First published in France in 2003 by Hermès Science/Lavoisier entitled "Matériaux organiques pour le génie civil : approche physico-chimique"

First published in Great Britain and the United States in 2006 by ISTE Ltd

Apart from any fair dealing for the purposes of research or private study, or criticism or review, as permitted under the Copyright, Designs and Patents Act 1988, this publication may only be reproduced, stored or transmitted, in any form or by any means, with the prior permission in writing of the publishers, or in the case of reprographic reproduction in accordance with the terms and licenses issued by the CLA. Enquiries concerning reproduction outside these terms should be sent to the publishers at the undermentioned address:

ISTE Ltd ISTE USA

6 Fitzroy Square 4308 Patrice Road

London W1T 5DX Newport Beach, CA 92663

K USA

www.iste.co.uk

© LAVOISIER, 2003

© ISTE Ltd, 2006

The rights of Yves Mouton to be identified as the author of this work has been asserted by them in accordance with the Copyright, Designs and Patents Act 1988.

Library of Congress Cataloging-in-Publication Data

Mouton, Yves.

[Matériaux organiques pour le génie civil. English]

Organic materials in civil engineering / Yves Mouton.

p. cm.

ISBN-13: 978-1-905209-11-8 ISBN-10: 1-905209-11-8

1. Polymers. 2. Organic compounds. 3. Civil engineering--Materials. I. Title.

TA455.P58M6813 2006

624.1'8--dc22

2006008665

British Library Cataloguing-in-Publication Data

A CIP record for this book is available from the British Library

ISBN 10: 1-905209-11-8 ISBN 13: 978-1-905209-11-8

Printed and bound in Great Britain by Antony Rowe Ltd, Chippenham, Wiltshire.

Table of Contents

| Introduction |
|--|
| Chapter 1. Organic Polymers |
| 1.1. Definitions |
| 1.2. Macromolecular structure |
| 1.3. Synthesis of polymers |
| 1.3.1. Step polymerization or polycondensation |
| 1.3.1.1. Mechanism of polycondensation: polycondensation |
| and polyaddition |
| 1.3.1.2. Practical applications |
| 1.3.2. Chain polymerization or polymerization strictly speaking 28 |
| 1.4. Processing: thermoplastics and thermosets |
| 1.4.1. Thermoplastics and thermosets, thermorigid or thermohard 30 |
| 1.4.2. Monocomponent and bicomponent |
| 1.5. Elastomers |
| 1.6. Preliminary conclusions |
| 1.7. Crystalline polymers and amorphous polymers: glass transition 37 |
| 1.7.1. Notion of crystalline polymer |
| 1.7.2. Amorphous polymers: glass transition |
| 1.8. Mechanical behaviors of polymers: time-temperature equivalence 39 |
| 1.8.1. Elastic behavior |
| 1.8.2. Elasto-plastic behavior |
| 1.8.3. Rubber-like behavior |
| 1.8.4. Case of cross-linked polymers |
| 1.8.5. Pure products and formulated products: plasticization |
| 1.8.6. Time-temperature equivalence |

| 1.9. Miscibility of polymers: concept of alloy | 51 |
|---|---------|
| 1.9.1. Notion of solubility parameter | 52 |
| 1.9.2. Estimation of the solubility | 52 |
| 1.9.3. Polymer-polymer mixtures: notion of alloy | 54 |
| 1.10. Durability and aging of polymers: life cycles | 56 |
| 1.10.1. Notion of aging | 56 |
| 1.10.2. Principles of the methods for appreciating the life of materials. | 58 |
| 1.10.3. Fire behavior of polymers | 60 |
| 1.10.4. General information on the life cycle of polymers | |
| 1.11. Organic materials, the environment and health: evolution | |
| of the market | 64 |
| 1.12. Main organic and organo-metallic polymers used in civil | |
| engineering | 66 |
| 1.13. General conclusion | 69 |
| | |
| | 71 |
| Chapter 2. Organic Binders I. Bitumen and Road Construction | /1 |
| 2.1. General terminology | 74 |
| 2.2. Manufacture of bitumen | 76 |
| 2.3. Physico-chemical composition of bitumens | |
| 2.4. Various forms of bitumen | |
| 2.4.1. Paving bitumens: characterization and classification | 82 |
| 2.4.2. Fluid binders | |
| 2.4.3. Bitumen emulsions | 84 |
| 2.4.3.1. Formation of an emulsion | 85 |
| 2.4.3.2. Failure of emulsions | 86 |
| 2.4.3.3. Characterization of emulsions: applications | 87 |
| 2.5. Usage properties of paving bitumen | 87 |
| 2.6. Adhesiveness | 88 |
| 2.7. Rheological properties | 92 |
| 2.7.1. Viscosity | 92 |
| 2.7.2. Viscoelasticity | 93 |
| 2.7.3. Complex modulus | 95 |
| 2.7.4. Towards a rheological classification | |
| 2.7.5. The SHRP program – Test methods and specifications of road | |
| binders | 100 |
| 2.7.6. Bending beam creep or BBR test | |
| 2.8. Aging of bitumen | |
| 2.9. Limits in the use of bitumen: quest for an ideal binder | |

| | 2.10. Modified bitumens, bitumens with additives and special bitumens | 109 |
|---|---|-----|
| | 2.10.1. Physico-chemical characterization of polymer modified | |
| | bitumens | 113 |
| | 2.10.2. Practical applications | 114 |
| | 2.10.3. Bitumens with additives | 116 |
| | 2.10.4. Special paving bitumens | |
| | 2.11. Regeneration binders | 117 |
| | 2.12. Other uses of bitumen in civil engineering | 117 |
| | 2.13. General conclusion | 118 |
| | Chapter 3. Organic Binders II. Materials for the Conservation of Heritage | 110 |
| a | and Safety | |
| | 3.1. Concrete repair and protection products | 119 |
| | 3.1.1. Products and systems for the protection and repair of concrete | |
| | structures: normative definitions | |
| | 3.1.2. Physicochemical classification of repair and protection products | |
| | 3.1.3. Products based on reactive organic binders: general introduction | |
| | 3.1.3.1. Epoxy resins | |
| | 3.1.3.2. Polyurethanes | |
| | 3.1.3.3. Unsaturated polyesters and derivatives | |
| | 3.1.3.4. Methacrylic resins | |
| | 3.1.3.5. Other acrylic derivatives | 13/ |
| | 3.1.4. Repair produces based on reactive organic binders: usages | 127 |
| | and required characteristics | |
| | 3.1.4.1. Surface repair products | |
| | 3.1.4.2. Structural bonding and structure reinforcement products | |
| | 3.1.4.3. Injection products | |
| | 3.1.4.4. Anchoring or sealing or wedging products | |
| | 3.1.4.5. Required characteristics | |
| | 3.1.5. Concrete protection products and systems | |
| | 3.1.5.1. Corrosion inhibitors | |
| | 3.1.5.2. Impregnation products | |
| | 3.1.5.3. Paints and derivatives | |
| | 3.1.5.4. Required characteristics | |
| | 3.1.6. Mixed matrix products (modified binder) | 14/ |

| 3.2. Paints for civil engineering | 148 |
|--|-----|
| 3.2.1. General definitions | 148 |
| 3.2.1.1. Constituents of paints | 148 |
| 3.2.1.2. Paint drying modes | 150 |
| 3.2.1.3. Characteristics of the dry film | 150 |
| 3.2.1.4. Paint systems | 152 |
| 3.2.2. Anticorrosion paints for metal structures | 153 |
| 3.2.2.1. Corrosion | 153 |
| 3.2.2.2. Anticorrosion protection processes | 154 |
| 3.2.2.3. Anticorrosion paints | 155 |
| 3.2.2.4. Criteria for the choice of the protection paint system | 155 |
| 3.2.2.5. Surface preparation | 158 |
| 3.2.2.6. Main protection coatings | 158 |
| 3.2.3. Paints for concrete | 159 |
| 3.2.4. Road marking paints and products | 161 |
| 3.2.4.1. Road marking | |
| 3.2.4.2. Retroreflection | 162 |
| 3.2.4.3. Choice of the products | 164 |
| 3.2.4.4. Main products available | 164 |
| 3.3. Conclusions | 165 |
| Chapter 4. Manufactured Products | 167 |
| 4.1. Organic materials and the waterproofing of structures | 168 |
| 4.1.1. Materials, products and systems for waterproofing the | |
| decks of civil engineering structures | 168 |
| 4.1.1.1. Asphalt materials | |
| 4.1.1.2. Thin films bonding with the support (FMBS) | |
| 4.1.1.3. Monolayer prefabricated membranes (MPM) | |
| 4.1.1.4. Waterproofing products processed at high production rate with | |
| roadworks equipment (HPRE) | 175 |
| 4.1.1.5. Comparison of traditional types of products | |
| 4.1.2. Waterproofing materials, products and systems for underground | |
| structures | 178 |
| 4.1.2.1. Design of the waterproofing system | |
| 4.1.2.2. Intrados waterproofing systems | |
| 4.1.2.3. Extrados waterproofing systems | |
| 4.1.2.4. Main products used (extrados waterproofing) | |

| 4.1.3. Waterproofing materials, products and systems for surface | |
|---|-----|
| structures: statement of the problem | 182 |
| 4.2. Geosynthetics | 183 |
| 4.2.1. Geosynthetic materials for waterproofing: geomembranes | |
| and geosynthetic bentonite materials | 186 |
| 4.2.1.1. Geomembranes | 186 |
| 4.2.1.2. Bentonite geosynthetics (BGS) | 187 |
| 4.2.2. Geotextiles and related products | 187 |
| 4.2.2.1. Functions provided | 187 |
| 4.2.2.2. Constitutive materials | 188 |
| 4.2.2.3. Assembling modes | 189 |
| 4.2.2.4. Durability of geotextiles | |
| 4.2.3. Waterproofing materials, products and systems for surface | |
| structures: different uses | 189 |
| 4.2.3.1. Hydraulic structures strictly speaking | |
| 4.2.3.2. Structures for road surface water | |
| 4.2.3.3. Lagooning ponds | 193 |
| 4.2.3.4. Tanks and reservoirs for chemicals | 193 |
| 4.2.3.5. Structures for the containment of wastes | 194 |
| 4.2.3.6. Conclusions on geomembranes: installation and durability | 195 |
| 4.3. Products for light geotechnical structures | 199 |
| 4.3.1. Expanded polystyrene (EPS) embankments | 199 |
| 4.3.2. Ultra-light cellular structures (ULCS) | 201 |
| 4.3.3. Structures based on recovered tires | 203 |
| 4.4. Other uses of synthetic organic materials in civil engineering | 204 |
| 4.4.1. Bearings of civil engineering structures | 204 |
| 4.4.2. Products for joints | 206 |
| 4.4.3. Warning devices for buried systems | 207 |
| 4.5. Industrial wood used in civil engineering | 208 |
| 4.5.1. The wood material | 209 |
| 4.5.2. Moisture sensitivity of wood | 210 |
| 4.5.3. Durability of the wood | 211 |
| 4.5.4. Fire behavior | |
| 4.5.5. Industrial wood | |
| 4.6. Conclusion | |

| Chapter 5. Gluing and Composite Materials: Concrete Admixtures | . 215 |
|---|-------|
| 5.1. Gluing and its potential applications in civil engineering | . 216 |
| 5.1.1. Gluing: a future technique in civil engineering? | |
| 5.1.2. Definitions, reference points | |
| 5.1.3. Adhesion and gluing: theoretical notions | |
| 5.1.3.1. Theories of adhesion: physico-chemical approach | |
| 5.1.3.2. Theories of adhesion: thermodynamic approach | |
| 5.1.3.3. Kinetic aspect of adhesion | |
| 5.1.3.4. Practical conclusions | |
| 5.1.4. Surface treatment | |
| 5.1.5. Implementation: importance of "in situ cross-linking time" | . 239 |
| 5.1.6. Principle adhesives used in civil engineering: notion of | |
| reversibility | . 241 |
| 5.2. Organic matrix composite materials | |
| 5.2.1. Constituents | |
| 5.2.2. General principles | |
| 5.2.3. Basic material used | |
| 5.2.3.1. Strengthening agents | |
| 5.2.3.2. Conditioning of strengthening agents | |
| 5.2.3.3. Matrices | |
| 5.2.4. Organic matrix composites and civil engineering | |
| 5.2.4.1. Repair and strengthening of structures | |
| 5.2.4.2. Prevention of seismic risks | . 248 |
| 5.2.4.3. Cables, stays, anchoring systems | |
| 5.3. Concrete admixtures | . 248 |
| 5.3.1. The introduction of admixtures in concrete technology | . 251 |
| 5.3.2. Rheological admixtures | |
| 5.3.2.1. Plasticizers and their growth: mode of action | . 254 |
| 5.3.2.2. Perspectives | . 259 |
| 5.3.3. Other classes of admixture reacting on the rheology of fresh | |
| concrete | . 260 |
| 5.3.3.1. Set retarders | . 260 |
| 5.3.3.2. Water retaining agent | . 260 |
| 5.3.4. Other admixtures and connected products organic in nature | |
| 5.3.4.1. Water resisting admixtures | |
| 5.3.4.2. Air entraining agents | . 261 |
| 5.3.4.3. Curing compounds | |
| 5.3.4.4. Organic fibers | |
| 5.4. General conclusions | . 264 |

| Used in Construction | 267 |
|--|--|
| 6.1. Chemical analysis of formulated products | 268 |
| 6.2. Infrared spectrometry | 269 |
| 6.2.1. Principle of the method | 269 |
| 6.2.2. Case of ATR: theoretical considerations | 273 |
| 6.2.3. Utilization and limits of infrared spectroscopy | 275 |
| 6.3. Methods of fractionation | 277 |
| 6.3.1. Fractionation of complex mixtures | 277 |
| 6.3.1.1. Separation of phases | 278 |
| 6.3.1.2. Distillation | 278 |
| 6.3.1.3. Solvent extraction | 279 |
| 6.3.2. Chromatographic methods | 280 |
| 6.3.2.1. Column chromatography | 280 |
| 6.3.2.2. Other types of chromatography | 285 |
| 6.4. Thermal methods | 286 |
| 6.5. Quantitative analysis and functional assays | 288 |
| 6.6. General diagram for in-depth analysis of complex mixtures | 290 |
| 6.7. Conclusions | 291 |
| | |
| Chapter 7. Organic Materials, Civil Engineering and Sustainable Development Prospective Thoughts from Experts | 293 |
| | |
| Development Prospective Thoughts from Experts | 293 |
| 7.1. Economic reality of synthetic materials in civil engineering | 293 |
| 7.1. Economic reality of synthetic materials in civil engineering | 293 293 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface | 293 293 294 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows | 293 293 294 294 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks | 293 293 294 295 295 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. | 293 293 294 296 296 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials | 293 293 294 295 296 298 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials 7.1.5. Bitumen-polymers | 293 294 294 295 296 298 298 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials 7.1.5. Bitumen-polymers 7.1.6. Coatings 7.1.6.1. Protection of stays and tension cables of bridges 7.1.6.2. Sealing by geomembranes. | |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials 7.1.5. Bitumen-polymers 7.1.6. Coatings 7.1.6.1. Protection of stays and tension cables of bridges | |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials 7.1.5. Bitumen-polymers 7.1.6. Coatings 7.1.6.1. Protection of stays and tension cables of bridges 7.1.6.2. Sealing by geomembranes. 7.1.6.3. The "coil coating" market 7.1.6.4. Tubes and pipes | 293 294 294 295 296 298 298 300 301 301 |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials 7.1.5. Bitumen-polymers 7.1.6. Coatings 7.1.6.1. Protection of stays and tension cables of bridges 7.1.6.2. Sealing by geomembranes 7.1.6.3. The "coil coating" market 7.1.6.4. Tubes and pipes 7.1.6.5. Noise screens | |
| 7.1. Economic reality of synthetic materials in civil engineering 7.1.1. Preface 7.1.2. Positioning of the plastics: some figures 7.1.2.1. PVC windows 7.1.2.2. Protective sheaths for optical cable networks 7.1.3. Civil engineering: a place in the construction market. 7.1.4. Incorporated or built-in materials 7.1.5. Bitumen-polymers 7.1.6. Coatings 7.1.6.1. Protection of stays and tension cables of bridges 7.1.6.2. Sealing by geomembranes. 7.1.6.3. The "coil coating" market 7.1.6.4. Tubes and pipes | |

| 7.2. Bitumens in civil engineering: their place and their future | . 303 |
|--|-------|
| 7.2.1. Introduction | . 303 |
| 7.2.2. Bitumens in waterproofing and ancillary industries | . 304 |
| 7.2.2.1. Waterproofing | . 304 |
| 7.2.2.2. Ancillary industries | 305 |
| 7.2.3. Bitumens in road construction and maintenance | . 306 |
| 7.2.3.1. Asphalts | . 306 |
| 7.2.3.2. Surface dressing | |
| 7.2.3.3. Cold mixes | . 308 |
| 7.2.4. Conclusion | 309 |
| 7.3. Organic polymers in building: development and tendencies | . 309 |
| 7.3.1. Current usage tendencies | |
| 7.3.2. The polymers of tomorrow? | . 312 |
| 7.4. Importance of a physico-chemical approach in the behavior | |
| of the materials – with damage as an example | . 313 |
| 7.4.1. Introduction | . 313 |
| 7.4.2. Problem overview | 313 |
| 7.4.3. Application in case of a damagable elastic material | |
| 7.4.4. Case of organic polymers | . 319 |
| 7.5. Organic chemistry and molecular engineering: the future of | |
| cementing materials? | . 320 |
| 7.5.1. Mastering complexity | . 320 |
| 7.5.2. Using hybrids | |
| 7.5.3. Molding and molecular imprints | . 322 |
| 7.5.4. Towards a green and intelligent concrete | . 322 |
| 7.6. Synthetic organic materials and architecture | . 323 |
| 7.6.1. Contrasting relationship during the 20 th century | . 323 |
| 7.6.2. A harmony in the making | . 324 |
| 7.6.3. A necessary partnership between architects and industrialists | . 325 |
| 7.6.4. Organic materials at the core of the mega-technological choices | |
| in architecture | . 326 |
| 7.7. Assessment of environmental impact of organic materials | . 327 |
| 7.7.1. Problem overview and available tools | |
| 7.7.2. Perspectives for organic materials used in civil engineering | |
| 7.7.3. Conclusion | |
| 7.7.4. Useful standards | . 332 |

| 7.8. Assessment of health hazards of organic materials. 7.8.1. General problem and definitions. 7.8.2. Health hazards of organic materials in civil engineering. 7.8.3. Methodology for assessment of health hazards 7.8.4. As a conclusion: why assess health hazards? | 333 335 337 |
|---|-------------------|
| Bibliography | 341 |
| Abbreviations | 351 |
| Index | 353 |

Introduction

In the field of construction and particularly in civil engineering, organic materials are essentially perceived as *bonding additives*. Whether we are talking about bitumens for road surfacing, polymers for formulating products for repair and structural gluing or admixtures for a more compact concrete, all these products are intended for realizations where we want to ensure the cohesion of granular groups.

This is in fact the primary role assigned to this class of materials, but we must not forget that there are other fields where *plastic materials* have been developed successfully, particularly sealing, environmental protection and engineering geology in general. Here, we enter into the field of manufactured products where the term "organic material" takes on its fullest meaning. We may also note in passing that industrial wood, the discovery of which is of course not recent, but whose industrial development is changing rapidly, falls under this second category.

The presentation of organic materials used in civil engineering therefore compels us to study these two aspects in depth. As such, we will deal with these in the first few chapters, but we will not place our main focus on them, as our study is based on a physico-chemical approach, as suggested by the subtitle of this book. This point calls for a few explanations.

In a construction project, the designer expects from the materials that he intends to use a set of properties, in particular:

- mechanical properties, such as a certain compressive strength for the realization of a load-bearing unit, bending strength and therefore tensile strength for a structure that must present a certain flexibility, resistance to impact or other types of aggressions;
- physical properties, if necessary, with respect to water or gas-tightness; sound insulation, for instance;

- aesthetic or more generally sensorial properties, in order to better meet the aspirations of the project owner and future owners;
 - practical properties, as regards their handling or their use in general.

All this is part of the art of the engineer and the architect, but also implies requirements in terms of the minimal durability of all the above properties as well as in terms of the waste management at the end-of-life of the materials used.

These two aspects deserve particular attention insofar as they are today as important as the requirements in terms of mechanical strength. Man in the 21st century must know that he is not building for eternity and that his project must take into account the service life that he requires from the builder. It follows logically that he is compelled to comply with, willy-nilly, health and environmental requirements imposed on him to preserve the living environment of the community.

The durability of a material structure brings into play the nature of the materials that constitute it, the manner in which they are arranged with respect to each other, the manner in which they are assembled, and their potential evolution within the structure, without forgetting the conditions under which they are placed. We thus enter the physico-chemical field: the evolution of a material under static or dynamic stress depends on its structure and its composition. The knowledge of these data and the laws that govern them is fundamental for anyone interested in the durability of structures and buildings. In some cases, this can even be a decisive criterion in the choice of materials.

We must therefore never neglect the physico-chemical aspect in all the operations that involve materials. Even in cases where it might not seem useful to us, it is a precaution that can prove invaluable in responding efficiently in the event of an unfortunate development.

Conversely, it would be stupid to think that the chemical analysis of a material, however meticulous, can suffice to inform the user of its capacity to meet a given need. We must remember that a material is never perfectly homogeneous. A specimen is representative only from a sample that is macroscopically homogeneous and correctly fractioned or that is limited to a given geometric area. The role often reserved for analysis (in its widest sense, i.e., without forgetting the physical state, texture, etc.) is therefore relative: when two samples are subjected to similar physico-chemical analyses, we can affirm that the materials that represent them have a good chance of having the same behavior in service. This evidently calls into question the representativeness of the sampling, as we have just explained, but also the degree of sophistication of the analysis itself. Besides, this very simple reasoning is used in the certification procedures of some products.

Lastly, we must mention that all organic materials are not polymers. We will see that bitumens are not polymers and that wood is a complex system in which polymers play a role, but is not a polymer in itself. However, the basic knowledge that will be presented about pure polymers will be useful to better understand these two complex materials.

The book is therefore structured as below:

- Chapter 1, Organic Polymers, is devoted to a general presentation of these physico-chemical entities, from the macromolecular structure of the pure material to the properties of formulated or manufactured products and their durability; the concepts developed here will help us understand all organic materials which are strictly speaking always mixtures.
- Chapters 2 and 3, *Organic Binders*, are devoted to the "bonding additive" aspect of organic materials mentioned above. They contain three developments on *bitumens and road construction* (Chapter 2), products for repairing and protecting concrete and paints (anti-corrosion, on concrete and for road marking) *materials for the maintenance of heritage and safety* (Chapter 3).
- Chapter 4, Manufactured Products, deals primarily with sealing products and systems, the concept of material becoming less clear-cut when there are several elements to perform the required function, then with geosynthetics in general, with geotextiles and geomembranes, with materials and systems for the realization of light fills, tank structures, with devices for supporting works of art, with warning devices for buried networks, etc.

In these three chapters, which illustrate the development of organic materials in the field of civil engineering, we will encounter unresolved issues and new notions that require a particular study. Besides, any physico-chemical approach is accompanied by methods for characterizing the matter that is the object of our study. The chemist would like to know on what he is working to be able to reason efficiently, which justifies the organization of the following two chapters.

- Chapter 5, Gluing and Composite Materials: Concrete Admixtures, seeks to study in depth two aspects of the role of bonding additives of organic materials. First, we will discuss gluing already mentioned regarding organic binders and particularly the adhesiveness of bitumens. This will lead us logically to a quick overview of organic-matrix composite materials, which have appeared relatively recently in civil engineering. Second, we will present concrete admixtures and related products that can be considered as third degree materials insofar as they do not intervene directly as first degree materials – manufactured products – or second degree materials – binders – but are indispensable to realizing high performance products and structures and are the prototypes for the materials of tomorrow.

- Chapter 6, *Physico-Chemical Characterization of Organic Materials Used in Construction*, is a summary of the methods most commonly used in civil engineering laboratories to characterize these materials.
- Chapter 7 concludes the book by enlarging the reader's field of vision, primarily by coming out of the physico-chemical approach that has been our vantage point so far, thanks to the contribution of external personalities engineers, researchers, architects, physicians who have given us their prospective reflections on the theme of organic materials, civil engineering and sustainable development.

The first question dealt with is economic in nature: what is the importance of organic materials in civil engineering when compared to other classes of materials?

Michel de Longcamp, building and public works delegate of the *Société ATOFINA* and President of the Commission of the *Bâtiment du syndicat des producteurs de matières plastiques* (SPMP), gives us precise insights to elucidate the discussion.

We have seen that bitumen, an organic material in its own right, is not part of polymers.

Bernard Lombardi, director of the *Groupement professionnel des bitumes* (GPB), completes the above point in the field of road construction and opens new avenues for reflection on the evolution of this atypical material.

Separating the field of civil engineering from building could seem artificial to the reader familiar with the complementary nature these fields of activity.

Robert Copé, Assistant Director of Research and Development at the *Centre scientifique et technique du bâtiment* (CSTB), seeks not to deal with the vast subject of the place of organic materials in building, but to highlight the main trends in this field, particularly those where significant progress has been made or should be made to meet the expectations of clients.

After these technico-economic perspectives, it seemed important to us to make a leap forward into the future with the viewpoint of a scientific researcher. For this, we have had two contributions, one on method and the other on the design of new materials.

Regarding method, **Michel Frémond**, European Coordinator of the Laboratoire Lagrange and **Olivier Maisonneuve**, Director of the Mechanics and Civil Engineering Laboratory of the University of Montpellier, affirm the importance of the physico-chemical approach for a mechanical engineer in the study of damage phenomena.

Henri Van Damme, Director of the Structural and Macromolecular Physicochemistry Laboratory at the *Ecole supérieure de physique et chimie industrielles* of Paris (ESPCI), gives a glimpse into the birth of new structures at the nanoscopic level thanks to the use of organic molecules in cement matrices. Mineral-organic complementarity paves a new way here and prefigures a line of materials of the future.

But the act of building will not be really complete if we do not consider the link between technique and society's viewpoint on the realized construction, from its gestation to its delivery. For this, three players are indispensable: the architect of course, but also the environmentalist and the physician.

Michel Paulin, Professor at the *Ecole nationale supérieure d'architecture de Lyon* (ENSAL) and at the *Grands Ateliers de l'Isle d'Abeau*, brings to us the architect's perspective and illustrates the omnipresence, often ignored by the public, of organic materials in our everyday environment. He insists on the need to enhance their image in the collective unconscious through an in-depth action that is a challenge for both producers and clients.

Among the obstacles identified above, we can note that organic materials are still a source of concern for the defenders of the environment and health. In an effort to sort the real problems from those that are born out of fantasies, we have asked two specialists to give us their insights.

Yves Perrodin, Director of the Environmental Science Laboratory of the *Ecole nationale des travaux publics de l'état* (ENTPE), observing that the evaluation of the environmental impact of organic materials used in the field of construction is still in its initial stages, proposes a methodology applicable to these materials, based on his experience gained with the other types of materials.

Guy Auburtin, epidemiologist, Director of the *Institut d'hygiène industrielle et de l'environnement* (Cnam – IHIE – Ouest), insists particularly on the necessity for all players to develop studies on the risks specific to these materials, for the health of workers involved in construction as well as that of residents and users.

These last two contributions open the horizon for new research. Henceforth, the study of materials will no longer be the business of the technicians of physics and chemistry, but must also take into account the contributions of biologists and physicians. Consequently, these specialists must also play a role in the general approach. This is a long-term effort.