

Index

a

absorption
 – CO₂ 226
 – coefficient 289, 291
 – gas 311, 313
 activation energy 286, 307, 318, 379, 404
 advection 148ff.
 – chaotic 157, 175ff.
 – delay 390
 analysis
 – curvature-corrected lubrication 18
 – dimensional 14
 – flexible-mesh finite element 18
 – of connected networks 19
 anode/anolyte 464
 anodic
 – half-cell reaction 460
 – oxidation 460
 – potential 461
 – reaction 461
 Arrhenius
 – kinetics 285
 – temperature 134
 Avogadro number 257, 349

b

batch synthesis 147
 bead-on-string instability 137
 bends, *see* microfluidic networks
 Bernoulli equation 42, 48
 Bessel function 414
 biomimetic 46f.
 Bodenstein number 371, 374, 401ff.
 boiling 61ff.
 – convective 70f.
 – explosive 74f.
 – heat transfer 67f.
 – nucleate 62, 68f., 76, 79
 – onset of nucleate (ONB) 74f.
 – pool 70
 – suppression factor 79
 Boltzmann
 – constant 101, 257, 349
 – equation 349
 Bond number 7, 77, 81, 122, 135, 205
 boundary
 – condition 27, 134, 305, 401f.
 – dryout 73
 – interphase 304
 – layer 70, 287, 305f.
 break-up
 – liquid film 224
 – pressure-induced 11
 Bretherton theory 27, 421
 Brownian motion 101, 349
 bubble
 – break-up 208ff.
 – coalescence 65f., 74, 210, 216
 – detachment 210
 – diameter 217
 – discrete 26
 – elongated 71, 79, 81
 – expansion 74f.
 – flow 26ff.
 – formation 209f., 216, 219f.
 – frequency 209, 216
 – growing 62, 74f., 135, 220
 – hydrodynamics 135
 – non-Taylor 210
 – nucleation 74
 – pairing 210
 – pressure drop 27
 – segmented flow 309ff.
 – size 216f., 220
 – size distribution 220f.
 – shape 135f., 209ff.

- suspensions 217, 220, 231
- Taylor 210, 216, 372
- vapor 65, 74
- velocity 65, 135, 210
- volume 209
- burnout point, *see* critical heat flux

- c**
- CAPEX cost 368
- capillary
 - diameter 355
 - instability 10, 15
 - number 7, 11, 122, 137, 205, 209, 421
 - pressure 213
 - thermo- 188f., 194
 - vertical 410
- capillary zone electrophoresis (CZE) 347, 353
- catalysis
 - heterogeneous 305
 - phase transfer 341
 - catalyst 9, 286, 288f.
 - heterogeneous 304, 317
 - layer 403ff.
 - porous material 403
 - solid 375
 - surface 405
 - wall 289, 313, 317
- CFD-ACE code 137f.
- chaotic advection 148f., 157, 175ff.
- high Reynolds numbers 184f.
- intermediate Reynolds numbers 185f.
- low Reynolds numbers 186ff.
- chaotic baker's transformation mixing 18, 154
- chaotic mixers, *see* mixing
- charge density 349, 351
- cathode
 - catholyte 464
 - three-dimensional 467
- cathodic
 - potential 461
 - production of hydrogen 465, 477
 - reaction 465
 - reduction 460
- CHF(critical heat flux) 62, 70f., 75, 82ff.
- saturated 85
- subcooled 85
- Chilton-Colburn analogy 133
- Chisholm
 - equation 410
 - parameter 77
- chromatography, *see* electrochromatography
- churning liquid-vapor zones 65f.
- coatings
 - bilayer 354
- catalytic 374
- hydrophilic 330f.
- hydrophobic 6, 223, 239f., 330
- non-uniform 403
- reversed-phase 356
- selectively 223
- spin-coated 6
- collocated monolith support structures (COMOSS) 358
- combustion 283, 289, 291
 - catalytic 287
 - homogeneous 286f.
 - propane-air 296, 299
 - self-sustained gas-phase combustion 295
- computational fluid dynamic (CFD)
 - simulations 41, 44f., 48, 52, 55f., 117ff.
- concentration 304f.
- distribution 159, 177f.
- equilibrium 307, 333
- field 130, 132f., 158
- gradients 151, 305f.
- maps 130
- profile 306f., 340
- conductivity
 - molar 352
 - thermal 292, 295ff.
- confinement 75, 77
- number 77
- conjugate heat transfer (CHT) 126, 129
- contact angle 6, 240
- contactor, *see* microcontactor
- continuum surface force (CSF) 125
- convection 148f., 152, 157, 177, 285, 305
 - plugs 230
 - time 304f.
- convection-diffusion equation 133
- convective
 - enhancement factor 79
 - flow 285
- conversion 285, 367, 371, 377
- Coulomb force 350
- Crank-Nicholson scheme 127
- critical micellar concentration (CMC) 227
- current
 - density 461, 464, 476
 - efficiency 462, 464, 471, 476
- Curtis rearrangement 380

- d**
- Damköhler number 305, 377
 - first 398
 - second 287
- Danckwert's intensity of segregation 130
- Dean number 44, 128

- Debye-Hückel theory 350f.
 - deformation field 151f., 158
 - lamellae 150
 - diameter
 - hydraulic 7, 41, 44, 49, 62f., 75, 208, 214, 261, 304
 - hydrodynamic 176
 - transition 63
 - dielectrophoresis (DEP) 192
 - diffusion 148f., 212, 305
 - axial 402f.
 - coefficient 133, 148f., 177, 193, 369, 377
 - constant 369
 - equation 131, 414
 - molecular 129f., 148ff.
 - numerical 130f., 136ff.
 - radial 371f., 402f.
 - theory 176f.
 - time 149, 285, 304, 371
 - diffusivity 285, 287, 292, 304
 - Dirac δ function 372, 401
 - dispersion 220f., 333f.
 - axial 228, 401
 - coefficient 189, 371, 402
 - degree of 212
 - liquid-liquid 231ff.
 - longitudinal 401
 - water in oil-surfactant 232
 - dissipation
 - mechanical 151
 - power 154, 167, 169
 - specific power 148, 151, 169
 - viscous 261, 267f.
 - disturbances 10, 14f.
 - acoustic 175, 192, 194
 - dielectrophoretic 191, 194
 - electrohydrodynamic 175, 191, 194
 - electrokinetic 191, 194
 - magnetohydrodynamic 175, 192, 194
 - pressure-induced 190f., 194
 - thermal field 175, 191, 193f.
 - Dittus-Boelter correlation 259
 - droplet 189
 - aqueous solution 233
 - bidispersed distribution 219, 233
 - break-up 138, 232, 235f.
 - coalescence 333f.
 - dispersed 331ff.
 - dripping 233ff.
 - elongated 137f.
 - electrohydrodynamic 137
 - flow 26ff.
 - formation 26, 137, 234, 236, 238f.
 - jetting 233ff.
 - monodisperse 232, 240
 - polydisperse distribution 233, 235, 238ff.
 - quasi-stable 14
 - segmented flow 309ff.
 - size 229, 232f., 235f.
 - transport 7f.
- e**
- eigenvalues 313
 - electric
 - flow 48
 - potential 48, 349f
 - electric double layer (EDL) 121, 261, 269, 350
 - diffuse 349
 - interfacial 348
 - overlap 351
 - thickness 351
 - electrochemical equipment 464ff.
 - cells 465ff.
 - inter-electrode gap 465ff.
 - electrochemical process engineering 462ff.
 - batch recycle process 467f.
 - process flow schemes 467f.
 - process intensification mechanisms 469
 - electrochemical synthesis 459ff.
 - microchannel microreactors 469, 471ff.
 - microplate microreactors 469, 471ff.
 - reactor model 476
 - single-pass high-conversion microreactors 471ff.
 - electrochromatography
 - capillary (CEC) 347f., 350, 352ff.
 - chip 356
 - high-performance liquid chromatography (HPLC) 347f., 352ff.
 - micellar electrokinetic chromatography (MEKC) 347, 354
 - microemulsion electrokinetic chromatography (MEEK) 347, 354
 - monolithic capillaries 355ff.
 - open-tubular capillary (o-CEC) 353ff.
 - packed-bed capillary 353
 - pressurized flow (PEC) 355
 - electrocoalescence device 333f.
 - electrode
 - coplanar interdigitated microband 470f.
 - overpotential 461
 - porous 467
 - potentials 461, 463, 467
 - reaction stoichiometry 459ff.
 - segmentation 476
 - surface 461
 - electrolysis 460, 462f.
 - electrolyte

- composition 461
 - concentration 352
 - conductivity 464, 473
 - flow 464, 467
 - monovalent 350f.
 - electron charge-transfer 460
 - electro-organic synthesis 467, 473ff.
 - microstructured single-pass high-conversion cell 476
 - electroosmosis 183, 350
 - electroosmotic flow (EOF) 347f., 350ff.
 - electrophoresis 350
 - capillary gel 355
 - electrospray ionization (ESI) 354
 - electrostatic potential energy curve 348
 - electrosynthesis 464f., 468
 - electrowetting 6f., 188f., 192
 - electrowetting-on-dielectric (EWOD) systems 6f.
 - eluent 349, 351
 - emulsion 231, 238, 331ff.
 - coalescence 334
 - oil-in-water 238f., 331f.
 - soap-free 332
 - energy
 - dissipation rate 42, 138, 150, 152
 - efficiency 368
 - generation 368
 - kinetic 42
 - mechanical 158
 - potential 42
 - specific energy consumption 463
 - enthalpy 461
 - entropy 132, 461
 - Shannon 132
 - equaling-up 387ff.
 - etching 6, 17, 240
 - Deep Reactive Ion Etching (DRIE) 6, 179, 183, 190, 194
 - photolithographic wet-etching 17
 - silicon wet 6
 - wet chemical 224
 - Eulerian method 130, 132
 - extinction coefficient
 - molar 448
 - extraction devices 304, 325ff.
 - application 330f.
 - droplet manipulation 325, 331ff.
 - efficiency 325f., 332, 337f.
 - liquid-liquid slug flow 325, 336ff.
 - mass transfer in slug flow 339ff.
 - microchannel 326ff.
 - modification of channel geometry 329
 - multilamination mixers 332f.
 - multilayer flow 328
 - parallel flow of two immiscible phases 325ff.
 - time 328, 338
- f**
- Faraday
 - constant 351
 - law 460
 - Feind correlation 225
 - Fick's law 306, 401
 - film
 - dryout 71
 - evaporation 62, 69, 71, 75
 - fluid-fluid microstructured microreactor (MSR) 416ff.
 - liquid 224f., 308f., 312
 - lubricating 14, 18, 310f., 313f.
 - quasi-static liquid 74
 - resistance 313
 - saturation time 311
 - theory 307f., 315f.
 - thickness 27, 70f., 80f., 135, 210f., 224f., 308f., 313f., 416f.
 - flow
 - annular 66, 71, 206f., 307ff.
 - bifurcation 128
 - bilayered 375f.
 - boiling process 72ff.
 - boundary condition 135
 - bubbly 64f., 71, 206ff.
 - bubbly/slug 64f.
 - chaotic 154ff.
 - churn 207
 - closed-streamline axisymmetric 313
 - co-flow configuration 210
 - configurations 25
 - confinement 223
 - convergent 46
 - divergent 44
 - droplet 26, 137
 - electrokinetic 183, 187, 192
 - electroosmotic 121, 123, 192
 - equipartition 214, 220
 - focusing geometries 234f.
 - gas-liquid 15, 226, 228, 315, 372, 410
 - Hagen-Poiseuille- 121, 135, 352, 406
 - intermittent 208
 - laminar 7, 41ff.
 - liquid-liquid 13f., 226, 228
 - macro-to-microscale transition 62f.
 - maps 14f., 19
 - multiphase 306f.
 - multistream laminar 241

- no-slip 42
- organic-aqueous segmented 230
- oscillations 72f., 127
- plug 372, 375, 401
- pressure-driven 192, 347f., 351f.
- profile 43, 352
- radius 44
- segmented 9f., 12, 26f., 208, 308ff.
- semi-annular 65
- shear 150f.
- sheath 181
- single-phase, *see* single-phase microflows
- slug 65, 71, 206ff.
- slug/semi-annular 65
- stratified 227, 229
- streamlines 209, 213
- surface tension-dominated 20
- Taylor 207f., 208f., 212f., 230, 312, 314, 410, 412
- three-exit fork flow structure 378
- transitional 44, 46
- turbulent 42f., 80, 119, 148, 150, 177
- two-phase 16, 19, 25, 61f., 76
- two-phase vertical capillary 411
- unbounded viscous 10
- velocity 41, 43, 55, 107
- viscous 303
- visualizations, *see* microscale flow visualizations 73
- flow instabilities 10f., 17, 25
 - two-phase 72ff.
- flow patterns 13f., 63f., 208, 227
 - gas-liquid-liquid 431
 - microscale channels 63f.
 - two-phase 63f.
- flow rate 10f., 13f., 48, 224, 226f.
- flow regimes 10, 12ff.
 - heterogeneous 412
 - transitions 14f., 27, 43, 61ff.
- fluctuations 15f.
 - concentration 148
- fluid
 - axial heat conduction 261f.
 - density 120
 - elasticity 16
 - homogeneous 398
 - heterogeneous 147
 - maldistribution 395, 403
 - immiscible 9, 11, 25, 181, 188f., 241, 303f., 325ff.
 - paths 30, 51
 - phase distributions 5f., 8, 10
- foam 216ff.
 - aqueous 216
- formation 221
- mass transfer 317f.
- monodispersed 216
- suspensions 220
- forces
 - capillary 25, 224
 - centrifugal 44
 - gravitational 7f., 122, 205
 - inertial 7f., 25, 122, 205
 - interfacial 5, 7f., 41, 205f., 209
 - Laplace 228
 - momentum 41
 - shear 217, 229
 - surface 7, 41
 - surface tension 137f.
 - viscous 7f., 41f., 122, 205
- Fourier
 - analysis 181
 - number 311, 372
 - series technique 313
- friction
 - coefficient 351
 - factors 42f., 51, 68, 119f., 273, 412
 - Fanning friction factor 412
 - force 350
 - multipliers 76f., 410
 - viscous 176
- Friedel correlation 77
- Froude number 77f., 120

- g**
- gap size 284ff.
- gas constant 351
- gas-phase chemistry 283f., 294
 - axial diffusion 285
 - heat capacity 286
 - radicals 283f.
- Gibb's free energy change 461
- glass 175, 221f.
- Gnielinski correlation 259
- gradients in microchannels
 - axial thermal 285ff.
 - concentration 287
 - spatial 284f.
 - transverse external thermal 287f.
- Gouy-Chapman layer 121
- Graetz
 - number 313
 - problem 297, 305f., 313

- h**
- Hagen-Poiseuille equation 151, 411
- Hagen-Poiseuille flow, *see* flow
- Hatta number 305, 408

- Hausen correlation 259
 headers 54ff.
 – inlet 75
 heat capacity 120
 heat flux 46, 61, 65, 68f., 265, 291f., 298
 – critical, see CHF
 heat loss
 – coefficient 286, 296f.
 – transverse 294
 heat of reaction 134, 255, 289
 heat sink
 – geometry 76
 – multichannel 76, 78, 83
 heat transfer
 – internal 288f.
 – longitudinal 285
 – rate 48, 61, 119, 127, 260
 – transverse wall 285, 292ff.
 – units 384
 heat transfer coefficient 62, 69f., 73, 79f., 255,
 266, 293f.
 – all-liquid 79
 – boiling 61
 – convective 266
 – single-phase 79
 heat transfer effects
 – conjugated 260f., 265ff.
 – electric double layer (EDL) 269
 – entrance region 269f.
 – measurements accuracy 270
 – microchannels 261ff.
 – scaling effects 261
 – surface roughness 266f.
 – thermophysical properties 268f.
 – viscous dissipation 267f.
 heat transfer enhancement 127ff.
 heat transfer in homogeneous systems
 – continuum assumption 256ff.
 – microfluidic systems 259ff.
 heat transfer in macroscale tubes and
 channels 270ff.
 Helmholtz layers 348, 350
 heterogeneous systems 205ff.
 – contacting 205
 – mixing 205
 high-throughput 228, 283, 351
 – analysis 228
 – of emulsion 332
 hot spots 283, 379, 385f., 395
 hydrodynamic 164, 210, 371
 – flow 472
 – focusing 179ff.
 – resistance 16
 hydrogenation 315, 317f., 424, 427, 429ff.
 hydrophilic 6, 25, 123, 348
 – path 241
 – silicon nitride 239
 – wafer 213
 hydrophobic 6, 25, 123
 – coating 223, 239f.
 – path 241
 – silane solution 241
 – wafer 213
i
 inertia 27
 – centrifugal 19
 – low- 19
 injection
 – method 230
 – unit 372
 inlet
 – configuration 228f.
 – funnel-type 229
 – geometry 13, 208ff.
 – junction 209f.
 – temperature 293f.
 – velocity 48, 285, 295ff.
 ionic
 – charge 349
 – liquid synthesis 379, 385
 – species 348ff.
 – strength 348f.
 interfaces 5
 – curvature 5, 18
 – discontinuous 135
 – fluid 8
 – fluid-gas 134
 – fluid-fluid 10, 18, 25
 – gas-liquid 26, 134, 308f., 396, 408, 448
 – liquid-liquid 241
 – oil-water 450f.
 – pinning 5
 – solid-fluid 123
 – solid-liquid 348
 – stable fluid 307ff.
 – static fluid 6
 – stationary/solution 350
 interfacial
 – area 151, 213, 225
 – concentration 349f.
 – energy 6
 – instabilities 8
 – potential 349
 – reagent concentration 462
 – specific interfacial area 330, 333
 – surface area 130
 – tension 5, 17, 231, 233, 239ff.

j

Joule heating 464

k

Kapitza equation 224f.
 Kelvin-Helmholtz (KH) 12
 keystone effect 357
 kinetics 7, 134, 379, 386, 397f.
 – constant 162, 461
 – intrinsic chemical 283
 – Langmuir-Hinshelwood 452
 – Tafel law 461
 Knox equation 352
 Knudsen number 123, 257f.
 Kolbe-Schmitt synthesis 384
 Kozeny-Carman equation 351

l

lab-on-chip 147, 356
 Lagrangian method 131f.
 lamellae thickness 151f.
 Laplace
 – boundary condition 20
 – length scale 16, 64
 – pressure difference 26f.
 Laplace-Young equation 71
 lattice Boltzmann method, *see* model
 lipophilic 347f.
 liquid
 – flow maldistribution 226
 – low-viscosity 27
 – slug 79ff.
 liquid-liquid systems 240
 – non-miscible 226, 228, 231, 240
 lithography 6, 17, 309
 Lockhart-Martinelli 410f.
 lubrication analysis 26ff.
 Lyaponov exponent 131, 157f.

m

manifold 54ff.
 – design, *see* microfluidic networks
 Marangoni
 – convection 27
 – effects 135
 mass transfer 208
 – boundary layer 472, 477
 – coefficient 212f., 215, 225, 292f., 306, 314,
 407f., 472
 – continuous phase 313f.
 – correlation 133
 – disperse phase 314ff.
 – effects 135
 – efficiency 133

– enhancement 304
 – external 287f.
 – fluid-fluid 303ff.
 – fluid-fluid microstructured
 microreactor 416ff.
 – fluid-solid microstructured
 microreactor 404ff.
 – fluid-solid 303ff.
 – gas-liquid 311, 408
 – internal 288f.
 – laminar-flow 305f.
 – limitation 303, 305, 316, 447, 452, 471ff.
 – liquid-solid 313f.
 – parameter 416
 – rate 307, 316, 318, 325, 408, 465f.
 – transverse 292f.
 membrane
 – emulsification 236
 – hydrophobic 17
 – ion-exchange 464
 – silica-based 356f.
 – transmembrane pressure 239
 micellar electrokinetic chromatography
 (MEKC), *see* electrochromatography
 microchannel
 – aspect ratio 17, 290ff.
 – boiling 61f., 66ff.
 – classification 62f.
 – cross-section 17ff.
 – diameter 14f., 47, 49, 62f., 75, 208, 214, 261,
 304
 – evaporation 61f., 66, 69
 – friction factor 42f., 51, 68, 119f., 273, 412
 – geometry 10, 13f., 15, 17ff.
 – heat transfer 256f., 261ff.
 – hydrophilic 6, 227
 – inlet 14, 19, 76, 82, 208ff.
 – multichannel systems 235ff.
 – networks 7, 9, 14, 17, 44
 – overlapping 240f.
 – packed-bed 19, 317f.
 – ridges 240f.
 – serpentine 18f., 230f.
 – silicon-glass 227, 260
 – spatial gradients, *see* gradients
 – thermal radiation 289ff.
 – two-dimensional 128
 – unbounded system 17
 – walls 4, 10, 285f., 329
 – wetting 6f., 14, 308
 microchemical systems
 – gradient 283ff.
 – transport time scales 285
 microcontactor 205ff.

- bubble suspension 206, 216ff.
- continuous-phase 206
- design 205
- dispersed-phase 206
- falling film microchannel 223ff.
- foam suspension 206, 216ff.
- gas-liquid 207ff.
- geometry 206, 210
- liquid-liquid dispersion 231ff.
- micromesh 206, 221ff.
- overlapping microchannel 206, 221ff.
- packed microchannel 206, 214ff.
- power input 421
- segmented flow 208f., 228
- microelectromechanical systems (MEMS) 17, 175
- microemulsion 137, 347
- electrokinetic chromatography (MEEK), *see* electrochromatography
- microfabrication techniques 17
- microfluidic devices 9f., 52, 95f.
- microscale cooling systems 73
- modelling 117ff.
- parallel 52ff.
- plate stack 54f.
- macroscale thermal systems 72, 74
- surface acoustic wave (SAW) 193
- twin-screw extruders 158
- two-phase heat exchanger cooling device 61
- microfluidic networks
 - bends 44f.
 - bidirectional network 47
 - bifurcation 47
 - branching levels 47, 49
 - channel network 44, 46
 - combined 46ff.
 - dendritic channel system 48
 - design 46ff.
 - fluid mechanics 41ff.
 - manifolds 49ff.
 - parallel scaling 28f.
 - prediction methods 76ff.
 - pressure drop in segmented-flow 28
 - segmented flow properties 28ff.
 - T-junction 12f., 15f., 44ff.
 - undirectional network 47
- micromixer (MIX) 46, 49f., 96, 98f., 109, 369f.
 - active 175f., 190ff.
 - based on chaotic advection 184ff.
 - fabrication 175, 194f.
 - laminar static mixers 154
 - multilamination mixers 220f.
 - parallel lamination 177
 - passive 175f., 177ff.
- serial lamination 183f.
- staggered herringbone mixer (SHM) 109
- three-dimensional 186, 194
- microreactor (REAC) 13, 61, 369f., 396
 - catalytic 56f., 296ff.
 - ceramic-frame 286
 - continuous-phase microstructured 427f.
 - dispersed-phase microstructured 428ff.
 - fluid-fluid 407ff.
 - fluid-solid 398ff.
 - gas-liquid 408ff.
 - gas-liquid-liquid microstructured 430f.
 - focusing (FF) 217f., 374, 376
 - high-temprtature 384
 - liquid-liquid 418ff.
 - microburner 293ff.
 - micro heat exchangers (HEX) 369f.
 - microstructured (MSR) 398ff.
 - multiphase 305ff.
 - packed bed 353, 395, 430
 - photomicroreactor 451ff.
 - stainless-steel-based 286, 308, 447
 - tube bundle heat exchanger 54f.
 - tubular 398, 400f., 407
- microscale flow visualization 21f., 93ff.
- brightfield microscopy 21f.
- confocal laser scanning microscopy (CLSM) 24, 93, 107f.
- confocal microparticle image velocimetry 103f.
- cooled CCD detector 109, 111
- flow sensors 24
- holographic particle tracking velocimetry (HPTV) 105
- laser-induced fluorescence (LIF) microscopy 21f., 95, 106f., 111
- magnetic resonance imaging 24f.
- microparticle image velocimetry (μ -PIV) 95f., 99ff.
- mixing processes 110ff.
- multiphase flow 102f.
- particle image velocimetry (PIV) 23, 26, 93, 95ff.
- stereoscopic microparticle image velocimetry 104f.
- total internal reflectance sensing (TIR) 21f., 24
- X-ray tomography microscopy (XTM) 25
- microstructured reactor (MSR) 398ff., 404ff., 416ff.
 - mixing 147ff.
 - acitive mixers 147
 - chamber 236f.
 - channels 151, 181

- chaotic 154ff.
 - chemical methods 161f.
 - efficiency 158f., 375
 - homogeneous 220
 - macroscale 176
 - multiphase 206
 - passive mixers 147
 - path 177, 179, 181
 - performance 166ff.
 - physical methods 159ff.
 - radial 372
 - section geometries 217, 231
 - shear field 150
 - time 152f., 165f., 370, 375
 - model
 - arbitrary Lagrangian Eulerian (ALE) method
 - axisymmetric pore model 19
 - Bretherton's model 211
 - CFD model 117ff.
 - chaotic mixing model 156ff.
 - Chisholm/Lockhart-Martinelli correlation 77
 - cylindrical pore model 19
 - 2D model 180
 - 2D elliptic model 293
 - 3D model 428
 - discrete ordinates (DO) radiation model 291
 - dispersion model 371, 373
 - finite-element method 313
 - finite-volume (FV) scheme 20, 291
 - flow pattern prediction method 66
 - flow resistance method 48
 - Gouy-Chapman statistical model 349
 - heat transfer flow boiling model 78
 - Helmholtz model 349
 - homogeneous model 76ff.
 - hydrodynamic/mass transfer model 133
 - IEM (interaction by exchange with the mean) 165
 - kinetic model 134
 - lattice Boltzmann model 20, 132f., 136f.
 - lumped element modeling 48, 55
 - microscale heat transfer model 79, 81
 - network-of-resistances model 19
 - one-dimensional model 72
 - penetration and surface renewal model 316, 416
 - pore conduit model 19
 - pseudo-2D model 293, 298ff.
 - residence time distribution (RTD) model 373
 - semi-implicit (MPS) method 137
 - separated-flow model 76f., 410
 - sphere pack model 19
 - stagnant film model 416f.
 - surface-to-surface model 291
 - tank-in-series model 212
 - three-zone heat transfer model 79ff.
 - two-phase flow model 139
 - two-region model 212
 - VOF model 20, 125, 135ff.
 - Wilson plot method 68
 - modeling of microfluidic devices 117ff.
 - advanced solution methods 126f.
 - chemical reaction 133f.
 - electric effects 121f.
 - gravitational effects 120
 - heat transfer enhancement 127ff.
 - laminar flow 118
 - mass transfer 133f.
 - mixing 129ff.
 - Navier-Stokes Solvers 124ff.
 - non-continuum effect 118
 - single-phase simulations 127ff.
 - surface roughness 118
 - surface tension effects 122
 - viscous energy dissipation 120
 - wall slip effects 123
 - molecular weight distribution 368
 - monolithic
 - hybrid organic-inorganic 356
 - polymer-based 355f.
 - silca-based 355f.
 - Moody diagram 68
 - multi-lamellae
 - flow 160
 - structures 148
 - multiphase flow regimes 12ff.
 - multiphase microchemical systems 3, 9
 - multiphase microflow 3f., 7ff.
 - characterization 20ff.
 - dynamic behavior 9ff.
 - multi-step synthesis 383
 - Murray's law 46f.
- n**
- nanofluidic system 7
 - Navier-Stokes equations 27, 42, 119, 121, 123, 130, 137f., 179, 257f.
 - Navier-Stokes Solvers 124ff.
 - heat transfer simulations 126
 - interfacial surface location 125f.
 - numerical diffusion 124f.
 - parasitic currents 125f.
 - Newman-Kuart rearrangement 38
 - Newton
 - Newtonian droplet 138
 - non-Newtonian fluid behavior 258

- type law 461
- non-linear effects 178
- nucleate boiling theory 75
- nucleation activity 76
- nucleophilic 450
- number of transfer units (NTU) 472ff.
- numbering-up concept 368, 387ff.
 - external 389
 - internal 387f.
- Nusselt number 80, 127, 133, 259ff.
- correlation for microchannels 261ff.
- equation 225
- profile 295ff.

- o**
- ohmic
 - drop 463f.
 - penalty 473, 477
 - resistance 476
- Ohm's law 464
- oxygen
 - saturation 448
 - singlet 448, 450
- oxygenation 448, 450

- p**
- particles 8
 - diameter 351
 - dielectric 192
 - grazing 397
 - solid 188, 397
- Peclet number 131, 148f., 153f., 156ff.
 - axial 285, 371
 - longitudinal 285
- penetration theory 307f., 312
- permittivity 349
- phase
 - breakthrough 223
 - contacting 427ff.
 - continuous 9, 226, 228, 231ff.
 - discontinuous 228, 232
 - dispersed 15, 18, 228, 232ff.
 - immiscible 9, 226, 228, 231, 240f.
 - inert 303
 - micellar 347
 - mobile 304, 347, 352
 - monolithic 355f.
 - o-CEC 353
 - pseudo-homogeneous translucent 347
 - separation 16
 - stationary 304, 347, 352ff.
 - transfer reaction 450
 - two-phase stream 14
- photocatalyst 444, 451ff.
- photochemical
 - continuous production 447
 - reductive coupling 445
 - transformation 446
- photochemical reactions 441ff.
 - single-phase 442ff.
 - multi-phase 443, 447
- photochlorination 448f.
- photocyanation 450
- photocyclo
 - addition 445f., 449
 - oxidation 447
 - reversion 446
- photodecomposition 452f.
- photodegradation 452, 454
- photoinduced electron transfer 450
- photolithography 241
- photolysis 447
- photoreactors 441ff.
- photoreduction 453
- photosensitizer 448, 452
- pLIC (piecewise linear interface construction) 137
- plugs 228f.
 - aqueous 230
 - flow field 230
 - length 228f.
 - size 229f.
- point spread function (PSF) 105f.
- Poiseuille flow 151
- Poisson-Boltzmann equation 349
- polarization phenomenon 348
- polydispersivity index 368
- polymer materials 175, 183, 185ff.
- Polymeric fabrication 176
- Polymerization 368
 - in situ 355, 357
- Prandtl number 129, 297
- prediction methods 76ff.
 - critical heat flux 82ff.
 - frictional pressure drop 80f.
 - heat transfer 78f.
- pressure
 - ambient 5f.
 - breaking 16f.
 - capillary 5f., 16
 - gradient 76
 - hydrostatic 224
- pressure drop 27f., 49f., 211f., 399f., 410ff.
 - flow pattern-based 78
 - fluid-fluid microstructured microreactor 410ff.
 - fluid-solid microstructured microreactor 399f.

- frictional 76f., 411
- gradient measurements 73
- liquid-liquid microstructured microreactor 418ff.
- two-phase flow 19, 66f.
- pressure
 - fluctuations 15ff.
 - saturation 70
 - steady upstream 16
 - two-phase pressure factor 412
- process
 - engineering benefits 368f.
 - intensification 283, 368f., 390, 473
 - parameters 371
 - reation-separation 380
 - safety 283
- processing
 - high-temperature 368
 - high-pressure 368
 - multi-scale 390
 - time 367
- r**
- radiation 289ff.
- radiative transfer equation (RTE) 291
- radical-driven chemistry 283
- Rayleigh-Plateau instabilities 26, 233, 236
- reactions
 - Barton reaction 447
 - consecutive 341, 377
 - continuous 147
 - Diels-Alder 385
 - endothermic 286, 294, 404
 - engineering benefits 367f.
 - enthalpy 404
 - exothermic 283, 292, 296, 341, 369, 379, 386f., 404
 - fluid-solid microstructured microreactor 404ff.
 - first-order 304ff.
 - gas-liquid 305, 307, 408f.
 - gas-liquid-liquid 424, 427, 430f.
 - gas-liquid-solid 424ff.
 - heterogeneous catalyzed hydrogenation 315f., 367
 - heterogeneous multiphase 395ff.
 - homogeneous 367ff.
 - hydrolysis 340
 - iodide-iodate test 162ff.
 - kinetics 162, 397, 407, 409
 - liquid-phase 134, 228, 367, 370
 - liquid-liquid microstructured microreactor 422ff.
 - Menschutkin 385
 - neutralization 162
 - nitration 230
 - phase-transfer synthetic 330
 - photoreactions, *see* photochemical reactions
 - pseudo-first-order 316
 - rate 134, 287, 405, 409
 - redox 162f.
 - solventless 385
 - Villermaux-Dushman 148, 162ff.
 - zero-order 407
- reaction-convection-diffusion equation 304
- reagent
 - concentration 476f.
 - conversion 471f.
 - flux 471
- recirculation
 - patterns 226
 - region 310f., 315
- residence time 8, 226, 259, 285
 - fluid dynamic 371f.
- residence time distribution (RTD) 336, 367, 371ff.
- curve 373
- fluid-fluid microstructured microreactor 413ff.
- fluid-solid microstructured microreactor 400ff.
- gas-phase flow 374f.
- liquid phase 372ff.
- liquid-liquid microstructured microreactor 421ff.
- resistance
 - electric 48
 - fluidic 48f.
 - pressure 49
- retention factor 352
- Reynolds number 7, 10, 41ff.
- rotation field 150f.
- s**
- scale
 - down 283
 - out 283, 367, 387
 - up 283, 389, 397
- scaling law 178
- Schmidt number 148, 153, 400
- sedimentation 8f., 350
- segmentation 191
- segregation 131f., 147ff.
 - index 164ff.
 - intensity 159
 - scale 151f., 160
 - patterns 131
- selectivity 164, 371, 375f., 398, 448

- catalyst 397
- regio- 446
- product 462
- self-assembled monolayers (SAMs) 241
- photocleavable 241
- separation 16f., 213, 329, 331
- capillary zone electrophoresis (CZE) 347
- enantiomeric 355
- liquid-liquid 17, 336f.
- liquid-phase separation technique 347
- mode 348
- phase 380
- post-reaction 303
- pressureless 352
- two-phase 337f.
- time 338
- separator 213, 380
- gas-liquid 16, 380
- liquid-liquid 380
- shear rate 151, 158f.
- shear stress 12, 47, 209
- sheath
 - flow 181
 - liquid 189
- Sherwood number 133, 292f., 296f., 306f., 314f., 406f., 415, 472
- profile 297
- silicon 175
 - chip 47f.
 - substrate 221f.
- simulations 134f.
- droplet 135
- gas-phase reactions 133
- multi-phase 134
- Taylor bubble 134f.
- transient mass transfer 135
- single-phase
 - heat transfers 62, 256, 261
 - liquid filling 74
 - liquid flow 372
 - liquid pressure drop 211
 - microflows 7, 10, 41, 208
 - pseudo 76
 - streams 10
- slug
 - aspect ratio 315
 - formation 228, 310
 - length 312ff.
- Smulochowski equation 351
- solubilization capacity 347
- solution
 - dilute 350
 - perfect mixed 376
- solvent reflux temperature 386
- squeezing
 - mechanism 216, 219f., 228
 - regime 209, 231
- stability transition lines 75
- steady-state condition 461
- Stern layer 121, 348
- sticking coefficient 293f.
- Stokes flow 19, 150
- streaming potential 350
- stretching 151f., 154f.
- striation thickness 157
- subcooled 82f.
 - critical heat flow 85
- liquid 76
- region 70ff.
- substreams 177, 214
- surface
 - charged 348
 - contact 179, 88
 - homogeneous 5
 - hydrophilic 6, 123, 227
 - hydrophobic 6, 123
 - microchannel 6f.
 - microstructured 5, 7
 - porous silicon 317
 - potential 348f.
 - roughness 6, 75, 118, 213, 261, 266f.
 - solid 6f.
 - solvophobic 123
 - specific surface area 307f., 317
 - tension 5ff.
 - wetting 6
- surfactant 12, 14, 227, 231, 331
- concentration 27, 227
- ionic 347
- polymeric 354
- susceptibility 15
- syringe pumps 16
- system
 - competitive consecutive 161f.
 - competitive parallel 161f.
 - source-sink 190, 193
- t**
- T-junction, *see* microfluidic networks
- Taylor
 - bubble 210, 216, 372
 - cone formation 11
 - flow 207f., 208f., 212f., 230, 312, 314, 410, 412
 - instability 64
- temperature
 - fluctuations 74
 - ignition 294

- profile 285f., 289ff.
- saturation 73, 83f.
- thermal
 - cooling load 61
 - diffusivity 285
 - efficiency 48
 - fatigue 73
 - resistance 260
- thermocapillary 188f., 194
- thermodynamic
 - first law 42
 - vapor quality 70, 83
- Thiele modulus 305
- time
 - cooling 369
 - diffusion 403
 - heating 369
 - mixing 369
 - reaction 369, 398, 405
 - transfer 398
- tracer 415f.
- concentration-time profile 401
- injection 401f., 416
- transition lines 228
- transmission 448
- transmittance 373
- transport coefficient 148
- transport phenomena 176, 283ff.
 - external 287f., 293
 - time scale 285
 - transverse 285, 293
- turbulence 176, 303
- two-phase
 - friction multiplier 76f.
 - gas-liquid flow 76
 - mixture density 78
 - mixture viscosity 78
- v**
- Van Deemter plate height equation 352
- vapor
 - layer 72
 - plug 74
 - quality 69f.
 - slug 79ff.
- velocity 7f., 12f.
 - component 98f.
 - convective 121
 - distribution 105, 151
 - dynamic 120, 152
 - field 150, 160
 - field-entrance region 98f.
 - gradients 96, 98, 120, 150f., 158, 413
- gravity equivalent 411
- linear 312
- liquid 208
- mass 69f., 73, 82
- velocity profile 180, 225, 306f.
- parabolic 371, 402
- radial 406
- velocity
 - pulsing 190
 - superficial 14, 25, 135, 208, 210, 308f., 311, 373, 411
 - total mass 64
 - transport 46
 - two-phase mixture 411
 - vector 42
- view-factor 290
- Villermaux-Dushman reaction, *see* reaction
- viscocapillary regime 211
- visco-inertial regime 211
- viscosity 7, 148
 - characteristic 148
 - dynamic 43
 - fluid 7
 - kinematic 41, 148
 - kinetic 176
 - liquid 351
- vortex 42, 44, 46, 179
 - 3D 179
 - Dean 127f.
 - double 44
 - multiple laminar 149
 - toroidal 208
- w**
- Wagner number 476
- Weber number 7, 77, 122, 205, 208, 213, 411
- wettability 13, 122, 208, 226
 - surface 122f.
 - wall 208, 228
- wetting 5ff.
 - dynamic 7
 - electro- 123
 - microchannel 6f., 14, 308
 - phase 12, 223
- y**
- yield 368, 376, 398, 462, 467
 - quantum 368
 - space-time 371, 395, 463, 465, 473
- Young-Laplace equation 5f., 223, 240f.
- z**
- zeta potential 350ff.