

INDEX

- Access charges, 176
- Access control:
 - centralized management, 236–237
 - challenge-response systems, 237
 - commercial systems, 237
 - denial of service, 237–239, 267
 - importance of, 11, 213, 215
 - line interruption, 236
 - mechanisms of, 235–236
 - network layer, 236
 - packet filtering, 236
 - role-based (RBAC), 235, 263
- Access ISPs, 199–200
- Access Service Requests (ASR), 37
- Accounting, 147, 155–156, 159, 165–167
- Accounting rate systems (ARS), 166
- Accounting record, defined, 159
- Accredited Standards Committee (ASC) T1, 30
- AC.1, 42
- Active attacks, 213
- Active probing, 147
- Adaptability, eCommerce standards, 16
- Administrative services, 34
- Admission control, 102, 124, 163
- ADSpec (advertising specification), 104–106
- Advanced Communications Technologies and Services (ACTS), 167, 302
- Advanced Encryption Standard (AES), 218, 273
- Aggregate flows, 112
- Agreement, REA ontology, 47, 49
- All-optical network architectures:
 - characteristics of, generally, 294–295
 - dynamic lightpath networks, 297–300
 - optical burst switching (OBS) networks, 303, 323
 - optical packet-switching networks, 300–302
 - overview, 294–295
 - static and semistatic lightpath networks, 295–297
- α -stable random processes, 324, 326
- Alternate routing (AR), 299
- American National Standards Institute (ANSI), 234, 251, 273, 279
- America Online (AOL), 183
- Application and Middleware Layer (AML), 197–198
- Application, generally:
 - gateways, 236
 - layer, 215
 - security, 220
- Application service provider (ASP), 198–200
- Application-specific integrated circuits (ASIC), 72
- Architecture, historical perspective, 8–9. *See also specific IP networks*
- ARPANET, 287
- Arrival process, 319
- ASN, Basic Encoding Rules (BER), 277
- Association for Biometrics, 234
- Assured forwarding (AF) per-hop behavior (PHB), 121–122
- Assured forwarding (AF) services, 110, 114–115, 121–123
- Asymmetrical digital subscriber line (ADSL), 148–149

- Asymmetric cryptography, *see* Public key
- Asynchronous transfer mode (ATM):
 - cell-based, 293
 - characteristics of, generally, 60, 69, 79, 288, 295
 - charges:
 - accounting process, 156, 167
 - billing process, 166–167
 - calculation, 154–155
 - metering, 156
 - standard data formats, 174
 - DiffServ applications, 124–125
 - flow switching, 310
 - MPLS applications, 134, 140–141
 - optical networks, 305, 308, 328
- ATM Forum, 74
- Attacks:
 - denial-of-service:
 - examples of, 238
 - types of, 213, 264–265
 - encryption cracks:
 - types of, 264–265
 - vulnerability for, 265
 - motivation for, 266
- Attribute certificates, 262–263
- Audio-on-demand, 199
- Auditing, charging support systems (CSS), 192
- Authentication:
 - components of, 215–217
 - certificate management, 253–255
- Authentication header (AH) protocol, 218
- Authentication server (AS), 243–246
- AUTH service, 321
- Avalanche photodiodes (APDs), 289
- Avici, 308

- Back-up files, 201
- Backbone networking, 9, 124
- Backward compatibility, 33
- Bandwidth:
 - bottlenecks, 193
 - functions of, 9
 - Internet growth and, 287
 - IntServ requirements, 97–98, 170
 - quality of service, 67–69
 - pricing models and, 184
- Bank clearing system, 18
- Best-effort model, 61
- Best-effort philosophy, 9
- Best effort service, 119, 187
- Billing:
 - defined, 159–160
 - process, 11–12, 40, 147, 159
 - record, 160
 - systems, types of, 162
 - traditional, 166–167
- BioAPI Consortium, 233–234
- Biometric Consortium (BC), 233
- Biometric identification, 231–234, 266
- Bit error rate (BER), 290, 303
- Blocking probability, 298, 300
- Border gateway protocol (BGP), 97, 101, 125–126
- Boundary nodes, 113, 170
- Breathe Freely, 183
- Bridging standards, 20
- Broadband ISDN (B-ISDN), 96, 166
- Brute-force attacks, 264
- BSI-Federal Information Security Agency, 234
- BT-EC:
 - eCommerce issues:
 - cross-sectorial/cultural adaptability, 19–21
 - IT enablement, 18–19
 - localization/multilingualism, 18–20
 - reports, generally, 14
- Buffers, optical packet-switching networks, 301
- Buffer space, 161
- Bulk protection, 216
- Burst switching, 315
- Burst transmission, 303
- Business Agreement Service, 22–23
- Business domain expert, functions of, 45
- Business Domain View (BDV), UN/CEFACT UMM, 45, 49
- Business entity type (BET), 48
- Business model, charging:
 - application service provider (ASP), 198–200
 - charging content, 200–202
 - Internet service provider segmentation, 197–198
 - market-managed three-tiered model, 196–197
- Business process and information modeling (BPIM):
 - defined, 42
 - ebXML Initiative, 43
 - new-generation operation support systems (NGOSS), TM Forum, 51–52
- Business process definition (BPDS), 44
- Business process modeling, in ebXML, 43–49
- Business Process Project Team, 44
- Business Requirements View (BRV), UN/CEFACT UMM, 45–46, 49
- Business Service View (BSV), UN/CEFACT UMM, 45–46
- Business-to-business solutions, 32
- Business Transaction View (BTV), UN/CEFACT UMM, 45, 49

- Cable TV networks, 143
- Call detail records (CDRs), 147, 159–160, 173–174
- Call-blocking rate, 189
- Capillarity, 95
- Care packet first, don't care packet last (CFDL), 302
- Carrier Access Billing Systems (CABS), 38
- Case diagrams, 32
- Centralized certification, 251
- Certificate management:
 - attribute certificates, 262–263
 - basic operation, 253
 - certification path:

- evolution perspectives, 258–259
 - hierarchical, 255–258
 - overview, 255
- certificate revocation, 261–262
- importance of, 250–253
- replacement certificates, 261
- strong authentication:
 - one-way authentication, 259–260
 - three-way authentication, 259–261
 - two-way authentication, 259–260
- X.509 certificate, 251, 253–254, 261–262
- Certificate revocation list (CRL), 253, 261–262
- Certification authorities:
 - functions of, 235
 - key revocation, 242
- Challenge-response systems, 237
- Charge calculation, 153–155, 160
- Charging and Accounting Schemes in Multi-Service ATM Networks (CaSHMAN), 167
- Charging and Information Protocol, 165
- Charging support system:
 - accuracy in, 149–150
 - architecture, ICCAS:
 - external components, 193–194
 - internal components, 193–195
 - open interfaces, 195–196
 - overview, 192–193
 - components of, 146, 189–190, 202–203
 - defined, 145–146, 160, 188
 - dimensions of, 190–191
 - flexibility, importance of, 150–151, 163
 - functions of:
 - accounting, 147, 155–156, 159, 165–166
 - billing, 147, 159–160, 166–167
 - case illustration, 148
 - charge calculation, 147, 153–155, 160
 - costs, 157–158, 160
 - mediation, 147, 156, 160, 165–166
 - metering, 147–148, 156, 160, 165–166, 175
 - overview, 146–148
 - payment, 158–160
 - pricing, 147, 156–157, 160, 175–187
 - quality of service (QoS), 144, 153, 160–161
 - service level agreements (SLAs), 158–159, 161, 163, 171–172
 - settlement, 158, 161
 - tariffing, 147, 157, 161, 164–165, 167, 183, 203
 - tasks, 146–147, 191–192
- Checksum computation, 63
- Childproof systems, eCommerce, 17
- Cipher block chaining (CBC), 263
- Cipher feedback (CFB) encryption, 267–271
- Ciphertext, 242
- Circuit switching, 8
- Circuit-switched communication, 161
- Circuit-switched networks, 175
- Cisco Systems:
 - NetFlow product, 159, 165
 - Tag System, 311
 - Terminal Access Controller Access System (TACACS), 236–237
- Class-based packet processing, 76
- Class-based queuing (CBQ), 89
- Class of service (CoS), 311
- CMIP, 30, 32
- Coarse WDM (CWDM), 289
- Code points, DiffServ architecture, 119
- Code Red worm, 238
- Code tables, 33
- Coding, 9
- Collisions:
 - data integrity verification, 224–225
 - encryption cracks, 265
- CommerceOne, Common Business Library (CBL), 53
- Commercial operating systems, 265–266
- Commercial Transaction, business application contracts, 51
- Commodity Codes, 19
- Common Biometric Exchange File Format (CBEFF), 234
- Common channel signaling (CCS), 238
- Common Object Request Broker Architecture (CORBA), 31–32
- Communication services latency, 72
- Compatibility:
 - business process definition (BPDS), 44
 - eCommerce standards, 17
- Competitive local telephone company (CLEC), 7–8
- Computational integrity, 33
- Conferencing, 149
- Confidentiality, *see* Privacy; Security systems approaches to, 215, 220–221, 266
 - public key cryptography, 222–223
 - symmetric cryptography, 221–222
- Congestion avoidance, 90
- Congestion control, quality of service:
 - explicit congestion notification (ECN), 90, 93–95
 - random early detection (RED), 90–92, 172
 - significance of, 89
 - tail drop, 90–91
- Congestion experienced bit (CE), 93–94
- Congestion management, defined, 90
- Congestion pricing, 164
- Congestion window reduced (CWR) flag, 94–95
- Connection holding time, 319
- Connection interarrival, 319–320
- Connectionless model, 9
- Connectionless networks, 175
- Connectionless protocol, 238
- Connection-oriented networks, 175, 188–189
- Constraint-based label distribution protocol (CR-LDP):
 - defined, 138
 - explicit route, 139

- Constraint-based label distribution protocol (CR-LDP) (*continued*)
 - negotiation flags, 140
 - path preemption, 139–140
 - pinning mechanism, 140
 - traffic engineering, 140
- Constraint-based routing label distribution protocol (CR-LDP), 131, 136, 138–140, 328
- Consumers, eCommerce:
 - empowerment strategies, 20
 - system development process, 18
- Content addressable memories (CAMs), 312
- Content charging, 192, 200–202
- Contention resolution by delay line (CORD), 301
- Content-level providers, security issues, *see* Security systems
- Contract Negotiation and Charging in ATM Networks (CANCAN), 167
- Controlled-load service, 99–110, 170
- Conventional wavelength band, 290
- Convergence, PSTN, 12
- Convergence time, 299
- Cookies, 248, 265
- Core ISPs, 199–200
- Core routers, 113, 116–117, 171
- Corporate networks, 95
- Cost(s), *see* Charging support system
 - calculation of, 157–158, 160
 - eCommerce, 18
- Country Codes, 19
- Couplers, passive optical, 294
- Cross-sectorial issues, eCommerce, 19–21
- Crosstalk, 290
- Cryptographic keys, secure management of:
 - archiving, 242
 - backup, 242
 - deletion, 242
 - distribution, 241
 - key revocation, 242
 - overview, 240–241
 - production, 241
 - replacement, 242
 - storage, 241
 - symmetric vs. public, 242–243
 - utilization, 242
 - withdrawal, 242
- Cryptography:
 - asymmetric, 266
 - public key, 222–223, 240–243, 266
 - symmetric, 221–223, 228–230, 240–243
- Cryptosystems, 278
- Cultural adaptability, eCommerce issues, 19–21
- Cumulus pricing scheme (CPS), 164
- Currency Codes, 19
- Customer account record exchange (CARE), 34
- Customer care, 11
- Customer Premises Network (CPN), 199–200
- Customer-provided equipment (CPE), 12
- C wavelength band, 290
- Cylink Corporation, 249
- Danielson, Johan, 247
- Data definition standards, examples:
 - ITU Carrier Code (ICC), 39–40
 - ITU-T Recommendation M.1400, 38–39
 - T1 standards:
 - company code, 36–38
 - location entity identification code, 35–36
 - overview, 34–35
- Data encryption algorithm, 273
- Data encryption standard (DES):
 - characteristics of, 273–274
 - triple, 274
- Data flows, IntServ, 97. *See also* Flow level analysis
- Data integrity:
 - approaches to, 223–224, 266
 - importance of, 215, 223
 - verification with:
 - one-way hash function, 224–228, 266
 - symmetric cryptography, 228–230
- Data-link layer switched paths, 136
- Data networking technology, 9–10
- Data protocol, 12, 30
- Data rate, 68
- Decentralized certification, 250
- Decentralized networks, 17
- Decision-making, eCommerce standards, 22–23
- Decryption, 221, 268–271
- Defense Advanced Research Projects Agency (ARPA/DARPA), 301
- Deficit round-robin (DRR) queuing, 89
- Delay, congestion control approaches, 90. *See also* *specific types of delays*
- Delegation path, 263
- Delivery systems, eCommerce, 15
- Demultiplexers, 326
- Denial of service, 213, 237–239, 267
- Design for all, eCommerce, 16–17
- Dense-wavelength division multiplexing (DWDM) technology, 9–10, 69, 79, 124, 141, 289
- Destination address, 101, 131, 311
- Destination port, 101
- Destination port number, 116
- Dialog, eCommerce standards, 16
- DIAMETER, 174
- Differentiated services (DiffServ) architecture:
 - assured forwarding (AF) services, 114–115, 121–123
 - domain concept, 113
 - expedited forwarding (EF) behavior, 114–115, 119–121
 - functionalities:
 - packet classification, 115–116
 - packet dropping, 118
 - packet marking, 117–118
 - packet scheduling, 118

- traffic conditioning, 117
- traffic monitoring, 116–117
- traffic shaping, 118
- goals and basics, 110–111
- IPv4/IPv6, 117, 171
- overview, 111–113, 123
- per-hop behavior (PHB), 113, 115, 117–124, 170
- pricing, 187
- quality of service (QoS), 114–124
- service-level agreements (SLA), 113–115, 124, 172
- summary of, 124
- traffic conditioning agreements (TCA), 113–115
- Diffie-Hellman key exchange method, 241, 247–250, 266, 276, 278
- Digital Equipment Corporation (DEC), 243
- Digital signature algorithm (DSA), 230, 267, 279–280
- Digital wrapper, 293
- Directory Access Protocol (DAP), 251
- Directory Information Sharing Protocol (DISP), 251
- Directory system agent (DSA), 251, 278–279
- Directory System Protocol (DSP), 251
- Directory user agent (DUA), 251
- Disconnecting, eCommerce, 18
- Discrimination, 18
- Distributed denial of service (DDoS), 238
- Distributed Management Task Force (DMTF), 52
- Distributed restoration algorithms (DRA), 299–300
- Distributed weighted-fair queuing (DWFQ), 89
- Domain name system (DNS), 174
- Domain responsibility, 33–34
- Domination rule, 263
- Doped fiber amplifiers, 290
- Downstream-assigned, defined, 130
- Downstream-on-demand, 132
- Downstream unsolicited, 132
- DS byte (differentiated service byte), 111
- DSCP encoding, 111, 117, 119, 165
- Dynamic-host configuration protocol (DHCP), 174
- Dynamic lightpath networks, 288, 297–300
- Dynamic pricing models, 182–185
- Dynamic restoration, 326
- Dynamic routing, 326
- EBONE, 287
- eBusiness, 8, 11
- e-Business Process Metamodel, 45
- e-cash, 175
- ECB, 267–268
- Echo cancellation, 12
- ECN-echo flag, 94
- Ecological aspects, eCommerce standards, 18
- eCommerce:
 - global, 34
 - healthcare, 26
 - open-edi:
 - conceptual model, 21–23, 53
 - defined, 21
 - MoU management group, 27–28
 - reference model, 23–33
 - principles and characteristics of, 13–14
 - requirements:
 - consumer, 15–18
 - horizontal aspects, 18–21
 - standardization, consumer interest in, 14–15
 - semantics:
 - data definition standards examples, 34–40
 - harvest existing business information, 40–41
 - IT-enablement, 33–34
 - shared semantics for interoperability:
 - applications, generally, 42–43
 - business application contracts in TM Forum, 51–53
 - business process modeling in ebXML, 43–49
 - Global Telecommunications Data Dictionary (GTDD), 53
 - tML Framework, 49–51
- Economic Claim, REA ontology, 48
- Economic Commitments, REA ontology, 47–49
- Economic Contract, REA ontology, 47–48
- Economic Events, REA ontology, 46, 48
- Economic Resources, REA ontology, 46, 48–49
- Edge pricing, 163
- Edge router, 171
- Edifecs Commerce, 45
- edi Support Service, 22–23
- Efficient networks, 288
- Egress LERs, 127–128
- Egress routers, 115, 170, 127–128
- Electromagnetic radiation, 216
- Electronic bottleneck, 289, 295, 315
- Electronic commerce, *see* eCommerce
- Electronic data interchange (EDI), 13
- Electronic payment systems, 175
- Elliptic curve cryptography (ECC), 278–279
- Elliptic Curve Diffie-Hellman algorithm (ECDH), 278–279
- Elliptic Curve Digital Signal Algorithm (ECDSA), 278–279
- E-mail services, 176, 185, 287
- Enabling technologies, 298
- Encapsulating security payload (ESP) protocol, 218
- Encryption, 158. *See also* Cryptography
- End-system networks, 169, 216
- End-to-end flows, 170
- End-to-end network management, 10, 12, 293
- End-to-end path restoration, 314
- End-to-end QoS, 64, 67
- Engineering and Physical Sciences Research Council (EPSRC), 302
- Enterprise Policy Layer (EPL), 196
- Environmentally friendly products, 18
- Equipment latency, 71–72
- Erbium-doped fiber amplifier (EDFA), 290
- Erlang models, 326

- Error tolerance, eCommerce, 16
- eSociety, 8
- Ethernet, 60, 78, 141. *See also* Gigabit Ethernet
- Ethics, eCommerce standards, 18
- Euler's theorem, 275
- EuropaNET, 287
- European Asynchronous Transfer Mode Optical Switching (ATMOS), 302
- European Standardization Institute (ETSI), 154–155, 167
- Exchange Access bills, 37–38
- Exchange-access services, 34
- Exchange Message Record (EMR), 38
- Existing business information, 40–41
- Expedited forwarding (EF) behavior:
 - implications of, 110, 114–115, 119–121
 - per-hop behavior (PHB), 120–121
- Explicit Congestion Notification (ECN), 90, 93–95, 164, 185
- Explicit routing, 130, 139
- Explicit-routed LSP (ER LSP), 130–131
- Explorability, eCommerce, 16
- eXtensible Markup Language (eXML):
 - business process modeling:
 - methodology, 45–46
 - requirements, 44–45
 - resource-event-agent (REA) ontology, 46–49
 - technical architecture, 43
 - Initiative, 40–41, 43
 - Registry/Repository, 41
 - semantics, 28–29
- Extensible Markup Lanaguage (XML):
 - applications, generally, 29, 31–32, 39, 263
 - Document Type Descriptions (DTDs), 41
- Facial scans, 232
- Fairness:
 - charging support systems (CSS), 151–152, 179
 - dynamic lightpath networks, 298–299
- Fault detection systems, 328
- Fax-over-IP (FoIP), 73
- Fax services, 149, 176
- FDDI, 289
- FEC-to-label binding distribution, 132
- Federal Communication Commission (FCC), 157
- Feedback, 16, 301
- Feedforward, 16, 301
- Fiber delay lines (FDLs), 301
- Fiber optical cross connects (F-OXC), 291, 294
- Fiber optics, 289
- File-switching, 325
- File Transfer Protocol (FTP), 86, 258, 321
- Filters/filtering, 103–104, 106–108, 131, 236
- Fingerprints:
 - data integrity, 224
 - imaging techniques, 232
 - participant identification, 230
- Firewalls, 72, 218
- First-come first-served algorithm (FCFS), 84
- First-generation optical network (FGON):
 - characteristics of, generally, 294, 305
 - defined, 288
 - IP over, 305–309
 - lightpath networks, 295–296
- First-in first-out (FIFO) queuing, 84–85, 91, 168
- First window, 289
- Fixed-filter (FF) reservations, 106–107
- Flat-fee pricing, 182–183, 185, 202–203
- Flat-rate billing, 11
- Flow-based packet processing, 75–76
- Flow-label byte, 63–64
- Flow-level analysis, 315, 321–323
- Flow switching, 288, 309–311, 326
- Formal description techniques (FDTs), 19, 30
- Fortune 1000, 26
- Fragmentation, 62
- Frame relay, 60, 134, 155, 295
- Frame Relay Forum, 74
- Fraud protection, 151
- FreeS/WAN, 218
- Frequency hopping, 216
- Gain, optical amplifiers, 290–291
- Gallois field, 278
- Gaming systems, 149
- Gaming theory, 164
- Gaussian marginal distributions, 324
- Generalized processor sharing (GPS), 87
- Gigabit Ethernet:
 - characteristics of, 288
 - optical networks, IP over, 308–309
- Gigabit Ethernet Alliance, 308–309
- Gigabit packet processing, 62
- Gigabit routers, 309–315
- Gigachannel, Lucent, 308
- Global eCommerce, 34
- Global synchronization, 91
- Global Telecommunications Data Dictionary (GTDD), 38–39, 53
- Government of Canada Public Key Infrastructure (GOCPKI), 259
- Grading systems, eCommerce, 18
- Granularity, 110, 169–170, 328
- Guaranteed service, 98–99, 170, 179
- Hand geometry, 232–233
- Hand-held authentication, 237
- Handwritten recognition systems, 232, 267
- Hashed Message Authentication Code (HMAC), 230
- Hash function, 224–228, 235, 265
- Header detection, 301
- Healthcare EDI Coalition (HEDIC), 26
- Heidmal, 247
- HELLO, 328
- Hewlett Packard:
 - Smart Internet Usage (SIU), 165–166

- SpectraLAN, 308
- High-level traffic multiplex, 315
- High-speed flows, 124
- High-speed routers, 109
- HL7, 44
- Hop-by-hop, generally:
 - forwarding, 126
 - routing, 130
- HTTPS, 321
- Hubs, equipment latency, 71
- Human-Authentication-Application Program
 - Interface (HA-API) (U.S. Department of Defense), 233
- Hypertext transfer protocol (HTTP), 66, 86, 238, 258, 311

- IBM, 243, 273
- ICMP, 238, 328
- ICOMO, 188
- Identity-based access control, 235
- Implementation conventions (ICs), 25–26
- Incoming Label Map (ILM), 135
- Incumbent local telephone company (ILEC), 7–8
- Information and communication technologies (ICT), 15, 18
- Information Bundles (IBs), 29, 33
- Information Distribution, business application
 - contracts, 52
- Information management domain (IMD), 22–23
- Infrastructure, eCommerce standards, 22–23
- Ingress LERs, 127–129, 131
- Ingress router, 113, 127–129, 131, 170
- In-profile:
 - packets, 117
 - traffic, 122
- Integrated Service Model (IntServ):
 - accounting services, 170
 - pricing, 187
 - quality of service:
 - architecture, 96–97
 - basics of, 95–96
 - flow definition and requirements, 97
 - goals, 95
 - overview, 95
 - resource reservation protocol (RSVP), 96–110
- Integrated services digital networks (ISDN), 12, 96, 188
- Integrated services network, 143
- Integrated-services packet-switched network, 162
- Integration, significance of, 11–12, 31–32
- Intelligence scheduling and information services (IS-IS), 125
- Inter-Bandwidth Broker communication, 192
- Interception, 213
- Interconnections, 12, 192–193
- Interenterprise, 34
- Interexchange carriers (IECs), 7–8, 38
- Interface, eCommerce standards, 15–16, 20
- Interior nodes, 113
- International Biometric Industry Association (IBIA), 234
- InterNational Committee for Information Technology Standards (INCITS), 234
- International data encryption algorithm (IDEA), 275, 278
- International Electrotechnical Commission (IEC), 27, 33, 234
- International Organization for Standardization (ISO), 27, 33, 40, 215, 234
- International standards, eCommerce, 19
- International Telecommunication Union (ITU), 27, 33
- Internet, *see* World Wide Web (WWW)
 - access considerations, 149
 - benefits of, 20, 30
 - charges for, *see* Internet charges
 - historical perspective, 287–288
 - hourglass model, 145
 - low speed, 288
 - mobile users, 145
 - next generation, *see* Next-generation Internet (NGI)
 - optical, *see* Optical Internet (OI)
- Internet Charge Calculation and Accounting System (ICCAS):
 - defined, 193
 - external components, 193–194
 - internal components, 194–195
 - open interfaces, 195–196
- Internet charges:
 - charging and accounting technologies, 162
 - Internet Demand Experiment (INDEX), 163
 - Market-Managed Multi-service Internet (M3I), 157, 162–164
 - technologies:
 - best effort, 169–171
 - differentiated services, 170–171
 - electronic payment systems, 175
 - integrated services, 170–171
 - interprovider agreements, 171–173
 - quality of service (QoS) methods, 168
 - service differentiation methods, 168–169
 - standardized data formats, 173–175
- Internet Engineering Task Force (IETF):
 - Authentication, Authorization, and Accounting (AAA), 156, 174
 - certificate management, 251
 - management information base (MIB), 156
 - Network Working Group, on accounting, 155–156
 - optical network standards, 305
 - Pretty Good Privacy (PGP), 278
 - quality of service strategies and initiatives, *see* DiffServ; IntServ; multiple protocol label switching (MPLS)
- Internet key exchange (IKE), 218, 249

- Internet protocol detail records (IPDR), 147, 159–160, 174
- Internet Security Association and Key Management Protocol (ISAKMP), 248–249, 266
- Internet service providers (ISPs):
 - capital costs, 185
 - charges, *see* Charging support systems
 - cost models, 187–188
 - functions of, generally, 10–11, 144
 - segmentation, 197–198
- Interoperability, 40–41
- Interprovider charging, 163
- Interworking, 12, 18, 20
- Intranets, 167
- IntServ, *see* Integrated Service Model (IntServ)
- Inverse multiplexing, 308
- IP address, 116, 129, 131
- IP data record (IPDR), 11
- IP management, challenges of, 10–11
- IP/MPLS, 293
- IP over WDM, 288
- IP Precedence, 129
- IP/PSTN integration, 11–12
- IPSec, 218–220, 249, 263, 269
- IPv4, 61–62, 93, 101, 103, 117, 169, 171, 218
- IPv6, 63, 93, 101, 103–104, 165, 169, 171, 218
- Iris recognition, 232
- ISDN, *see* Integrated services digital networks (ISDN)
- ISO Guidelines, eCommerce, 17
- ISO/IEC:
 - JTC 1 Business Team on Electronic Commerce (BT-EC), 14–15, 40
 - public key infrastructure (PKI), 251
- ISO-OSI optical network model, 287, 292
- ISP cost models, 187–188
- IT-enablement, 33–34
- ITU-Sector Telecommunication (ITU-T):
 - alternate approval process (AAP), 49–50
 - authentication Recommendations, 234–235
 - Carrier Code (ICC), 39–40
 - D Recommendations, 166
 - flat-rate charging, 183
 - functions of characteristics of, 30
 - optical network standards, 293, 305
 - quality of service (QoS), 160–161
 - Recommendation M.1400, 38–39
 - security Recommendations, 212–213, 215, 239, 251, 266
- ITU Telecommunications Service Bureau (TSB), 40
- Jitter:
 - buffer, 73
 - congestion control approaches, 90
 - implications of, generally, 67, 73
 - overdimensioning and, 79
 - quality of service and, 73, 79, 81
- KEEPALIVE, 328
- Kerberos:
 - applications, generally, 243, 266
 - defined, 243
 - development of, 243
 - key exchanges, 243–246
 - public key, 246–247
- Key Exchange Algorithms (KEA), 2250
- Key encryption key, 242
- Keys to optical packet switching (KEOPS), 302
- Keystroke recognition techniques, 233
- Label bindings, 132
- Label distribution, MPLS:
 - control, 132–133
 - label stack, 134
 - label stack processing, 134–135
- Label distribution protocol (LDP), 125, 130
- Label edge routers (LERs), 127–129
- Labeled packed, defined, 131
- Label information base (LIB), 129
- Label retention mode, 133
- Label switched paths (LSPs):
 - characteristics of, 126, 28–130, 313–314
 - constraint-based routing, 139–140
 - defined, 128
 - FEC-to-LSP assignment, 130–131
 - to-label assignment, 130
- Label switched routers (LSRs), 128–129, 132, 313–314
- LAN technology:
 - characteristics of, 68, 289
 - equipment latency, 71–72
 - MPLS label stack, 134
 - physical layer (PHY), 309
 - propagation delay, 71
- Language Codes, 19
- Laser diode, 2389
- Latency, quality of service:
 - application processing delays (AD), 70
 - defined, 67, 69
 - end-to-end (EE) delay, 70
 - network (NL), 69–73
 - response time (RT), 70–71
- Layer 2 Tunneling Protocol (L2TP), 217–220
- Leased-line services, 119, 143
- Level 2 switching, 61
- Level 3 switching, 60–61, 79
- Light-emitting diode (LED), 289
- Lightpath-based networks, 288. *See also specific types of lightpath networks*
- LightRing, 299, 303–304
- Lightweight directory-access protocol (LDAP), 174, 236, 251–252
- Linear optical amplifiers (LOAs), 290
- Link layer:
 - defined, 214
 - development of, 287

- flow switching, 310–311
 - security services, 217
 - Link traffic, 324–325
 - Local calling, basic components of, 7
 - Local exchange services, 34
 - Localization, 18–20
 - Location, REA ontology, 48–49
 - LOGIN service, 321
 - Log-log scales, 316, 319
 - Long-distance calls, 8
 - Long-distance router links, 71
 - Long-distance switches, 8
 - Long-range dependence:
 - causes for, 316–321, 323
 - defined, 316
 - modeling, 325–326
 - Loss of frame (LoF), 307
 - Loss of signal (LoS), 307
 - Low connection request blocking, 299
 - LSAPv3, 252

 - Maintenance, 39
 - Mapping:
 - label distribution protocol, 136–137
 - per-hop behavior (PHB), 119
 - Marginal probability density function, 324
 - Market-Managed Multiservice Internet (M3I), 157, 162–164
 - Market-managed three-tiered business model, 196–197
 - Masquerade, 214
 - Massachusetts Institute of Technology (MIT), 243, 249
 - Mediation, 147, 156, 160, 165–166
 - Memorandum of Understanding (MoU) management group, 27–28
 - Menus, eCommerce, 16
 - Mesh, hierarchical-based, 8
 - Message authentication code (MAC), 228–229
 - Metallic loop, 7
 - Metaphors, eCommerce standards, 16
 - Metering, 147–148, 156, 160, 165–166, 175
 - Metropolitan area network (MAN) technology, 60, 68, 80, 290
 - Microelectromechanical switch (MEMS), 291
 - Microflows, 112, 123
 - Micropayments, 175
 - Microprocessor cards, 241
 - Migration, 33, 44
 - Minimum Interoperability Specifications for PKI Components (MISPC), 259
 - Misrouting, 213
 - MOSPF, 101
 - Moving Picture Experts Group (MPEG), 67
 - Multicasting, 163, 179
 - Multicommodity maximum flow (MCMF), 300
 - Multicultural aspects, eCommerce, 17

 - Multihop optical networks, 296
 - Multihop router paths, 71
 - Multilingualism, 17–20
 - Multimedia applications, 287
 - Multimode fiber optics, 289
 - Multiple Exchange Carrier Access Billing (MECAB), 37
 - Multiple packet drops, 91
 - Multiplexers, 326
 - Multiplexing:
 - buffer, 9
 - characteristics of, 184
 - optical networks, 296
 - Multiprotocol label switching (MPLS):
 - ATM technology and, 125–126, 140–141
 - constraint-based routing label distribution protocol (CR-LDP), 131, 136, 138–140
 - domain, 127–128
 - flow switching, 311, 326
 - forward equivalence class (FEC), 126, 128–129, 131
 - generalized (GMPLS), 141
 - goals and basics, 126
 - label distribution, 132–140
 - label switched path, 129–131
 - operation, 126–127
 - overview, 124–125
 - packet-to-FEC assignment, 131
 - protection switching, 326
 - routing and switching basics, 125–126
 - Multiprotocol lambda switching (MP?S), 288, 309, 312–315, 327–328
 - Multiservice accounting, 191
 - Multiservice network charges, *see* Charging support system
 - business model aspects:
 - application service provider (ASP), 198–200
 - charging content, 200–202
 - Internet service provider segmentation, 197–198
 - market-managed three-tiered model, 196–197
 - congestion pricing, 164
 - cumulus pricing scheme, 164
 - customer point of view, 149–150, 179
 - edge pricing, 163
 - fairness and utility, 151–153, 179
 - Internet:
 - Internet Demand Experiment (INDEX), 163
 - ISP cost models, 187–188
 - Market-Managed Multiservice Internet (M3I), 157, 162–164
 - technologies, 162, 167–175
 - motivation and terminology, 146–149
 - networking terms, 161
 - policing, 163
 - premium IP services, 165
 - provider point of view, 150, 179
- Multiwavelength, 294

- Naming authority, 235
- Narrowband integrated services digital network (NISDN), 155
- National Exchange Carrier Association (NECA), 40
- Nested Message Authentication Code (NMAC), 229–230
- NeTraMet, 156, 165
- Network access server (NAS), 217
- Networking:
 - basic components of, 7–8
 - network architecture, evolution of, 8–9
 - technology breakthrough, 9–10
- Network latency (NL):
 - characteristics of, 69
 - communication services latency, 72
 - equipment latency, 71–72
 - propagation delay, 71
 - transmission speed, 71
- Network layer:
 - access control systems, 236
 - defined, 214
 - routing information, 136
 - security services, 217–220
- Network nodes:
 - DiffServ, 110–111, 113
 - IntServ, 96–98
- Network Operations Center (NOC), 213
- Network operators:
 - functions of:
 - generally, 35
 - ITU-T Recommendation M.1400, 38
 - ITU Carrier Codes (ICCs), 39–40
- New-generation operation support systems (NGOSS):
 - characteristics of, 51–52
 - Shared Information/Data Model (SID), 53
 - Technology Neutral Architecture, 52–53
- Next-generation Internet (NGI), 288, 299
- Next hop label forwarding entry (NHLFE), 135
- NGOSSTM Architecture, 51–52
- Nonlinear amplifiers, 290
- Nonrepudiation:
 - avoidance strategies, generally, 215–216
 - public key security, 242, 266
 - sequence numbering, 240, 267
 - time-stamping, 240, 267
 - types of, 239–240
- North American ICCs, 40
- Notification, business application contracts, 52
- NSFNET, 287
- NULL algorithm, 218

- OAG, 44
- Oakley Key Determination Protocol, 249
- Object Constraint Language (OCL), 45
- O-E-O conversion, 289, 294, 296, 298, 300
- One pass with advertising (OPWA), 106
- One-stop billing, 190

- One-way authentication, certificate management, 259–260
- One-way hash function, 224–228, 250
- On-line help, 18
- On-line metering, 175
- Open bundling, 163
- Open-edi:
 - conceptual model, 21–23, 53
 - defined, 21
 - MoU management group, 27–28
 - reference model, *see* Open-edi Reference Model
 - vision, 21
- Open-edi Reference Model:
 - Business Operational View (BOV):
 - defined, 29
 - methodology, 30–33
 - requirements, 29–30
 - semantics, 28–29
 - characteristics of, 23
 - problems with, 24–26
 - solutions, 26–27
- Open networks, 17
- Open shortest path first (OSPF), 97, 101, 125–126, 216–217
- Operation, administration, maintenance, and provisioning (OAM&P) bridge, 12
- Operation support systems (OSSs), 174
- Operations, functions of, 10–11
- Optical add/drop multiplexers (OADMs), 291, 294–295, 298
- Optical amplifiers (Oas), 289–290, 294
- Optical burst switching (OBS) networks, 303, 323
- Optical channel selection (OCS), 293, 326–327
- Optical cross connects (OXCs), 291–292, 294–295, 298, 313
- Optical Internet (OI):
 - challenges of:
 - IP over WDM networks, 326–328
 - traffic engineering, 325–326
 - defined, 288
 - first-generation (FGON), 288, 294–296, 305–309
 - future directions for, 328
 - second-generation (SGON), 288, 309–315
 - traffic engineering:
 - challenges to, 325–326
 - flow-level analysis, 321–323
 - influential factors, 323–325
 - self-similarity, 315–321
- Optical Layer (OL):
 - characteristics of, generally, 292–293
 - optical channel selection (OCS), 293, 326–327
 - optical multiplex section (OMS), 294, 326–327
 - optical transmission section (OTS), 294
- Optical line terminals (OLTs), 293
- Optical multiplex section (OMS), 294, 326–327
- Optical network(s):
 - all-optical networks, architectures:
 - dynamic lightpath networks, 297–300

- optical burst switching networks, 303
- optical packet-switching networks, 300–302
- overview, 294–295
- static and semistatic lightpath networks, 295–297
- characteristics of, generally, 141
- ISO/OSI model, 287, 292
- protocol architectures, 303–305
- technologies:
 - all-optical network architectures, 294–303
 - optical components, 289–292
 - optical layer, 292–294
- Optical network for regional access using
 - multiwavelength protocols (ONRAMP), 299
- Optical packet-switching networks, 288, 300–302, 315
- Optical receivers, 293
- Optical switches, 292, 294, 301
- Optical technology, 12
- Optical transmission section (OTS), 294
- Optical transport network (OTN), 292
- Organization for the Advancement of Structured Information Standards (OASIS), 43
- OSI/CMIP, 30
- OSI-TCP/IP, 328
- OSU-I/OSU-II, 302
- Out-of-bound traffic, 77, 84
- Out-of-profile:
 - packets, 117
 - traffic, 122
- Output feedback (OFB), 267, 271–273
- Overdimensioning, 79–80
- Overload, 299
- Overprovisioning, 169, 183–184, 186
- Packet(s), generally:
 - conditioning, quality of service, 80–84
 - delay, 9
 - DiffServ architecture:
 - classification, 115–116
 - dropping, 118
 - marking, 117–118
 - scheduling, 118
 - filtering, 236
 - forwarding, 62
 - latency, 81
 - loss, 67, 74, 81, 90
 - markup, 82
 - networks, 9
 - prioritization, 82
 - rate, 161
 - scheduler module, RSVP, 102
 - synchronization, 301
- Packet-based services, 11
- Packet-counting process, 316–317
- Packets per second (PPS), 68
- Packet-switched communication, 161
- Packet-switched networks, 89–90, 175
- Pareto efficiency, 144
- Pareto random variables, 321
- Participant:
 - authentication, 215
 - identification methods:
 - biometric, 231–234, 266
 - overview, 215, 230, 266
- Partner agreements, pair-wise trading, 32
- Partners, REA ontology, 46, 48–49
- Passive attacks, 213
- Passive hub, 294
- Passive probing, 147
- Passwords, 216, 235, 237, 265
- PATH messages, RSVP, 103–106, 108
- PATHTear, 104
- Payment, 158–159, 160
- PCMCIA, 250
- PDH 565 Mb/s, 293
- Peer modeling, flow switching, 326
- Per-call charges, 182
- Per-domain behavior (PDB), 118
- Perfect forward secrecy, 249
- Per-hop behavior (PHB), 113, 115, 118–124
- Per-packet charges, 187
- Permanent virtual circuits (PVCs), 305
- Photodetectors, 289
- Photodiodes, 293
- Photonic routers, 9
- Physical layer, 214, 287
- Picopayments, 175
- Points of presence (POP), 7–8
- Point-to-multipoint automatic key distribution, 241
- Point-to-point automatic key distribution, 241
- Point-to-point (PPP) encapsulation, 134, 141, 217, 305
- Point-to-point on-demand circuits (SVCs), 310
- Poisson process, 316, 318–319, 323
- Polarization, optical amplifiers, 290
- Policing, 118, 163
- Policy control module, RSVP, 102
- POP3, 321
- Post, Telephone, Telegraph (PTTs), 167
- PPP over SDL standard, 307–308
- Praseodymium-Doped Fiber Amplifier (PDFA), 290
- Prefix address, 131
- Premium IP services, 165
- Preplanned protection, 326
- Presentation layer, 215
- Pretty Good Privacy (PGP), 250, 277–278
- Pricing:
 - congestion-based, 168
 - defined, 160
 - dynamic, 168
 - importance of, 147, 156–157
 - models:
 - classification approaches, 185–187
 - dimensions of, 179–182
 - flat-fee, 182–183, 185, 202–203

- Pricing, models (*continued*)
 - overprovisioning, 183–184, 186
 - overview, 176–177
 - properties of, 178–179
 - quality of service (QoS) issues, 185–186
 - static and dynamic, 182–185
 - time scales, 177–178
 - usage-sensitive, 184–185
- schemes:
 - congestion, 164
 - cumulus (CPS), 164
 - edge, 163
- Priority queuing (PQ), 85–86, 120–121
- Priority setting, 18
- Privacy, 17, 158
- Private branch exchanges (PBXs), 174
- Private network-to-network interface (PNNI), 125, 141, 216–217
- Privilege management infrastructure (PMI), 262
- Processing, 9
- Processing delays, 98–99
- Propagation delays, 71, 98
- Protocol identification, 101
- Protocol type, 116
- Public Key Cryptography Standards (PKCS), 276–277
- Public keys:
 - algorithms, one-way hash functions, 226–228, 250
 - cryptography, generally:
 - characteristics of, 222–223
 - security management, 240–243
 - encryption principles:
 - elliptic curve cryptography (ECC), 278–279
 - pretty good privacy (PGP), 277–278
 - RSA, 275–276
 - standards (PKCA), 276–277
 - exchange methods:
 - Diffie-Hellman exchange, 247–248, 266
 - Internet Security Association and Key Management Protocol (ISAKMP), 248–249, 266
 - Key Exchange Algorithm (KEA), 250
 - Simple Key Management for Internet Protocols (SKIP), 249–250
 - Kerberos, 246–247
- Public networks, 10
- Public switched telephone network (PSTN), 11
- Public utilities, 157
- Pump, optical amplifiers, 290
- Purchase Order (PO), UN/EDIFACT, 25–26
- Pure Internet service provider (PISP), 197–199
- Quality of service (QoS):
 - applications:
 - adaptable, 65–66
 - asynchronous, 66
 - bulk-transfer, 66
 - burst, 66
 - real-time, 65–67
 - tolerant, 67
 - approaches to:
 - class-based packet processing, 76
 - flow-based IP processing, 75–76
 - summary of, 141–142
 - token bucket, 76–78
 - business models, 201–202
 - charges and, 144, 158, 160–161
 - controls:
 - congestion, 89–95
 - importance of, 78–79
 - overdimensioning, 79–80
 - defined, 64
 - differentiated services (DiffServ) architecture, 114–124
 - eCommerce standards, 18
 - enforcement of, 78
 - IETF strategies and initiatives:
 - basics of, 95–96
 - goals, 95
 - integrated service architecture, 96–97
 - multiprotocol label switching (MPLS), 124–141
 - overview, 95
 - resource reservation protocol (RSVP), 100–110
 - services, 97–100
 - implementation, 64–65
 - IP context and, 58–64
 - multiprotocol label switching (MPLS), 124–131, 136, 138–140
 - packet conditioning, 80–84
 - parameters:
 - bandwidth, 67–69
 - jitter, 67, 73
 - latency, 67, 69–72
 - packet loss, 67, 74
 - reliability, 67, 74
 - pricing models and, 179–180, 183, 186–187
 - queue scheduling, 80, 84–89
 - scheduling approaches, generally, 89
 - significance of, generally, 8, 10–12, 58–59, 61–64
 - switched networks, 59–61
- Quasi-optical approach, 301
- Query/Response, business application contracts, 51
- Queue management techniques, *see* Congestion control; Queue scheduling
 - flow switching and, 326
 - importance of, 65. *See also* Congestion control overflow, 81
- Queue scheduling:
 - class-based queuing (CBQ), 89
 - deficit round-robin (DRR) queuing, 89
 - distributed weighted-fair queuing (DWFQ), 89
 - EF PHB, 120
 - first-in first-out (FIFO), 84–85, 91, 168
 - priority queuing (PQ), 85–86, 120–121
 - round-robin (RR) queuing, 86
 - significance of, 80, 84

- virtual clock queuing, 89
- weighted-fair queuing (WFQ), 87–89, 168
- weighted round-robin (WRR) queuing, 87, 120–121
- Radio broadcast, 143
- Raman amplifiers (Ras), 290
- Random early detection (RED), 90–92, 172
- Rating systems, eCommerce, 18
- rcp, 220
- Real-time flow measurement (RTFM), 174
- Real-time protocol (RTP), 73
- Recovery time, dynamic lightpath network, 300
- Reengineering, 12
- REFRESH, 100
- Regeneration, optical transmission, 294
- Registering authority, 235
- Reliability:
 - eCommerce standards, 18
 - multiservice networks, 151
 - quality of service, 67, 74
 - significance of, 11
- Remote-access dial-in user service (RADIUS),
 - accounting record (RAC), 174
- Remote-access servers, equipment latency, 72
- Remote Authentication Dial in User Service (RADIUS), 236–237
- Request/Confirm, business application contracts, 51
- Request/Response, business application contracts, 51
- Resilience techniques, 326–328
- Resource-event-agent (REA):
 - basic exchange ontology:
 - adding commitments, 46–48
 - adding types to, 48–49
 - Business Collaboration, 49
 - components of, 46
 - defined, 46
- Resource reservation protocol (RSVP), IntServ:
 - accounting services, 169
 - applications, 108–110
 - data flow, 101
 - defined, 96, 100
 - functionalities, 101–102
 - granularity, 110
 - IPv4/IPv6, 61–63, 93, 101, 103–104
 - messages, 104–106
 - modified, 328
 - operations, 102–104
 - receiver-oriented protocol, 100
 - reservation merging, 108
 - reservation models, 106–108
 - routing protocols and, 101
 - simplex operation, 101
 - soft state, 100, 109, 170
- Resource sharing, 299
- Restoration blocking probability, 300
- Restoration schemes, dynamic lightpath network, 299–300
- RESV (reservation request) message, 103–105, 108
- RESVTear, 104
- Retinal recognition systems, 232
- Reverse bit coding, 291
- RIP, 101
- rlogin, 220
- Role-based access control (RBAC), 235, 263
- Root authority (RA), 255
- RosettaNet, 30, 44
- Round-robin (RR) queuing, 86
- Round-trip delay, 9
- Router(s):
 - core, 113, 116, 171
 - edge, 171
 - egress, 115, 170
 - equipment latency, 71–72
 - gigabit, 309–312
 - high-speed, 109
 - ingress, 113, 170
 - MPLS, 125–126
 - overdimensioning, 79
 - throughput, 79, 298
 - transmission speed, 71
- Routing process, 9, 39, 130–131, 301
- Routing and wavelength assignment (RWA), 295, 298
- RSA algorithm, 275–279
- RSA Data Security, Inc. (RSADSI), 218, 275
- rsh, 220
- RSpec, 97, 103, 106, 108
- Scalability, DiffServ architecture, 124
- Scientific language, 20
- Second-generation optical network (SGON):
 - defined, 288
 - IP over WDM:
 - overlay models, 309–312
 - peer models, 312–315, 326
 - resilience techniques, 326–328
 - traffic engineering issues, 315
- Second windows, 289–290
- Secure flag, 265
- Secure Multipurpose Internet Mail Extensions (S/MIME), 277
- Secure Shell (SSH), 220
- Secure socket layer (SSL)/transmission layer security (TLS), 216
- Secure Wide-Area Network (S/WAN), 218
- Security of information, *see* Security systems
 - eCommerce standards, 17–18
 - importance of, 11
- Security systems:
 - access control, 235–239, 267
 - certificate management, 250–263
 - charging support systems (CSS), 192
 - cryptographic, OSI model, 214–220
 - cryptographic keys, 240–234, 266
 - data integrity, 223–230, 266

- Security systems (*continued*)
 - digital signature algorithm (DSA), 279–280
 - encryption:
 - cracks, 264–266
 - public keys, principles of, 275–279
 - symmetric, principles of, 267–275
 - importance of, 212
 - Kerberos, 243–247, 266
 - message confidentiality:
 - approaches to, 220–221, 266
 - public key cryptography, 222–223
 - symmetric cryptography, 221–222
 - network management applications, 263–264
 - nonrepudiation, 239–240, 266
 - objectives of, 213–214
 - overview, 211–213
 - participants:
 - authentication of, 234–235
 - identification, 230–234
 - public keys, exchange of, 247–250
 - security policies, 267
- Self-similarity, 315–321, 323
- Semantic Components (Scs), 29
- Semiconductor optical amplifiers (SOAs), 290
- Semistatic lightpath networks, 288, 295–297
- Sequence numbering, 240, 267
- Service level agreements (SLAs):
 - characteristics of, 64, 72, 74, 84, 112–115, 158–159, 161, 163
 - commercial, 172–173
 - flow-based, 173
 - DiffServ, 171–173
- Service-level specifications (SLS), 114–115, 117–118
- Service profiles, 115
- Service providers, functions of:
 - generally, 35
 - Internet, *see* Internet service providers (ISPs)
 - ITU-T Recommendations M.1400, 38
- Service provisioning, 144
- Service Provisioning Layer (SPL), 197–198
- Service usage, 144
- Session layer, 214
- Settlements, 161
- Setup delay, 298
- Shared filter (SF) reservations, 106–108
- Shared Information/Data Model (SID) (NGOSS), 53
- Shim headers, 134
- Short wavelength band, 290
- Signaling, PSTN, 11
- Simple authentication, 217
- Simple authentication and security layer (SASL), 253
- Simple distributed security infrastructure (SDSI), 258
- Simple Guide to UMM*, 49
- Simple Key Management for Internet Protocols (SKIP), 249–250
- Simple network-management protocol (SNMP), 156, 165, 263–264
- Simple public key infrastructure (SPKI), 258
- Single-hop (SH) network, 296
- Single-mode fiber optics, 289
- Single multiservice network, 146
- SKEME, 249
- SKIPJACK, 250, 271, 275
- Slowly decaying variance, 316
- Small- and medium-size enterprises (SMEs), 42
- Small Exchange Carrier Access Billing (SECAB), 38
- Smart cards, 234, 265
- SMTP, 321
- SNMPv3, 263–264
- Source address, 131
- Source of authority (SOA), 40, 263, 291
- Source port, 116
- Speaker identification technology, 231
- Special Working Group on Electronic Data Interchange (SWG-EDI), 21–22
- Splitter, passive optical, 294
- Spread spectrum, 216
- SPR with proportional weighted path (SPR-PW), 300
- Stability, multiservice networks, 151
- Standards/standardization, eCommerce, 15–18
- Standards Development Organization (SDO), 35
- State explosion problem, 109
- Static lightpath networks, 288, 295–297
- Static pricing models, 182–185
- Station message detail record (SMDR), 173–174
- Stochastic preplanned restoration (SPR), 300
- Strong authentication, 217
- Subnetwork granularity, 311
- Superouters, 9
- Support services, eCommerce standards, 22, 34
- Surfing, 287
- Survivability, dynamic lightpath networks, 299
- Survivable network, defined, 296
- Survival function, optical Internet traffic engineering, 319, 323
- Swedish Institute of Computer Science, 247
- SWIFT, 30
- Switched virtual circuits (SVCs), 303, 305
- Switches, characteristics of, 7–8. *See specific types of switches*
- Switching technology, 9–10, 301
- Symmetric cryptography:
 - block encryption algorithms:
 - advanced encryption standard (AES), 273
 - data encryption standard (DES), 273–274
 - international data encryption algorithm (IDEA), 275
 - SKIPJACK, 275
 - triple DES, 274
 - utilization of, 267–272
- message confidentiality, 221–222
- principles of, 267–275
- security management, 240–243

- Synchronous digital hierarchy (SDH):
 - characteristics of, generally, 79, 141, 288
 - first-generation optical networks, 294
 - framing alarm, 328
 - STM-N, 293
 - telephony, physical layer, 305
- Synchronous optical networks (SONET):
 - characteristics of, generally, 69, 79, 129, 141, 288
 - framing alarms, 328
 - first-generation optical networks:
 - characteristics of, 294
 - IP over Gigabit Ethernet, 309
 - IP over SONET, 305–308
 - scrambling, 306–307
 - STS-N, 293
 - telephony, physical layer, 305
- Synchronization, 33
- Syncookies, 248
- SYN flooding attack, 238–239, 248
- System development, eCommerce, 18
- System stability, eCommerce, 16
- System status, eCommerce standards, 16

- T1M1 GTDD, 53
- Tag switching, 311
- Tail drop, 91
- Tariffing, 147, 157, 161, 164–165, 167, 183, 203
- TCP ACK (ECN-echo ACK packet), 94–95
- Technical language, 20
- Telecom Operations Map (e-TOM), 52
- Telecommunications Internet Service Provider (TISP), 197–199
- Telecommunications Management Network (TMN):
 - certification management, 251
 - X-Interface, 34, 38, 50
- Telecommunications Markup Language (tML), 49–51
- TeleManagement Forum (TM Forum):
 - Business Agreement (BA), 52
 - business application contracts:
 - business view, 51–52
 - characteristics of, generally, 51
 - systems view, 52–53
 - Common Information Structure, 52
 - Systems Integration Map (SIM), 53
 - Telecom Operations Map (e-TOM), 52
- Telemanagement software, 157
- Telephone/telephony, generally:
 - charges, 176
 - local calling, 7
 - long-distance calls, 8
 - networks, 143, 149
 - physical layer, 305
 - voice over IP, 9, 12, 73, 86
- Tell-and-go reservation, 303
- telnet, 220

- Terabit packet processing, 62
- Third windows, 289–290
- Three-tier billing, 165
- Three-way authentication, certificate management, 259–261
- Throughput routers, 79, 298
- Ticket-granting server (TGS), 243–246
- Time-division multiplexing (TDM) technology, 9
- Time-of-day pricing, 177, 184
- Time scales, in pricing, 177–178
- Time-stamping, 240, 267
- Time-to-life (TTL), 63, 80, 134
- tML Framework, 49–51
- Token bucket scheme/principle, 76–78, 89
- Total delay, 9
- Traffic, generally:
 - congestion control, 143–144
 - control, 11
 - DiffServ architecture:
 - conditioning, 117
 - monitoring, 116–117
 - shaping, 83, 118
 - engineering strategies, *see* Traffic engineering
 - shaping, 83
- Traffic class byte, 64, 111
- Traffic conditioning agreements (TCA), 113–115
- Traffic conditioning specifications (TCS), 114, 117
- Traffic engineering (TE):
 - flow switching, 311
 - functions of, generally, 126, 131
- Transmission, generally:
 - delays, 98–99
 - link, 9
 - PSTN, 11–12
 - rates, 124
 - speed:
 - network latency, 71
 - quality of service and, 81
- Transmission control protocol/IP (TCP/IP), 57
- Transponders, 326
- Transport layer, 214
- Transport protocols (TCP):
 - congestion controls, 90–92
 - traffic engineering, 319, 321
- TSpec (transmitter specification), 97, 100, 103–106
- Tunneling, 126, 141, 174
- Two-way authentication, certificate management, 259–260
- Type of Service (ToS) byte, 61–62, 116

- UN/ECE WP.4, 42
- UN/EDIFACT, 24–26, 29, 31–32, 40–41
- UNI, 141
- Unicast routing, RSVP, 102
- Unified Modeling Language (UML), 30–32, 41, 45
- Unified TNM Requirements, Analysis, and Design (UTRA), 31
- Uniform Code Council/UCC/EAN), 30

- Uniform resource locator (URL), 254, 265
- United Nations Centre for Trade Facilitation and Electronic Business (UN/CEFACT):
 - Business Process Analysis Working Group (BPAWG), 42
 - business service interaction design patterns, 52
 - e-Business Transition Working Group, 49
 - functions of, 30–31
 - interoperability, 45
- Modeling Methodology (UMM):
 - Analysis Workflow, 32, 41
 - business collaboration, 51–52
 - Business Domain View (BDV), 45, 49
 - Business Modeling Workflow, 32
 - Business Requirements View (BRV), 45–46, 49
 - Business Service View (BSV), 45–46
 - Business Transaction View (BTV), 45, 49
 - Design Workflow, 33
 - Library(ies), 32–33
- Simple Guide to UMM*, 49
- Techniques and Methodologies Working Group (TMWG), 40–42, 44
- United Nations Economic Commission for Europe (UN/ECE), 27, 31, 42
- U.S. Department of Defense (DOD), 233, 249
- U.S. National Security Agency (NSA), 250, 275
- Universal Mobile Telecommunications System (UMTS), 203
- Unsolicited downstream, 132
- Usability, eCommerce standards, 15–16
- Usage-sensitive pricing models, 184–185
- User datagram protocol (UDP), 60, 90, 92, 136, 217, 248
- Utility functions, charging support systems (CSS), 152–153
- UTRAD, 38–39
- UUNet, 172

- Value-added services, 145, 149, 185, 188, 197
- Vertical cavity surface emitting laser (VCSEL), 290
- Very large-scale integrated (VLSI) chips, 275
- Video conferencing, 179
- Video on demand (VoD), 49, 185, 199, 201
- Virtual circuits (VCs), 125
- Virtual clock queuing, 89
- Virtual E-marketplace, 26

- Virtual private networks (VPNs), 126, 131, 138, 143, 148–149, 185, 212
- Voice over ATM (VoATM), 60
- Voice over frame relay (VoFR), 60
- Voice over IP (VoIP) telephony, 9, 12, 73, 86
- Voice prints, 230
- Voice technology:
 - historical perspective, 8
 - quality, 9
 - voice over IP (VoIP) telephony, 9, 12, 73, 86

- Waveband cross connect (WBXC), 291
- Wavelength continuity, 295–296
- Wavelength converter, 290–291, 294, 296
- Wavelength division multiplexing (WDM):
 - coarse (CWDM), 289
 - development of, 287
 - lightpath networks, 296–297, 299
 - optical add/drop multiplexers (OADM), 291, 294–295, 298
 - optical amplifiers, 290
 - self-healing, 296–297
- Wavelength routed networks, 295
- Wavelength routing optical cross connects (WR-OXC), 291–292
- Wavelength switched-packet network (WASPNET), 302
- Wavelength translating optical cross connects (WT-OXC), 291, 294
- Weighted-fair queuing (WFQ), 87–89, 172
- Weighted round-robin (WRR) queuing, 87, 120–121
- Westerlund, Assar, 247
- Wide area network (WAN) technology:
 - characteristics of, 60, 67, 80
 - physical layer (PHY), 309
- Wildcard-filter (WF) reservations, 106, 108
- Windows, defined, 289
- World Wide Web (WWW), 30, 74, 198, 287, 319, 321
- World Wide Web Consortium (W3C), Digital Signal Initiative, 250

- x-doped filter amplifiers (xDFAs), 290
- X.509, 251, 253–254, 261–262
- XORed, 306
- X12 EDI, 24, 26, 32, 41
- X.25, 175