

## Subject Index

- 12-step programs:  
  Emotions Anonymous, 207–209, 218  
  inpatient planning and, 207–209, 214–215, 220  
  relapse prevention through, 218, 220  
  research on effectiveness of, 15
- Abstinence:  
  from problematic applications, 24, 158, 261  
  in Stop-Start Relapse Cycle, 27
- Acceptable use policies, 126. *See also* Moderation and controlled use
- Accessibility, as factor in Internet addiction, 96, 141–143, 149
- ACE Cybersexual Addiction Model, 160–161
- Addiction(s):  
  defined, 6  
  Internet (*see* Internet addiction)  
  multiple (*see* Multiple addictions)
- Adolescents. *See also* College students  
  anonymity attractiveness to, 173–174, 178, 180–181, 247–248  
  benefits of Internet to, 176–177  
  blog use by, 176  
  bullying/harassment by, 174, 175  
  characteristics of high-risk, 228–229  
  clinical assessment of Internet addiction, 179, 182–183, 224–226  
  cybersex issues facing, 124, 128–129, 178  
  gambling by, 95  
  gaming addiction of, 75–76, 79, 81, 210, 233, 253–261  
  Gen-D, 148–149  
  identifying high-risk, 226–227, 233–234  
  identity development of, 173–174, 180–181, 247–249  
  intergenerational conflict with, 79  
  online behaviors of, 174–176  
  parent-child/family relationships, 79, 160, 168, 177–178, 181–182, 240, 245–246, 257–263  
  personal data release by, 175  
  PIU and online social interaction of, 37–39  
  pressure/situational causes of Internet addiction among, 13, 233–234  
  prevalence of Internet addiction among, 4, 5, 210–211, 223–229, 226–228  
  prevention of Internet addiction among, 231–240  
  problems with Internet use by, 177–182  
  psychological well-being of, 38–39, 180, 228  
  real-life relationship withdrawal by, 177–178, 179, 250  
  relapse prevention planning for, 219  
  risk factors of Internet use, 180–182  
  social issues with Internet use, 177–178, 179, 180–182, 250  
  systemic dynamics impacting (*see* Systemic family dynamics)  
  therapy with, 162, 168–169, 182–186, 230, 231, 234–236, 237, 245–247, 251–263  
  warning signs and symptoms of PIU in, 179–180
- Advertising, unscrupulous methods of, 103–104
- Affordability, as factor in Internet addiction, 96, 142
- Al-Anon, 186, 208
- Alcoholics Anonymous, 208, 214
- American Psychiatric Association, *DSM-V*  
  inclusion of Internet addiction, 14, 22, 138
- American Society of Addiction Medicine, 214
- Anonymity:  
  adolescent attraction to, 173–174, 178, 180–181, 247–248  
  cybersex attraction to, 116, 117, 161  
  as factor in Internet addiction, 96, 141, 142  
  as online gambling addiction factor, 96
- Antidepressants, 10–11
- Anxiety:  
  adolescent Internet use and, 180, 228  
  comorbidity of Internet addiction with, 39–40, 40–41, 118, 127, 216, 228  
  cybersex addiction comorbidity with, 118, 127  
  online communication alleviating, 45  
  PIU tendency due to, 39–40, 41–42
- Ashley Madison Agency, 197
- Asociability, as online gambling addiction factor, 99–100

- Attention deficit disorders:  
 adolescent Internet use and, 180, 228, 256  
 cybersex addiction comorbidity with, 118, 127  
 Availability. *See* Accessibility, as factor in Internet addiction
- Avatars, 73, 77–78, 82–84, 86, 248–249
- Behavioral tracking software, 104, 201
- Bipolar disorders:  
 cybersex addiction comorbidity with, 118  
 Internet addiction correlation with, 118, 206, 212
- Blogs, adolescent use of, 176
- Boys/girls. *See* Gender differences
- Bullying/harassment, 174, 175
- Causes of Internet addiction. *See* Etiologic factors
- CBT. *See* Cognitive behavioral therapy (CBT)
- Cellular telephones. *See* Mobile devices
- Center for Behavioural Addiction, 252–253
- Center for Internet Addiction Prevention & Counseling, 237
- Chat rooms:  
 hot chatting in, 195  
 problematic Internet users' preference for, 37  
 sexual content in, 115, 195
- Children. *See also* Adolescents  
 child pornography, 124  
 cybersex issues facing, 124, 128–129, 178  
 parent-child/family relationships, 79, 160, 168, 177–178, 181–182, 240, 245–246, 257–263  
 prevention programs targeting younger, 238–239
- China:  
 etiologic factor studies in, 8, 11  
 prevalence of Internet addiction in, 5, 31, 148, 178  
 situational addiction factors in, 13
- China Youth Association for Internet Development, 5
- China Youth Association for Network Development (CYAND), 8
- Circle jerks, 103
- Clinical assessment:  
 of adolescent Internet addiction, 179, 182–183, 224–226  
 challenges of, 19  
 conceptualization, 20–22, 136–137, 211–214, 224–226  
 Concerned Person Questionnaire for, 213  
 of cybersex addiction, 118–124, 126–128  
 future trends in, 31–32  
 of gaming addiction, 78–79, 84–85  
 Internet Addiction Diagnostic Questionnaire for, 4, 20–21  
 Internet Addiction Test for, 22–24, 213  
 Internet Assessment Quickscreen for, 120, 122–124  
 Internet Sex Screening Test for, 119–120, 121–122
- Korean-Internet Addiction Scale-Adolescent for, 226–228  
 motivational interviewing in, 25–26, 156n3, 159–160  
 of multiple addictions, 26–29, 211–212  
 social problem evaluation in, 29–30, 79, 137  
 Virtual Addiction Test for, 213
- Cognitive-behavioral model:  
 on etiologic factors of Internet addiction, 6–8, 229–230  
 on online social interaction, 40–42, 47
- Cognitive behavioral therapy (CBT):  
 abstinence intervention, 158  
 adolescents therapy, 162, 168–169, 182–186, 234–236, 237, 251  
 application of, 7–8, 24, 156–168, 230  
 couples therapy for cybersex issues, 160–162  
 diary recordings in, 165  
 electroacupuncture combined with, 160  
 external stoppers technique, 157–158  
 family interventions, 162, 168–169, 184–186  
 goals/objectives set in, 156n2, 158, 161, 185  
 guardian angels assignment in, 165  
 life line technique in, 166  
 parent-child relationship studies, 160  
 personal inventory of offline activities, 157  
 prevention programs based on, 234–236, 237  
 reminder cards use in, 158  
 rewards used in, 159  
 structured, 162–169  
 success rate of, 158–159  
 therapeutic alliance in, 164  
 time management strategies, 157
- Cognitive deconstruction, 230
- College students. *See also* Adolescents  
 PIU and online social interaction of, 37, 40–41  
 prevalence of Internet addiction among, 4, 6, 31  
 as prevention program volunteers, 240  
 relapse prevention planning for, 219
- Communication:  
 couples therapy methods of, 161–162  
 face-to-face (*see* Face-to-face communication)  
 family unit, 160, 168, 177–178, 181–182, 185, 240, 245–246, 257–263  
 Internet uses and gratifications for, 59, 60  
 "I" statements in, 161–162, 259  
 nonverbal, 42–47, 192  
 skill development in offline, 29
- Comorbidity of Internet addiction. *See also* Multiple addictions  
 with anxiety, 39–40, 40–41, 118, 127, 216, 228  
 with attention deficit disorders, 118, 127  
 with bipolar disorders, 118, 206, 212  
 with depression, 12, 38, 66, 118, 127, 180, 206, 212, 216, 228, 249, 256  
 with obsessive-compulsive disorders, 118  
 with substance-related addictions, 4, 13, 26–27, 32, 206, 211–212, 225, 238, 256

- Compensation theory, 11–12  
 Compulsive behavior disorders, Internet  
   addiction similarity to, 22, 47, 138, 157, 224  
 Concerned Person Questionnaire, 213  
 Conflict:  
   adolescent Internet use and, 179  
   as clinical assessment measure, 79, 84, 224  
   intergenerational, 79  
   systemic dynamics and, 258–260, 262  
 Conscious computing, 139. *See also* Moderation  
   and controlled use  
 Content:  
   adolescent issues with, 177  
   as factor in Internet addiction, 140–141, 145  
 Control, losing, 64–67  
 Convenience, as factor in Internet addiction, 96,  
   142–143, 161  
 Couples therapy, 160–162  
 Cues filtered in theory, 42–46  
 Cues filtered out theory, 42  
 Cultural pressure, 13, 147, 182  
 Customer data, gambling organizations  
   compiling, 103–104  
 Cybersex addiction:  
   ACE Cybersexual Addiction Model, 160–161  
   anonymity of cybersex, 116, 117, 161  
   clinical assessment of, 118–124, 126–128  
   comorbidity of disorders with, 118, 127  
   cybersex issues facing adolescents, 124,  
     128–129, 178  
   demographics of addicts, 113  
   disinhibition effect and, 116–117  
   illegal sexual behavior, 124, 128, 178  
   Internet Assessment Quickscreen for, 120,  
     122–124  
   Internet infidelity and (*see* Internet infidelity)  
   Internet Sex Screening Test for, 119–120,  
     121–122  
   management of problematic behavior, 124–128  
   primary *vs.* secondary sexual compulsion, 145  
   technological venues for online sexual content,  
     114–116  
   therapy for, 160–162  
 Czech Republic, prevalence of Internet addiction  
   in, 31  
 Dating sites, 197–198  
 Deindividuation:  
   cybersex and, 117  
   social identity model of deindividuation effects,  
     43–44  
 Demographics:  
   of cybersex addicts, 113  
   of gamblers, 91, 93, 95  
   of gamers, 73, 75, 210–211  
   of high-risk adolescents, 226–227  
   of special/vulnerable populations, 101, 209–211  
 Dependency, clinical assessment of, 24  
 Depression:  
   adolescent Internet use and, 180, 228  
   cybersex addiction comorbidity with, 118, 127  
   Internet usage/addiction correlation with, 12,  
     38, 66, 118, 127, 180, 206, 212, 216, 228, 249,  
     256  
   online social interaction relationship to, 38  
 Diagnosis. *See* Clinical assessment  
 DIAR (desire to stop, inability to stop, attempts to  
   stop, relapse), 137  
 Disinhibition, as factor in Internet addiction,  
   97–98, 116–117, 141–142  
 Dissociation, as online gambling addiction factor,  
   97  
 Divorce, Internet issues in, 150, 199–200  
 Dopamine, 10, 136, 137, 139  
 DREAM prevention approach, 235  
 Drugs:  
   abuse of (*see* Substance-related addictions)  
   naturally occurring, 8–10, 136, 137, 139  
   prescription, 10–11, 127–128  
 DSM-V, inclusion of Internet addiction in, 14, 22,  
   138  
 Electroacupuncture, 160  
 Emotions Anonymous, 207–208, 218  
 Empathy, couples therapy focus on, 162  
 Employment situations. *See* Workplace  
 Entertainment, Internet use for, 59, 60  
 Environment:  
   Internet addiction impacted by, 234, 253–256  
   management/modification of, 125, 127, 183, 219  
   workplace, 31, 101–102, 206, 219  
 Escape:  
   cybersex as means of, 161  
   escape from self theory, 230–231  
   as factor in Internet addiction, 97, 142, 161,  
     230–231, 254  
   gaming as means of, 254  
   as online gambling addiction factor, 97  
 Escitalopram, 10–11  
 Etiologic factors:  
   cognitive-behavioral model, 6–8, 229–230  
   compensation theory, 11–12  
   escape from self theory, 230–231  
   neuropsychological model, 8–11  
   situational, 13–14, 29, 233–234  
 Event frequency:  
   as clinical assessment measure, 119  
   as online gambling addiction factor, 98  
 Excessive use, as clinical assessment measure, 22,  
   137  
 External stoppers technique, 157–158  
 Face-to-face communication:  
   PIU and online communication preference over,  
     35–38, 39–40, 40–42, 269–270  
   theories on computer-mediated conversation  
     *vs.*, 42–47, 97–98, 192

## Family:

- Concerned Person Questionnaire completed by, 213
- family involvement in therapy, 162, 168–169, 184–186, 219–220, 245–247, 251–252, 256–263
- intergenerational conflict among, 79
- involvement in recovery, 30, 219–220
- parent-child/family relationships, 79, 160, 168, 177–178, 181–182, 240, 245–246, 257–263
- prevention program participation by, 240
- relapse prevention role of, 219–220
- support groups for, 186, 208–209
- systemic dynamics in (*see* Systemic family dynamics)
- technological power imbalance in, 148–149

File sharing, sexual content in, 115

Finland, prevalence of Internet addiction in, 4

Flow phenomenon of MMORPGs, 80–81

## France:

- divorce due to technology issues in, 150
- Internet Addiction Test usage in, 22, 213

Gam.Aid, 105–106

## Gambling addiction:

- demographics of gamblers, 91, 93, 95
- empirical studies on, 92–95
- factors influencing, 95–100
- Internet addiction relationship to, 20, 100–101, 206, 224
- multimedia gambling options, 107
- online help/treatment for, 105–106
- psychosocial issues with, 101–104
- unscrupulous operators impacting, 102–104
- venue for, 92

Gaming. *See also* MMORPGs; MMOs

- abstinence from, 261
- addiction to, 78–86
- addictive factors of game, 80–82
- addictive factors of players, 82–84
- amount of time spent, 74–75, 75–76, 80, 254
- avatars in, 73, 77–78, 82–84, 86, 248–249
- clinical assessment of addiction to, 78–79, 84–85
- demographics of gamers, 73, 75, 210–211
- description of MMORPGs, 74–75
- flow phenomenon of, 80–81
- game-control program, 235
- Internet infidelity through, 199–200
- motivation for playing MMORPGs, 76–78
- number of gamers, 73
- questionnaire on gaming addictive behavior, 84–85
- rewards for gaming behavior changes, 159
- self-perception of addiction to, 85–86
- sexual content exchange during, 116, 199–200
- social aspects of, 76–77, 81
- treatment options for addiction to, 86–88, 253–262

## Gender differences:

- in gaming demographics, 75–76
- in high-risk adolescents, 226–227
- in Internet infidelity views, 201
- in prevalence of Internet addiction, 4, 75–76, 209–210, 227

Gen-D (Generation-Digital) factors, 148–149

Germany, healthy computing program in, 148

Girls/boys. *See* Gender differences

## Goals/objectives:

- abstinence as treatment goal, 24, 158, 261
- in cognitive behavioral therapy, 156n2, 158, 161, 185
- moderation/controlled use as treatment goal, 24, 126, 139, 157, 163, 183–184

Government funding/support, for prevention programs, 236–237

Group therapy, 162–169, 215–216, 216–217, 234–235, 251

Guardian angels, 165

Guidance Program for Parents and Internet-Addicted Adolescents, 168–169

Habits, uses and gratifications forming, 56, 58, 60–61, 62–64, 67, 68–70

Hot chatting, 195

Hyperpersonal perspective theory, 44–46, 97–98, 192

## Identity:

- adolescents development of, 173–174, 180–181, 247–249
- anonymity of (*see* Anonymity)
- computerized data on, 103–104, 175
- online (*see* Online personas)

Illinois Institute for Addiction Recovery, 205–206

## Immersion:

- as online gambling addiction factor, 95, 97, 100
- as online gaming addiction factor, 76, 77, 87

Impulse-control disorders, Internet addiction similarity to, 21–22, 47, 138, 157, 211, 224

India, prevalence of Internet addiction in, 5

Indian Institutes of Technology, 5

Infidelity. *See* Internet infidelity

## Information seeking:

- Internet use for, 59, 60, 176–177
- negative consequences of, 177

## Inpatient treatment:

- 12-step programs and, 207–209, 214–215, 220
- basics of, 214–216
- clinical assessment in, 211–214
- demographics/special populations of addicts, 209–211
- generally, 205–206
- group therapy in, 215–216, 216–217
- identifying impact of Internet addiction, 206–207
- master treatment plan development in, 215

- new treatment centers opening for, 271  
 recovery plan development in, 220  
 relapse prevention planning in, 218–220  
 therapy considerations with Internet addiction, 216–218
- Instant messaging:  
 problematic Internet users' preference for, 37  
 sexual content of, 115
- Institute of Psychology of the Chinese Academy of Sciences, 11
- Interactivity, as online gambling addiction factor, 98–99
- Internet addiction. *See also* Problematic Internet use (PIU)  
 12-step recovery for (*see* 12-step programs) addiction, defined, 6  
 addictive properties of Internet (*see* Internet addictive properties)  
 clinical assessment of (*see* Clinical assessment)  
 comorbidity with other addictions/disorders (*see* Comorbidity of Internet addiction)  
 demographics of addicts, 73, 75, 91, 93, 95, 113, 209–211, 226–227  
 etiologic factors of, 6–14, 229–231, 233–234  
 to gambling (*see* Gambling addiction)  
 to gaming (*see* Gaming)  
 impact/implications of, 14–15, 68–69, 206–207  
 original research on, 3  
 prevalence of, 4–6, 31, 148, 178, 223–224, 226–228  
 prevention of (*see* Prevention)  
 similarity to other addictions/disorders (*see* Internet addiction similarities)  
 treatment of (*see* Therapy; Treatment)  
 uses and gratifications of (*see* Uses and gratifications)
- Internet Addiction Diagnostic Questionnaire (IADQ), 4, 20–21
- Internet addiction similarities:  
 to compulsive behavior disorders, 22, 47, 138, 157, 224  
 to gambling addiction, 20, 100–101, 206, 224  
 to impulse-control disorders, 21–22, 47, 138, 157, 211, 224  
 to substance-related addictions, 14, 136–139, 207, 208, 214, 225–226, 247, 250–251, 271–272
- Internet Addiction Test (IAT), 22–24, 213
- Internet addictive properties:  
 content factors, 140–141, 145  
 Gen-D factors, 148–149  
 neurochemical factors, 136, 137, 139  
 process and access/availability factors, 141–143, 149  
 reinforcement/reward factors, 136, 144–145  
 social factors, 146–148  
 tolerance and withdrawal, 136–137, 138–139
- Internet Assessment Quickscreen, 120, 122–124
- Internet infidelity:  
 defining, 194–195  
 divorce as consequence of, 199–200  
 emotional infidelity, 196–197  
 idealizing online relationships, 192–194  
 infidelity dating sites for, 197–198  
 offline affairs initiated through, 199  
 online intimacy in, 191–192  
 rapid growth of, 29  
 social networking sites for, 198–199  
 therapy for, 161–162, 200–202  
 unfaithful online acts, 195–197
- Internet Sex Screening Test, 119–120, 121–122
- Interpersonal difficulties. *See also* Loneliness; Social anxiety; Social isolation  
 as clinical assessment measure, 79, 84  
 online communication alleviating, 45, 269  
 PIU tendency due to, 39–40, 41–42
- Intimacy:  
 hyperpersonal perspective on online, 44–46, 97–98, 192  
 online, Internet infidelity and, 191–192
- Isolation. *See* Social isolation
- "I" statements, 161–162, 259
- Italy:  
 Internet Addiction Test usage in, 22, 213  
 prevalence of Internet addiction in, 31
- Knowledge approach to prevention, 232–233
- Korea:  
 prevalence of Internet addiction in, 4–5, 31, 148, 223, 226–228  
 prevention programs in, 233–234, 236–237, 239
- Korean Agency for Digital Opportunity and Promotion, 236
- Korean-Internet Addiction Scale-Adolescent, 226–228
- Life-imbalance, 137, 145
- Life line technique, 166
- Loneliness:  
 addicts' tendency toward, 11–12, 228  
 adolescent Internet use and, 180, 228  
 PIU relationship to, 39, 41
- Management:  
 environment management/modification, 125, 127, 183, 219  
 of Internet usage, 150–151  
 of problematic cybersex behavior, 124–128  
 time management strategies, 157
- Marital Affair site, 197
- Marital issues:  
 cognitive behavioral/couples therapy for, 160–162  
 divorce as, 150, 199–200  
 Internet infidelity as, 29, 161–162, 191–202
- Massively multiplayer online games. *See* MMOs

- Massive multiplayer online role-playing games.  
*See* MMORPGs
- Media, uses and gratifications paradigm on  
 selection of, 56–58
- Medicine, 10–11, 127–128
- Meet2cheat site, 197
- Men/women. *See* Gender differences
- Micro-blogs, sexual content on, 115
- MMORPGs:  
 abstinence from, 261  
 addiction to, 78–86  
 addictive factors of game, 80–82  
 addictive factors of players, 82–84  
 amount of time spent playing, 74–75, 75–76, 80,  
 254  
 avatars in, 73, 77–78, 82–84, 86, 248–249  
 clinical assessment of addiction to, 78–79,  
 84–85  
 demographics of gamers, 73, 75, 210–211  
 description of, 74–75  
 flow phenomenon of, 80–81  
 Internet infidelity through, 199–200  
 motivation for playing, 76–78  
 number of gamers, 73  
 questionnaire on gaming addictive behavior,  
 84–85  
 rewards for gaming behavior changes, 159  
 self-perception of addiction to, 85–86  
 social aspects of, 76–77, 81  
 treatment options for addiction to, 86–88,  
 253–256
- MMOs, number of gamers, 73. *See also* Second Life
- Mobile devices:  
 addiction to, 269  
 expectation of immediate availability through,  
 147, 268  
 sexual content on, 116
- Models. *See also* Theories  
 ACE Cybersexual Addiction Model, 160–161  
 cognitive-behavioral model, 6–8, 40–42, 47,  
 229–230  
 Multidimensional Family Therapy model, 184,  
 246  
 neuropsychological model, 8–11  
 phase model of therapy, 257–260, 262  
 social cognitive model of uses and  
 gratifications, 59–62  
 social identity model of deindividuation effects  
 (SIDE), 43–44
- Moderation and controlled use:  
 by adolescents, 183–184  
 as treatment goal, 24, 126, 139, 157, 163,  
 183–184
- Mood regulation, Internet use for:  
 as clinical assessment measure, 79, 84, 137, 224  
 escapism of online gambling and, 97  
 as factor in Internet addiction, 142  
 as symptom of PIU, 46–47, 48, 66–67
- Motivation:  
 for Internet usage, 46, 258–259  
 for playing MMORPGs, 76–78  
 for treatment, 24–26, 148, 232, 256, 271
- Motivational interviewing, 25–26, 156n3, 159–160
- Multidimensional Family Therapy model, 184, 246
- Multimodal prevention programs, 238
- Multiple addictions:  
 clinical assessment of, 26–29, 211–212  
 Internet addiction tendency with, 4, 13, 26–29,  
 32, 206, 208, 211–212, 225–226, 228, 238, 256  
 substitution of Internet addiction for other  
 addictions, 13, 26, 29, 70
- Narcotics Anonymous, 214
- Negative repercussions:  
 of adolescent Internet use, 177–182  
 as clinical assessment measure, 22, 119, 137,  
 224, 225–226  
 cognitive-behavioral model on, 40–41, 47  
 knowledge about, as prevention tool, 232–233  
 reminder cards listing, 158
- Negative thinking/pessimism, addicts' tendency  
 toward, 8
- Neurochemical factors, of Internet addiction,  
 8–11, 136, 137, 139
- Neuropsychological model, 8–11
- Newsgroups, sexual content in, 114–115
- Nonverbal communication, 42–47, 192
- Obsessive-compulsive disorders:  
 adolescent Internet use and, 180  
 cybersex addiction comorbidity with, 118
- Online personas:  
 adolescent identity development through,  
 173–174, 180–181, 247–249  
 avatars as, 73, 77–78, 82–84, 86, 248–249  
 clinical assessment of, 30
- Online role-playing games. *See* Gaming;  
 MMORPGs
- Online social relationships. *See* Relationships,  
 online
- Pakistan, prevalence of Internet addiction in, 31
- Parents. *See* Family
- Passing time, Internet use for, 59, 60
- Pathological computer use, *DSM-V* diagnosis of,  
 14, 22. *See also* Internet addiction
- Peer pressure, 147
- Personal data:  
 adolescent release of, 175  
 gambling organizations compiling, 103–104
- Personal problems. *See* Real-life problems
- Personal relationships. *See* Relationships, online;  
 Relationships, real-life
- Pessimism, addicts' tendency toward, 8
- Pharmacological treatments, 10–11, 127–128
- PIU. *See* Problematic Internet use (PIU)

- Pop-ups, 103
- Pornography:  
 child, 124  
 Internet infidelity and, 195–196  
 prevalence of Internet addiction to, 4
- Preoccupation with Internet:  
 as clinical assessment measure, 21, 28, 78–79, 119, 225  
 as symptom of PIU, 46–47
- Prescription drugs, 10–11, 127–128
- Pressure, as situational factor in Internet addiction, 13–14, 147, 233–234
- Prevalence of Internet addiction, 4–6, 31, 148, 178, 223–224, 226–228
- Prevention:  
 of adolescent Internet addiction, 231–240  
 approaches to, 232–236  
 DREAM approach to, 235  
 duration and dosage of programs, 239  
 fundamental causal problems addressed in, 237–238  
 future direction of, 237–240, 272–273  
 game-control program for, 235  
 government funding and support for, 236–237  
 of habit formation, 68–69  
 high-risk identification and, 233–234  
 implementation of prevention programs, 236  
 knowledge/information-based approach to, 232–233  
 multimodal programs needed for, 238  
 parent participation in, 240  
 of relapses, 218–220  
 research needed on, 240  
 Self-Management Training for, 234–235  
 software for Internet misuse prevention, 15, 125–126  
 younger children targeted for, 238–239
- Problematic Internet use (PIU). *See also* Internet addiction  
 cognitive-behavioral model on, 40–42, 47  
 interpersonal difficulties leading to, 39–40, 41–42  
 online social interaction and, 35–38  
 preference for online *vs.* face-to-face communication in, 35–38, 39–40, 40–42, 46–47, 269–270  
 psychological well-being impacting, 38–39, 41  
 warning signs and symptoms of, 179–180
- Problems. *See* Real-life problems
- Psychological well-being:  
 adolescent Internet use and, 38–39, 180, 228  
 cybersex addiction influenced by, 118, 127  
 Internet usage correlation with, 12, 39–41, 66, 118, 127, 206, 212, 216, 228, 229–230, 249, 256, 271  
 online social interaction and, 38–39, 41
- Psychotherapy. *See* Therapy
- Questionnaires/tests:  
 adolescent self-report questionnaire, 234  
 Concerned Person Questionnaire, 213  
 gaming addictive behavior questionnaire, 84–85  
 Internet Addiction Diagnostic Questionnaire, 4, 20–21  
 Internet Addiction Test, 22–24, 213  
 Internet Assessment Quickscreen, 120, 122–124  
 Internet Sex Screening Test, 119–120, 121–122  
 Korean-Internet Addiction Scale-Adolescent, 226–228  
 Virtual Addiction Test, 213
- Rationalization, in Stop-Start Relapse Cycle, 27–28
- Real-life problems:  
 adolescent Internet use and, 180  
 perceived escape from, 97, 142, 161, 230–231, 254  
 as situational factors in Internet addiction, 13–14, 29, 233–234
- Recovery. *See also* 12-step programs; Treatment involving loved ones in, 30, 219–220  
 recovery plan development, 220
- Regret, in Stop-Start Relapse Cycle, 27
- Reinforcement and rewards. *See also* Uses and gratifications  
 cognitive behavioral therapy including, 159  
 as Internet addictive factor, 136, 144–145, 229  
 variable ratio reinforcement schedule, 144–145
- Relapses:  
 as clinical assessment measure, 27–28, 79, 137, 224  
 DIAR (desire to stop, inability to stop, attempts to stop, relapse), 137  
 multiple addictions leading to, 27  
 prevention of, 218–220  
 relapse rates, 226  
 in Stop-Start Relapse Cycle, 27–28
- Relationships, online:  
 addictive factors of, 146–148  
 cognitive-behavior model theories on, 40–42  
 gambling associability, 99–100  
 hyperpersonal, 44–46, 97–98, 192  
 idealization of, 192–194  
 infidelity through, 29, 161–162, 191–202  
 interpersonal difficulties and, 39–40, 41–42, 45, 79, 84, 269  
 intimacy in, 44–46, 97–98, 191–192  
 PIU and online social interaction, 35–38  
 psychological well-being and, 38–39, 41  
 social aspect of gaming, 76–77, 81  
 theories on computer-mediated *vs.* face-to-face communication, 42–47, 97–98, 192
- Relationships, real-life:  
 adolescent withdrawal from, 177–178, 179, 250  
 clinical assessment of Internet use impact on, 29–30, 79, 137

- Relationships, real-life (*Continued*)  
 compensation theory on addicts' difficulty  
   with, 11–12  
 deterioration of, as treatment motivation, 148  
 development of, in group therapy, 217–218, 251  
 division of attention from, 149, 268  
 divorce in, 150, 199–200  
 face-to-face communication in (*see* Face-to-face  
 communication)  
 guardian angel/client relationships, 165  
 infidelity in, 29, 161–162, 191–202  
 interpersonal difficulties in, 39–40, 41–42, 45, 79,  
 84, 269  
 isolation from, 12, 217 (*see also* Loneliness)  
 marital, 29, 150, 160–162, 191–202  
 parent-child/family relationships, 79, 160, 168,  
 177–178, 181–182, 240, 245–246, 257–263  
 Reminder cards, 158  
 Research:  
   importance of continued, 14–15, 272  
   on prevention programs, 240  
 reStart, 271  
 Role-playing games. *See* Gaming; MMORPGs
- Salience, as clinical assessment measure, 78–79,  
 84, 224
- Second Life, 73, 199–200
- Self-efficacy:  
   gaming addiction influenced by, 78, 82, 83  
   uses and gratifications of Internet and, 59,  
   61–62, 69
- Self-esteem, low:  
   addicts' tendency toward, 8, 11, 230, 256  
   gaming addiction influenced by, 78, 82–83  
   online social interaction relationship to, 39
- Self-Management Training, 234–235
- Self-observation, habit formation due to deficient,  
 61, 62–64
- Self-reaction:  
   habit formation due to deficient, 61, 62, 64  
   losing control of, 64–67
- Self-regulation:  
   ability of nonaddicts to summon, 67–68  
   childrens'/adolescents' limited capacity for,  
   239  
   prevention programs focused on, 234–236  
   uses and gratifications impacting, 60–61, 67–68,  
   68–70
- Sexual issues. *See* Cybersex addiction; Internet  
 infidelity; Pornography
- Siblings. *See* Family
- SIDE (social identity model of deindividuation  
 effects), 43–44
- Simulation of online gambling, 99, 102
- Singapore, prevalence of Internet addiction in, 148
- Situational factors, role in Internet addiction,  
 13–14, 29, 233–234
- Sleep deprivation, Internet addiction leading to,  
 20, 24, 179
- Social anxiety:  
   adolescent Internet use and, 180, 228  
   comorbidity of Internet addiction with, 39–40,  
   40–41, 118, 127, 216, 228  
   cybersex addiction comorbidity with, 118, 127  
   online communication alleviating, 45  
   PIU tendency due to, 39–40, 41–42
- Social cognitive model, 59–62
- Social identity model of deindividuation effects  
 (SIDE), 43–44
- Social information processing theory, 43
- Social isolation, Internet usage correlation with,  
 12, 217. *See also* Loneliness
- Social networking sites:  
   Internet infidelity via, 198–199  
   sexual content on, 115
- Social relationships. *See* Relationships, online;  
 Relationships, real-life
- Software:  
   behavioral tracking, 104  
   Internet infidelity monitoring through, 201  
   for Internet misuse prevention, 15, 125–126
- Spain, Internet addiction treatment and  
 prevention in, 148
- Splitting theory, 193–194
- Spytech online, 201
- Stop-Start Relapse Cycle, 27–28
- Stress, as situational factor in Internet addiction,  
 13–14, 29, 233–234
- Structured cognitive behavioral therapy, 162–169
- Substance-related addictions:  
   etiologic factors of, 6, 8, 10  
   family environment and, 32, 181, 245–246, 252  
   Internet addiction comorbidity with, 4, 13,  
   26–27, 32, 206, 211–212, 225, 238, 256  
   Internet addiction replacement for, 13, 26, 29,  
   70  
   Internet addiction similarity to, 14, 136–139, 207,  
   208, 214, 225–226, 247, 250–251, 271–272  
   multimodal prevention programs addressing,  
   238  
   treatment/prevention of, 206, 208, 214, 238, 239,  
   246–247, 252, 271–272
- Support groups:  
   12-step programs, 15, 207–209, 214–215, 218,  
   220  
   for adolescent Internet addiction, 185–186  
   for family members, 186, 208–209
- Systemic family dynamics:  
   case example of, 261–262  
   environment and, 253–256, 263  
   family therapy involvement, 245–247, 251–252,  
   256–263  
   online communication and, 247–251  
   phase model of therapy, 257–260, 262  
   treatment/therapy and, 245–247, 251–263
- Taiwan, prevalence of Internet addiction in, 31
- Teenagers. *See* Adolescents; College students

- Telephone help lines, gambling-related, 106
- Telephones, cellular. *See* Mobile devices
- Tests. *See* Questionnaires/ tests
- Theories. *See also* Models
- compensation, 11–12
  - on computer-mediated and face-to-face
    - communication differences, 42–47, 97–98, 192
  - cues filtered in theory, 42–46
  - cues filtered out theory, 42
  - escape from self theory, 230–231
  - hyperpersonal perspective theory, 44–46, 97–98, 192
  - social identity model of deindividuation effects (SIDE), 43–44
  - social information processing theory, 43
  - splitting, 193–194
- Therapy:
- adolescent, 162, 168–169, 182–186, 230, 231, 234–236, 237, 245–247, 251–263
  - cognitive behavioral (*see* Cognitive behavioral therapy)
  - communication skill development in, 29
  - couples, 160–162
  - cybersex-related, 160–162
  - family involvement in, 162, 168–169, 184–186, 219–220, 245–247, 251–252, 256–263
  - gambling-related, 105–106
  - gaming-related, 86–88, 253–262
  - goals/objectives inclusion in, 156n2, 158, 161, 185
  - group, 162–169, 215–216, 216–217, 234–235, 251
  - Internet infidelity-related, 161–162, 200–202
  - motivational interviewing, 25–26, 156n3, 159–160
  - nature of, with Internet addiction, 155–162, 270–271
  - online, 105–106
  - phase model of, 257–260, 262
  - relapse prevention planning in, 218–220
  - structured, 162–169
  - therapeutic alliance, development of, 164
- Time online:
- as clinical assessment measure, 20, 84
  - event frequency, 98, 119
  - functions during *vs.* quantity of, indicating addiction, 65–66
  - gambling-related, 94, 98
  - gaming-related, 74–75, 75–76, 80, 254
  - lack of time markers as factor in Internet addiction, 143
  - time management strategies for, 157
- Time passer, Internet use as, 59, 60
- Tolerance:
- as clinical assessment measure, 22, 79, 84, 137, 224–225
  - for Internet addictive properties, 136–137, 138–139
- Treatment. *See also* Therapy
- abstinence as treatment goal, 24, 158, 261
  - adolescent, 162, 168–169, 182–186, 230, 231, 234–236, 237, 245–247, 251–263
  - ambivalence about, 26, 32
  - cybersex-related, 160–162
  - family involvement in, 162, 168–169, 184–186, 219–220, 245–247, 251–252, 256–263
  - gambling-related, 105–106
  - gaming-related, 86–88, 253–262
  - goals/objectives of (*see* Goals/objectives)
  - inpatient (*see* Inpatient treatment)
  - Internet infidelity-related, 161–162, 200–202
  - management of problematic cybersex behavior, 124–128
  - master treatment plan development, 215
  - moderation/controlled use as goal of, 24, 126, 139, 157, 163, 183–184
  - motivation for, 24–26, 148, 232, 256, 271
  - online, 105–106
  - pharmacological, 10–11, 127–128
  - relapse prevention planning in, 218–220
- Triple A Engine, 142
- Twitter, sexual content on, 115
- UGs. *See* Uses and gratifications
- Uses and gratifications. *See also* Moderation and controlled use; Reinforcement and rewards
- acceptable use policies, 126
  - good *vs.* bad Internet habits, 56
  - habits formed by, 56, 58, 60–61, 62–64, 67, 68–70
  - implications of, 68–69
  - of Internet, 59, 60
  - losing control of, 64–67
  - reasons for lack of addiction, 67–68
  - self-regulation of, 60–61, 67–68, 68–70
  - social cognitive model of, 59–62
  - uses and gratifications paradigm, 56–58
- Variable ratio reinforcement schedule, 144–145
- Virtual Addiction Test, 213
- Vulnerable populations, 101, 209–211. *See also* Adolescents
- Warning signs/symptoms, of PIU in adolescents, 179–180
- Well-being. *See* Psychological well-being
- Withdrawal:
- as clinical assessment measure, 22, 28, 79, 137, 224, 225
  - Internet addictive properties and, 136–137, 138–139
- Women/men. *See* Gender differences
- Workplace:
- Internet addiction impact in, 31, 206
  - online gambling in, 101–102
  - relapse prevention in, 219
- World of Warcraft (WoW), 73, 253–254
- World Wide Web, sexual content on, 114
- Young people. *See* Adolescents; College students