

# Index

- Access ISP, 15, 16
- ACK, *see* Acknowledgement
- Acknowledgement, 52
- Active Queue Management, 85
- Admission Control, 84, 113, 122, 134, 183
  - Contingent-based, 126
  - Diffserv, 165
  - Edge-based, 125
  - Endpoint, 124
  - Hop-by-hop, 124
  - Intserv, 88, 163
  - Measurement Based, 127
  - Network-based, 124
- AdSpec, 87
- AISP, *see* Access ISP
- Akamai, 24
- Amazon, 25
- America Online (AOL), 25
- Anycast, 50
- Application Layer, 48
- Application Service Provider, 19
- Applications
  - Elastic, 65, 133, 144, 149, 177, 290
  - Inelastic, 65, 133, 143, 149, 177
- ARPANET, 47
- Arrival Process, 30
- AS, *see* Autonomous System
- Assured Forwarding, 100, 164
- Authentication Header, 122
- Autonomous System, 195, 198
- Backbone Service Provider, 15, 17
- Bandwidth Broker, 102, 159, 165
- Best-Effort
  - Alternative Best-Effort, 107, 111
  - Architectures, 103
  - Lower than Best-Effort, 106
  - Model, 144
  - Overprovisioning, 103, 111, 134, 160, 170
  - Price-Controlled, 103, 111
- Blue, 85
- Boomerang Protocol, 120
- Border Gateway Protocol, 118
- Bounding, 44
- Branch & Bound, 44
- Branching, 44
- BSP, *see* Backbone Service Provider
- Capacity Expansion, 276, 293
  - Costs, 277
  - Performance Evaluation, 283
  - Process, 276
  - Strategies, 277
  - Threshold, 278
- Class Based Queueing, 84
- Classless Inter-Domain Routing, 114
- Colocation Provider, 22
- Commodity, 237
- Communication Service Provider, 20
- Computer Games, 71
  - QoS, 73
  - Traffic, 73

- Congestion, 54
- Congestion Avoidance, 53
- Congestion Control, 53
- Congestion Costs, 250, 264
- Congestion Window, 53
- Consulting Service Provider, 22
- Content Delivery Network, 17
- Content Provider, 19
- Core-Jitter-Virtual-Clock, 93
- Core-Stateless Fair Queueing, 84
- CPLEX, *see* Ilog CPLEX
- CR-LDP, 120
- CSMA/CD, 61
- Cutting Plane Method, 45
- cwnd, 53
  
- Data Forwarding Architecture, 113
- Data Link Layer, 48
- Datagram Congestion Control Protocol, 51
- Decision Variables, *see* Variables
- Deutsche Telekom, 25
- DFN, 26
- Differentiated Services, *see* Diffserv
- Diffserv, 159, 164
  - Admission Control, 102
  - Assured Forwarding, 100, 164
  - Assured Rate, 101
  - Bandwidth Broker, 102, 159
  - Bulk Handling, 101
  - Byte, 49, 95
  - Class Selector, 97
  - Classification, 111
  - Codepoint, 86, 95
  - Description, 95
  - Domain, 96
  - Expedited Forwarding, 98, 164
  - Marking Algorithm, 100
  - Olympic Service, 100, 160, 170
  - Per-domain Behaviour, 101
  - Premium Service, 101
  - Router, 96
  - Service Level Agreement, 101
  - Virtual Wire, 101
- DUPACK, 54
- Dynamic Packet State, 93
  
- Ebay, 25
- EDF, 84
- Effective Bandwidth, 129
- Encapsulating Security Payload, 122
- End-to-end Principle, 48
- End-user, 23
- End-user Network Operator, 14, 16
- ENO, *see* End-user Network Operator
- Ethernet, 60
  - 1 Gigabit, 60
  - 10 Gigabit, 60
- EURO-IX, 203
- Expedited Forwarding, 98, 164
- Explicit Routing, *see* Traffic Engineering
  
- Fast Recovery, 54
- Fast Retransmit, 54
- FilterSpec, 88
- Financial Service Provider, 22
- First Person Shooter, 71
- Five Layer Reference Model, 47
- Flow, 86
- Flow Control, 53
- Flow Label, 50
- FlowSpec, 87
  
- GMX, 26
- Google, 27
  
- HDLC, 60
- High-level Data Link Control, *see* HDLC
- Homing, 195
- Hosting Service Provider, 18
- HTML, 65
- HTTP
  - Traffic, 65
- Hypertext Transfer Protocol, *see* HTTP
  
- ILEC, *see* Incumbent Local Exchange Carrier
- Ilog CPLEX, 45
- Incumbent Local Exchange Carrier, 20
- Information Provider
  - Definition, 13
- Input Parameters, *see* Parameters

- INSP, *see* Internet Network Service Provider
- Integer Programming Problem, *see* Mixed Integer Programming Problem
- Integrated Services, *see* Intserv
- Interconnection, 195
  - Changes, 227
  - Costs, 210
  - Method, 200
  - Negotiation, 205
  - Peering, 201
  - QoS, 224
  - Reliability, 218
  - Taxonomy, 199
  - Transit, 202
- Interconnection Method, 203
- Internet
  - History, 47
  - Traffic, 65
- Internet Exchange Point, 22, 203
- Internet Key Exchange Protocol, 122
- Internet Network Service Provider
  - Definition, 13
- Internet Service Provider
  - Definition, 11, 13
- Internet Stream Protocol, 120
- Intserv, 86, 159, 162
  - Classification, 111
  - Controlled Load, 92
  - Guaranteed Service, 89, 129
  - Router, 88
  - Scalability, 92
  - TSpec, 163
- IP
  - Description, 48
  - Header, 49
  - History, 47
  - Routing, 114
- IPng, *see* IPv6
- IPsec, 121
- IPv4, *see* IP
- IPv6, 50
- ISP, *see* Internet Service Provider
- IXP, *see* Internet Exchange Point
- Kendall's Notation, 30
- Label Distribution Protocol, 120
- Label Switching, 116
- Lagrangian Approach, 45
- Layer, 48
- Layer Model, *see* Five Layer Reference Model
- Linear Programming Problem, 41
  - Simplex, 43
  - Solution, 42
- LINUX, 203
- Little's Law, 31
- Long-Distance Carrier, 21
- Longest-prefix Matching, 114
- LP, *see* Linear Programming Problem
- LP Relaxation, 44
- lp\_solve, 43, 45
- M/G/1, 34, 341
- M/G/1-PS, 35
- M/G/1/B, 342
- M/M/1, 32
- M/M/1/B, 33, 339
- Massive Multiplayer Online Role Playing Games, 71
- Maximum Transmission Unit, 49
- MIP, *see* Mixed Integer Programming Problem
- Mixed Integer Programming Problem, 42
  - Solution, 44
- MMORPG, *see* Massive Multiplayer Online Role Playing Games
- MPLS
  - Description, 116
  - Forwarding Equivalence Class, 116
  - Generalised, 62
  - Lambda Switching, 62
- Multicommodity Flow Problem, 241
- Network Architecture, 81
  - Classification, 110
- Network Calculus, 90, 127
  - Deterministic, 36
  - Statistical, 39

- Network Component Service Provider, 23
- Network Design, 238
- Network Edge, 195
- Network Engineering, 239, 273
  - Capacity Expansion, *see* Capacity Expansion
- Network Layer, 48
- Network Model, 339
  
- Objective Function, 40
- OC-X, 60
- Olympic Service, 100, 160, 170
- Online, 25
- Optimality Gap, 45
- Optimisation
  - Model, 40
  - Problem, 40
  - Techniques, 40
- Other Local Operator, 21
- Overbooking, 169, 180
- Overprovisioning Factor, 134, 138, 150, 170, 189
  
- P2P
  - QoS, 69
  - Traffic, 69
- Packet Marker, 86
- Parameters, 40
- Paris Metro Pricing, 110
- PASTA, 34
- PATH Message, 87
- Path Selection, *see* Traffic Engineering
- PDH, 59
- Peer-to-Peer, *see* P2P
- Peering, 201
- Per-domain Behaviour, 95, 101
- Per-hop Behaviour, 95
- PGPS, 84
- Physical Layer, 48
- Plesiochronous Digital Hierarchy, *see* PDH
- Point-to-Point Protocol, *see* PPP
- Policing, 85, 169
- Policy, 131
  
- Pollaczek–Khinchin Formula, 35, 341
- Port
  - Classification, 76
  - TCP, 52
  - UDP, 51
- PPP, 60
- Priority Scheduler, 84
- Proportional Integrator, 85
- Protocol Field, 49
  
- QoS
  - Declarations, 84
  - Network Model, 145
  - Procedures, 84
  - Signalling, 84, 119
  - System, 273
- QoS Architecture, 82
  - Classification, 110
- QoS Strategy, 83
- QoS System, 82, 83, 159
- Queue Management, 84
- Queueing Delay
  - Queueing Theory, 31
- Queueing Networks, 36
- Queueing Theory, 29, 127
  
- Random Early Detection, 36, 85, 169
- Random Exponential Marking, 85
- Real-time Strategy Game, 71
- Relaxation, 44
- Resource Reservation Protocol, *see* RSVP
- RSVP Message, 87
- Retail Provider, 19
- Retransmission Timeout, 54
- Round Robin, 84
- Route Advertisement, 199
- Routing
  - BGP, 118, 198
  - Exterior Routing Protocols, 118
  - Interior Routing Protocols, 118
  - IP, 114
  - IS-IS, 118
  - Lookup, 114
  - Multipath, 237, 242

- OSPF, 118
- RIP, 118
  - Singlepath, 237, 242
- RSpec, 88
- RSVP, 86, 119, 162
- RSVP-TE, 120
  
- Scheduling, 84, 164, 168, 179
- Scope Field, 50
- SCORE, 93
  - Classification, 111
- SDH, 59
- Security Architecture, 121
- Self-similarity, 343
- Sequence Number, 52
- Server Service Provider
  - Definition, 13
- Service Differentiation, 143
- Service Discipline, 30
- Service Level Agreement, 101, 202
- Service Level Specification, 101, 203
- Service Process, 30
- Session
  - Intserv, 86
- Settlement, 200
- Shaper, 85
- Signalling Architecture, 118
- Signature Detection, 77
- Simplex, 43
- Single Rate Three Colour Marker, 100
- SLA, *see* Service Level Agreement
- Slow Start, 53
  - Threshold, 53
- Smart Market, 103
- Soft State, 88, 120
- Sojourn Time, 31
- SONET, 59
- Sprint, 27
- ssthresh, 53
- Stateless Core, *see* SCORE
- Stateless Edge and Core Architecture, 109
- Synchronous Digital Hierarchy, *see* SDH
- Synchronous Optical Networking, *see* SONET
  
- TCP
  - Congestion Control, 53
  - Description, 51
  - Flavour, 55
  - Flow Control, 53
  - Formula, 55
  - Header, 53
  - History, 47
  - Long-lived, 55
  - Short-lived, 57
- Ternary Content Addressable Memories, 116
- Tier 1, 197
- Tier Structure, 196
- Time Sliding Window Three Colour Marker, 100
- Time to Live, 49
- Token Bucket, 37, 163
- Topologies, 174, 265, 292, 297
- TOS Byte, 49
- Traffic, 171
  - Elastic, 65, 133, 144, 149, 177, 290
  - Inelastic, 65, 133, 143, 149, 177
- Traffic Class Field, 50
- Traffic Classification, 76
- Traffic Conditioning Specification, 101
- Traffic Engineering, 241
  - Equal Cost Multipath, 252
  - Explicit Routing, 242, 252
  - Multipath, 269
  - Path Selection, 242, 254, 259
  - Performance Evaluation, 260
  - Performance Metrics, 248
  - Shortest Path Routing, 252
  - Singlepath, 269
  - Strategies, 241, 251
- Traffic Matrix
  - Elasticity, 290
  - Estimation, 244
  - Network Model, 339
- Transit, 202
- Transmission Control Protocol, *see* TCP
- Transport Layer, 48
- Trie, 114

- TSpec, 37, 87, 90, 163
- Two Rate Three Colour Marker, 100
- Type of Service, 49
- UDP
  - Description, 50
  - Header, 51
- University Network Centres, 27
- User Datagram Protocol, *see* UDP
- Utilisation, 249
- Utility Function, 65, 149, 176
- Variables, 40
- Virtual Clock, 84, 93
- Virtual Queue, 85
- Voice over IP
  - QoS, 73
  - Traffic, 74
- VoIP, *see* Voice over IP
- Waiting Time, 31
- Wavelength-Division Multiplexing, *see* WDM
- WDM, 61
- Weighted Fair Queueing, *see* WFQ
- WFQ, 84, 90, 164
- Window Size, 52
- World Wide Web
  - History, 47
  - Qos, 66
  - Traffic, 66
- WWW, *see* World Wide Web
- YESSIR, 120