

# Clinical cases



جابر حلیم

# Lipoma

( Subcutaneous )

+ve data

1. Mobile in 2 directions
2. **2Ps** - Painless
  - Pseudofluctuant
3. **5S** - Soft in consistency
  - Slippery edge
  - Superficial to muscle
  - Surface = lobulated
  - Skin over = dimpling
4. Bilateral V.V below knee

محمد شوقي

# 2 Lipomas

( Subfascial )

+ve data

1. Mobile in **2** directions
2. **2Ps** - Painless
  - Pseudofluctuant
3. **5S** - Soft in consistency
  - Slippery edge
  - Superficial to muscle
  - Surface = **smooth**
  - Skin over = **No** dimpling

محمد مصطفى

# Lipoma

( Subfascial )

+ve data

1. Mobile in **2** directions
2. **2Ps** - Painless
  - Pseudofluctuant
3. **5S** - Soft in consistency
  - Slippery edge
  - Superficial to muscle
  - Surface = **lobulated**
  - Skin over = **No** dimpling

جابر امين عكاشه

## **Implantation dermoid cyst**

+ve data

1. Mobile in **2** directions
2. **Smooth** surface
3. **Scar** over (traumatic)
4. **Bony depression**
5. **Well defined** edge
6. **Superficial** to muscles
7. + ve fluctuation test

سامح حسين عبدالله

## **Venous ulcers**

+ve data

1. Ulcers **above** medial malleouls

2. **Non** pitting odema (2ry V.V)

3. Characters :

Punched out edge - Brownish margin

Unhealthy G.T- Purulent discharge

Warm - Tender - Indurated skin

around - Indurated base at margin

4. Associated V.V

5. **+ve** inguinal L.Ns

عزہ محمد محمد

## **Ulcer on Lt. leg**

+ve data

1. Ulcer **above & behind** Lt. malleouls
2. **Pitting** odema
3. Characters :

Punched out edge - Brownish margin  
Unhealthy G.T- Purulent discharge  
Warm - Tender - Indurated skin  
around - Indurated base at margin

أحمد محمود

## **1ry Toxic goiter**

+ve data

1. Mobile in **2** directions & up & down  
with deglutition
2. - **Firm** in consistency  
- **Nodular** surface  
- **Symmetrical**  
- Well defined edge
3. **Irregular** pulse.
4. + **ve** Eye signs
5. Tremors of hand, upper eye lid & tongue

هدی محمد علی

## **Simple goiter**

( Solitary nodule )

+ve data

1. Mobile in **2** directions & up & down with deglutition
2. **Firm** in consistency.
3. **Nodular** surface.
4. **Solitary** mass at Lt. side.
5. **Trachea** is **shifted** to Rt. side

خالد محمود ابو زيد

## **Simple goiter**

( Multinodular )

+ve data

1. Mobile in **2** directions & up & down with deglutition
2. **Firm** in consistency.
3. **Nodular** surface.

# سماح السيد عبدالسميع

## **Hard fibroadenoma**

+ve data

1. Swelling ( 4 x 4 cm )
2. Mobile in 2 directions
3. Firm to hard in consistency
4. Not tender
5. No axillary L.Ns
6. **Scar of splenectomy**

(chronic hemolytic anemia)

# بِثِينَةُ امَامٍ مصطفى

## **Lt. Chronic breast abscess**

+ve data

1. History of acute abscess  
treated by A.B (**Antibioma**)
2. Signs of fibrosis :
  - a. **Elevation** of left side
  - b. **Decrease** size of areola  
& more **dark** in color
  - c. Nipple **retraction** & +ve **sulcus**
3. Hard mass ( 1 x 1 )
4. No axillary L.Ns
5. **Scar of previous drainage**

# فوزی علی محمد

## **Rt. Recurrent O.I.H**

+ve data

1. **Inguino-scrotal swelling**
2. **Mass at hernia orifice**
3. **Reducible mass**
4. **Expansile impulse on cough**
5. **Soft & lobulated**
6. **Int. ring test = O.T.H**
7. **Scar of appendectomy**
8. **Sebaceous cyst in face**

عبد العليم محمد على

**Rt. O.I.H**

+ve data

1. **Inguino-scrotal swelling**
2. Mass at **hernia orifice**
3. **Reducible mass**
4. **Expansile** impulse on cough
5. **Soft & lobulated**
6. Int. ring test = **O.I.H**

صابر عبد الله محمد

**Rt. O.I.H**

+ve data

1. **Inguinal** swelling ( **Funicular** type )
2. Mass at **hernia orifice**
3. **Reducible** mass
4. **Expansile** impulse on cough
5. **Soft & lobulated**
6. Int. ring test = O.I.H
7. **Scar** at opposite side of hernia operation
8. Bilateral **halux valgus**

# حسین عمر و عثمان

## **Epigastric hernia**

+ve data

1. Epigastric swelling
2. Reducible mass ( partial )
3. Expansile impulse on cough
4. Soft & smooth
5. Rising test = more bulge
6. Supra-umbilical hernia
7. Divercation of recti

# السيد جمال

## **Epigastric hernia**

+ve data

1. **Epigastric swelling**
2. **Reducible mass ( partial )**
3. **Expansile impulse on cough**
4. **Soft & smooth**
5. **Rising test = more bulge**

# حسنی و هبة اسکندر

## Lt. O.I.H (funicular)

+ve data

1. Lt. inguinal swelling
2. Mass at hernia orifice
3. Reducible mass
4. Expansile impulse on cough
5. Soft & smooth
6. Int. ring test = O.I.H
7. Umbilical hernia
8. Scar at Rt. inguinal region

عاشر محمد سيد أحمد

## **Rt. 1ry vaginal hydrocele**

+ve data

1. Rt. scrotal swelling
2. Huge Rt. scrotal swelling & at lower level than Lt.
3. +ve Bipolar fluctuation test
4. +ve Transillumination test

# عبدالمجيد حلاوة

## **Rt. 1ry vaginal hydrocele**

+ve data

1. Rt. scrotal swelling
2. +ve Bipolar fluctuation test
3. +ve Transillumination test

أشرف محمد عفيفي

## **Bilateral 1ry Varicocele**

complicated with **2ry hydrocele**

+ve data

1. Multiple dilated elongated tortuous soft compressible veins
2. Spermatic cord shows **bag of worms**
3. **Thrill** on cough
4. **+ve** Pinching test
5. **+ve** Bow test
6. **Empting** with scrotal elevation on supine position

شحنه عوض محمد

## **Lt. 1ry Varicocele**

complicated with **2ry hydrocele**

+ve data

1. Multiple dilated elongated tortuous soft compressible veins
2. Spermatic cord shows **bag of worms**
3. **Thrill** on cough
4. **+ve** Pinching test
5. **+ve** Bow test
6. **Empting** with scrotal elevation on supine position

# بدران السيد المالكي

## **Rt. Undescended testicle**

+ve data

1. **Undeveloped** Rt. scrotal compartment
2. **No** external swelling at ectopic sites
3. **Absent** Rt. testicle
4. **3 Scars** for previous laparoscopy

خیری

## **Chronic ischemia**

### **Buerger's disease**

+ve data

1. History of **claudication pain** at lower calf & sole
2. History of **Arteriography** & say distal block
3. **Scar** of Rt. sympathectomy
4. **Level** of coldness at Lt. calf
5. The disease affect U.L & L.L
6. **Absent pulsation**
  - Absent bilateral dorsalis pedis, ant. tibial & post. tibial pulsations
  - Absent bilateral ulnar arteries.

خالد رشاد أحمد

## **Chronic ischemia**

### **Buerger's disease**

+ve data

1. History of **claudication pain** at lower calf  
500 m then 5 m
2. **Rest time** 5 min then 15 min
3. History of **Arteriography** ( distal block )
4. **Scar** of Lt. sympathectomy
5. **Level** of coldness at Rt. Calf
6. **Buerger's angle** 20 degree
7. **Absent pulsation**
  - Absent bilateral dorsalis pedis, ant. tibial & post. tibial pulsations
8. **+ve Allen's test** on both hands

صلاح الدين محمد

## **Chronic ischemia**

### **Bureger's disease**

+ve data

1. History of **claudication pain** at lower calf  
200 m then 100 m
2. **Rest time** 5 min then 10 min
3. History of **Arteriography**
4. **Level** of coldness at Calf
6. **Bureger's angle** 25 degree
7. **Absent pulsation**
  - Absent bilateral dorsalis pedis, ant. tibial & post. tibial pulsations
6. **Rt. lower paramedian incision**

عزمی احمد ادم

## **Ulnar nerve injury**

### **Partial claw hand**

+ve data

1. History of **trauma** at Lt. wrist.
2. **Deformity** (Partial claw hand)
3. **Wasted muscles** ( hypothenar, interossi & adductor pollicis )
4. **Sensory loss** ( 1.5 finger & med, 1/3 of the Lt. hand )
5. **Tinel percussion** = Neuroma
6. **Special tests :**
  - **Card test +ve**
  - **Froment test +ve**

# عرفة حسين محمد

## **Ulnar nerve injury**

### **Partial claw hand**

+ve data

1. History of **trauma** at Rt. wrist.
2. **Deformity** (Partial claw hand)
3. **Wasted muscles** ( hypothenar, interossi & adductor pollicis )
4. **Sensory loss** ( 1.5 finger & med, 1/3 of the Rt. hand )
5. **Tinel percussion** = Neuroma
6. **Special tests :**
  - **Card** test +ve
  - **Froment** test +ve
7. **Scar** for Rt. sural nerve graft

منصور امين احمد

## **2ry Lymphoedema**

### **Filariasis (Stage I)**

+ve data

1. Odema on Rt. side **not** affect sole or skin crease
2. **Pitting** odema (stage **I**)
3. **+ve** inguinal L.Ns
4. **Endemic** area
5. **No** café au lait
6. **No** mechanical block of joints

# ممدوح

## **Bilateral 1ry Varicose vein**

+ve data

1. Multiple, dilated, elongated, soft, bluish & compressible veins
2. **Inspection :**
  - Saccular, serpentine, spider & saphena varix.
3. **Palpation :**
  - Bilateral saphena varix
4. **Percussion :** +ve Schwartz
5. **Special Test :**
  - a- Trendlenburg test =  
+ve blow out (Rt.= below & above knee & Lt.= below knee)
  - b- 2 fingers test = +ve blow out
  - c- Modified Perth's test  
= Patent deep system

# خليل أحمد خليل

## **Bilateral 1ry Varicose vein**

+ve data

1. Multiple, dilated, elongated, soft, bluish & compressible veins
2. **Inspection :**
  - Saccular, serpentine & spider
3. **Palpation :**
  - Soft & compressible
4. **Percussion :** +ve Schwartz
5. **Special Test :**
  - a- Trendlenburg test = +ve blow out  
( below & above knee)
  - b- 2 fingers test = +ve blow out
  - c- Modified Perth's test  
= Patent deep system
6. **2 Scars** of previous bil. O.I.H operation
7. **Paraumbilical hernia**

# ممنوح عطية عبد الحميد

## **Bilateral 1ry Varicose vein**

+ve data

1. Multiple, dilated, elongated, soft, bluish & compressible veins
2. **Inspection :**
  - Saccular, serpentine, tubular, spider & saphena varix.
  - Scar of Rt. hernia operation
3. **Palpation :** Saphena varix
  - Lt. +ve inguinal L.Ns
4. **Percussion :** +ve Schwartz
5. **Special Test :**
  - a-Trendlenburg test = **No** blow out
  - b- 2 fingers test = **No** blow out
  - c- Modified Perth's test  
= Patent deep system

# محمود إبراهيم الدسوقي

## Lymphadenopathy Hodgkin

+ve data

Fever 10 days then freedom 10 days  
& repeated

+v L.Ns

- Bil. Submandibular L.Ns
- Bil. U.D.C L.Ns
- Bil. med. Axillary L.Ns
- Bil. Inguinal L.Ns
- **2 Scars from L.Ns biopsy**  
(Bil. medial axillary)

# نصر مكاوى السعيد

## Lymphadenopathy 2ry T.B & HSM

+ve data

- History of T.B toxemia & treatment by Rifampicin (red urine)

+v L.Ns

- Bil. Submandibular L.Ns
- Bil. U.D.CL.Ns
- Rt. L.D.C L.Ns
- Bil. med. axillary L.Ns
- Bil. inguinal L.Ns
- Bil. Epi-trochlear L.Ns
- **2 Lt. Scars** from L.Ns biopsy

(Medial axillary & Post. cervical)

Bil. MORISS incisions

مراد سید

## **Lymphadenopathy**

### **Hodgkin**

+ve data

Fever 2 weeks then freedom 2 weeks  
& repeated

+v L.Ns

- Submental L.Ns
- Bil. Submandibular L.Ns
- Bil. U.D.C L.Ns
- Bil. med. Axillary L.Ns
- Bil. Inguinal L.Ns

# عادل عبد الحسيب شعراوى

## **Bil. Chronic parotitis**

+ve data

1. Bil. Swellings Lt. > Rt.
2. Elevated lobules of ears
3. Mobile in 2 directions
4. Soft in consistency
5. Smooth surface
6. Well defined edge
7. Superficial to muscles
8. **Sebaceous cyst at nose**